Electronics Letters

INDEX VOLUME 7 1971

A

A. C. small-signal model for bipolar transistors in saturation. H. C. De Graaff 73
ADP modulators 0° Z cut, pulse response of. K. Rashidi 114
Errata 236
Absence of 1/f noise in m.o.s. transistors operated in saturation. F. Leuenberger 561
Acar, C. New expansion for signal flow-graph determinant 766
Acar, C. New transformation in signal-flow graphs 27
Acar. C. RLC-ladder-network synthesis: signal-flow-graph approach 586
Acket, G. A., and Lam, H.'t. (See Lam)
Acket, G. A., Paxman, D. H., Tree, R. J., and Boers, P. M. (See Boers)
Ackroyd, M. H., and Ghani, F. (See Ghani)
Acoustic convolution using nonlinear surface-wave interactions in a piezoelectric semiconductor. C. W. Turner, I. M. Mason and J. Chambers 696
Acoustic-surface-wave application, a new material for: lithium metagermanate. F. W. Ainger, G. J. Rich, D. S. Robertson, A. F. Saunders and A. S. Young 13
Acoustic-surface-wave directional coupler, novel, with diverse applications. F. G. Marshall and E. G. S. Paige 460
Acoustic-surface-wave multistrip coupler, observed properties of an. F. G. Marshall and E. G. S. Paige 463
Acoustic-surface-wave processor for hyperbolic f.m. signals. C. Atzeni and L. Masotti 693
Acoustic-surface-wave television filters. D. Chauvin, G. Coussot and E. Dieulesaint 491
Acoustic surface waves, amplification of, by means of a broadband hybrid-junction transducer and negative-resistance circuits. R. Krimholtz and T. L. Matthaei 233
Acoustic surface waves, directional coupler using. D. P. Morgan 412
Acoustic surface waves, new unidirectional transducer and broadband reflector of. F. G. Marshall, E. G. S. Paige and A. S. Young 638
Acoustic surface waves on isopaustic glass. C. P. Sandbank and M. B. N. Butler 499
Acoustic surface waves on $LiNbO_3$, new high-coupling low-diffraction cut for. A. J. Slobodnik and T. L. Szabo 257
Acoustic surface waves, optical scattering in a nematic liquid crystal induced by. L. E. Davis and J. Chambers 287
Acoustic surface waves, ridge guides for. I. M. Mason, R. D. de la Rue, R. V. Schmidt, E. A. Ash and P. E. Lagasse 395
Acoustic surface waves, ridge, theoretical computations on, using the finite-element method. R. Burridge and F. J. Sabina 720
Acoustic waves, generation of, by single pair of electrodes on surface of piezoelectric ceramic. R. F. Milsom and M. Redwood 541
Acoustic waves, parametric beam-steering technique for, with applications to signal processing. V. L. Newhouse 14
Acoustoelectric oscillators, vibration-mode patterns of. F. G. Marshall 203
Active lowpass network, distributed, use of taper to reduce sensitivity in a. L. P. Huelsman and R. M. Tong 520
Active networks, general linear, algorithm for analysis of. C. Vidallon and J. C. Matheau 19
Active RC circuit, Huelsman's equal-valued-capacitor, constraint removal for. S. Tirtoprodjo 448
Active RC circuit, multifunction, with grounded capacitors. S. Venkateswaran and K. Radhakrishna Rao 708
Active RC circuits, method for phase correction in, using two integrators. P. W. Vogel 273
Active RC equivalents of RCL networks by similarity transformation. A. W. Keen and J. L. Glover 288
Active-RC-filter transmission functions with low Q factor, new approach to the approximation of. A. Premoli and F. Germano 456
Active-RC-network realisation, equal-valued-capacitor, of a 3rd-order low-pass Butterworth characteristic. L. P. Huelsman 271
Adams, M. J., and Cross, M. On the polarisation of radiation from double-heterostructure injection lasers 569
Adams, P. L., and Reeder, T. M. (See Reeder)
Adaptive equaliser, variable-gradient method for. J. W. Mark 636
Adaptive 2nd-order delta-modulation system with 1-bit memory. I. Childs 295
Additional considerations about Williams's circuit for allpass networks. A. Liberatore 77
Adjacent-channel interference in f.s.k. transmission. S. W. Tan, Y. F. Teng and T. T. Tjhung 730
Aerial array, self-phasing, for f.m. communication links. J. D. Parsons and P. A. Ratliff 380
Aerial far-field radiation-pattern determinations, comment on correction of errors in. D. M. Kerns 706
Aerial far-field radiation-pattern determinations, correction of errors in. T. Birand and A. Marinçiç 86
Aerial far-field radiation patterns, determination of, from near-field measurements. T. Birand and A. Marinçiç 296
Errata 444
Aerial, satellite square-loop, effect of excitation on radiation resistance of a, in a warm plasma. R. K. Gupta and I. L. Freeston 199
Aerials, Yagi, and the Hansen-Woodyard condition. P. Miller 11
Affichage bicolore à cristal liquide (Two-colour liquid-crystal display). G. Assouline, M. Hareng and E. Leiba 699
Ahmed, N., and Rao, K. R. (See Rao)
Ahmed, N., Rao, K. R., and Tjoe, S. K. Time-varying Fourier transform 535
Ainger, F. W., Rich, G. J., Robertson, D. S., Saunders, A. F., and Young, A. S. Lithium metagermanate: a new material for acoustic-surface-wave application 13
Aitchison, C. S. and Newton, B. H. Varactor-tuned X band Gunn oscillator using lumped thin-film circuits 93
Aksenov, I. I., Belous, V. A., and Smirnov, S. A. Controlled gas-discharge device with cold hollow cathode 61
Akutu, Y., Niki, H., Kimura, H., and Usui, M. (See Niki)
Al-Ani, A. H., and Cullen, A. L. (See Cullen)
Al-Bader, S. J., and McStay, J. Dependence of linewidth in hexagonal planar ferrites on angle between magnetostatic field and easy plane 109
Albrecht, C., and Dijkstra, D. Boundary condition for evaluating minority base charge in bipolar transistors 613
Aleksander, I., and Fairhurst, M. C. (See Fairhurst)
Algorithm for analysis of general linear active networks. C. Vidallon and J. C. Matheau 19
Allen, E. L., and Kawamoto, H. (See Kawamoto)
Allibone, T. E. Lightning and the long spark 215
Allison, J., and Dawe, V. R. Frequency dependence of negative-capacitance effects observed in amorphous semiconductor thin-film devices 706
Allpass networks, additional considerations about Williams's circuit for. A. Liberatore 77
Allwright, J. C. Real factorisation of noncyclic-convolution operators with application to fast convolution 718
Alternative switching criterion for 2nd-order plants. J. S. C. Tan 310
Aluminium Schottky barriers on sputter-etched silicon. P. Gutknecht and M. J. O. Strutt 298
Amplification, linear, using envelope feedback. T. Arthanayake and H. B. Wood 145
Errata 284
Amplification of acoustic surface waves by means of a broadband hybrid-junction transducer and negative-resistance circuits. R. Krimholtz and T. L. Matthaei 233
Amplifier and oscillator, Q band GaAs f.e.t. W. Baechtold 275
Amplifier, broadband high-power TRAPPAT-diode, at S Band. A. Rosen, J. F. Reynolds and J. M. Assour 778
Amplifier, d.c.-coupled computing, drift cancellation in a. R. N. Barnes and B. L. Hart 25
Amplifiers, avalanche-diode reflection, and locked oscillators, experimental characterisation of. P. W. Braddock 42
Amplifiers, bulk negative-resistance, noise reduction in. H. W. Thim 106
Amplitude stabilisation of a varactor frequency multiplier using self-bias resistance compensation. C. D. Corbey and R. Davies 151
Analogue computer, direct simulation of an iron-core coil for an. G. Chevallier and R. Goyet 317
Analogue multiplier, temperature-compensated. A. K. H. Miller 539
Analogue signal, pure time delay of an. H. R. Beastall and A. Scanlan 237
Analysis of a 2-terminal negative resistance. L. Shafai 572
Analysis, repetitive, separation technique for, of electrical networks. T. Downs 361
Analytical model for p-n junctions under high-injection conditions. J. Cornu 509
Anand, Y. Noise-factor dependence on mismatch of low-level r.f. signal 111
Anderson and Luenberger, design freedom in the method of, for eigenvalue assignment. H. M. Power 71
Anderson and Luenberger, extension to the method of, for eigenvalue assignment. H. M. Power 158
Anderson, B. D. O., and Chirarattananon, S. Smoothing as an improvement on filtering: a universal bound 524
Anderson, B. D. O., and Moore, J. B. Formulas for multidimensional optimal linear filtering in white noise 515
Andrews, R. S. Scattering-matrix measurements on 3-port electronic circulators 351
Angle modulation of frequency-locked Gunn oscillators. B. Martin and G. S. Hobson 399
Anisotropic medium, 2-dimensional surface-wave diffraction from an arbitrary source in an. I. M. Mason 344
Antenna, loaded short-slot, with enhanced radiation or improved directivity. T. Z. Hsieh, D. P. Nyquist and K. M. Chen 5
Antenna radiation patterns, v.o.r., theory of. D. L. Sengupta 418
Antennas, buried u.h.f., encapsulant for. L. L. Haidle, J. E. Partch and R. G. Fitzgerrell 121
Antennas, determination of both polarisation and power gain of, by a generalised 3-antenna measurement method. A. C. Newell and D. M. Kerns 68
Antennas, narrow-beam, using an artificial dielectric medium with permittivity less than unity. K. C. Gupta 16
Errata 200
Antennas, parabolic, investigation of the effects of precipitation on, employing linear orthogonal polarisation at 11 GHz. B. G. Evans, A. J. Fryatt, J. Read, P. T. Thompson and D. J. W. Turner 375
Antoniou, A. Transformations in an RC-active-network synthesis procedure 504

Application of point-matching method to scattering from quadrilateral cylinders. D. M. Bolle and D. M. Fye 577
Approximants, rational, to the matrix exponential, comment on. R. E. Scraton 260
Approximate eigenvalues for a circular rod of arbitrary relative permittivity. A. W. Snyder 105
Approximation of a sampled impulse-response function by a pulse transfer function. R. F. Brown, I. L. Campbell and D. H. Mee 169
Approximation, new approach to the, of RC-active-filter transmission functions with low Q factor. A. Premoli and F. Germano 456
Approximation of a nonuniform transmission line by a cascade of uniform lines. J. C. Giguere 511
Approximations, maximally flat, to the ideal filter as hypergeometric functions. J. Neirynck 591
Approximations to e^x, rational delay-function. L. Eisenberg 248
Arbitrarily located resonant slots in waveguide: exact condition for circular polarisation. A. J. Sangster and D. C. Hawkins 741
Arcelli, C., and Massarotti, A. Property of dual points 643
Argon, solid, concerning the electric strength of. T. J. Gallagher 156
Errata 284
Armstrong, G. A., and Magowan, J. A. Derivation of simple expressions for interelectrode capacitances of i.g.f.e.t.s as a function of bias condition 281
Arnbak, J., and Bach Anderson, J. Skywave propagation over a multi-section plane ground 685
Array directivity, optimisation of, by phase adjustments. D. K. Cheng and P. D. Raymond 552
Array, fast versatile binary comparator. H. H. Guild 225
Array technique for electromagnetic positional determination of a buried receiving point. J. R. Wait 186
Arrays, iterative, generation of sines and cosines using. J. Deverell 618
Arrays, Yagi-Uda, maximum gain of. J. H. Bojsen, H. Schjaer-Jacobsen, E. Nilsson and J. Bach Andersen 531
Errata 652
Arthanayake, T., and Wood, H. B. Linear amplification using envelope feedback 145
Errata 284
Arumugam, M., and Ramamoorty, M. Optimal selection of controller parameters using second method of Lyapunov 365
Ash, E. A., Lagasse, P. R., Mason, I. M., de la Rue, R. D., and Schmidt, R. V. (See Mason)
Assessment of optical iris-beam waveguides. J. W. Mink 527
Assouline, G., Hareng, M., and Leiba, E. Affichage bicolore à cristal liquide (Two-colour liquid-crystal display) 699
Assour, J. M., Rosen, A., and Reynolds, J. F. (See Rosen)
Asynchronous binary restoring divider array. A. B. Gardiner 542
Atherton, D. P., and Balasubramanian, R. (See Balasubramanian)
Atmospheric noise near 2 kHz, wave impedance from. D. B. Large 214
Attanasio d'Atri, M. L. and Cianciolo, T. Pole sensitivity to coefficient rounding in digital filters with multiple shift sequences 29
Attenuation in corrugated rectangular waveguide. R. Baldwin and P. A. McInnes 770
Attenuation, rainfall, at 110 and 890 GHz. D. T. Llewellyn-Jones and A. M. Zavody 321
Attenuation statistics, comparison of, at 19 and 37 GHz for Sun-Earth paths. P. G. Davies 51
Atzeni, C., and Masotti, L. Acoustic-surface-wave processor for hyperbolic f.m. signals 693
Au, H. K. Gain of narrow-flare-angle scalar feed with arbitrary length 671
Automata, behaviour of, in a nonstationary random environment. G. Langholz 348
Automata, stochastic, memory minimisation in control with. B. R. Gaines 710
Avalanche-diode oscillator, trapped-plasma mode, time-domain model of the device/circuit characteristics of a. B. Culshaw 339
Avalanche-diode reflection amplifiers and locked oscillators, experimental characterisation of. P. W. Braddock 42
Avalanche zone, uniform, in IMPATT diodes, large-signal theory for rectangular-voltage operation of a. F. Sellberg 154
Avalanching p-n junction, pulse measurements of transient thermal response and temperature of. J. Nigrin 481

B

Bach Anderson, J., and Arnbak, J. (See Arnbak)
Bach Andersen, J., Bojsen, J. H., Schjaer-Jacobsen, H., and Nilsson, E. (See Bojsen)
Bäck, I. F.M. noise in an injection-locked oscillator when reverse locking exists 346
Bailey, A. G., Bracher, J. E., and von Rohden, H. J. Colloid thruster measurements 738
Balasubramanian, R., and Atherton, D. P. Multimodal behaviour of nonlinear systems with narrowband Gaussian inputs 733
Baldwin, R., and McInnes, P. A. Attenuation in corrugated rectangular waveguide 770
Bandali, M. B., and Wright, G. T. Experimental study of surface channel in insulated-gate field-effect transistor 142
Bandali, M. B. Stabilising influence of boron in silicon-gate technology 735
Bandler, J. W., and Seviora, R. E. Computation of equivalent wave source using the adjoint network 235
Barker, R. W. J., and Hart, B. L. Offset-voltage temperature coefficient in dual m.o.s.f.e.t. source followers 123
Barnes, R. N., and Hart, B. L. Drift cancellation in a d.c.-coupled computing amplifier 25
Barnet, S. Remarks on solution of $AX + XB = C$ 385
Basavaraj, T. N., Bhattacharyya, A. B., and Tagore, A. K. (See Bhattacharyya)
Batchelor, B. G. Improved distance measure for pattern recognition 521
Baukus, J. P., and Snapp, C. P. (See Snapp)
Bayoumi, M. M., and Sundareswaren, K. K. (See Sundareswaren)
Bayer, K. Frame synchronisation for binary data transmission 392
Baynham, A. C., and Dunsmore, M. R. B. New high-power magnetically tunable microwave filter 90
Beachtold, W. Q band GaAs f.e.t. amplifier and oscillator 275
Beastall, H. R., and Scanlan, A. Pure time delay of an analogue signal 237
Beck, A. H. W., and Mills, W. P. C. Millimetre-wave generator working at half the cyclotron resonance frequency 533
Bedrosian, S. D. Generalised star graphs 579
Behaviour of automata in a nonstationary random environment. G. Langholz 348
Bell, R. D. Simplified variance calculation for parameter estimates in the presence of coloured noise 369
Belous, V. A., Smirnov, S. A., and Aksenov, I. I. (See Aksenov)
Bereznai, G. T., and Sinha, N. K. Computer-aided design of suboptimal feedback controllers using optimal low-order models 440
Berlekamp's (p-1)/2 bound, nonbinary negacyclic code which exceeds. R. G. Kelsch and D. H. Green 664
Berz, F., and Pyrah, E. Numerical-integration procedures in transistor-analysis computer programs 94
Bessel functions, spherical, further note on fast generation of, with complex arguments. R. C. Boston 34
Bhatt, S. J., Rao, D. N., and Taylor, D. (See Taylor)
Bhattacharyya, A. B., and Sarnot, S. L. Dynamic performance of a tunnel-diode monostable trigger with non-linear load 465
Bhattacharyya, A. B., Tagore, A. K., and Basavaraj, T. N. Silicon p-n junction photodiode characteristics with variable drift field in the diffused region 231
Bhattacharyya, B. B., and Mikhael, W. B. (See Mikhael)
Bibo stability of nonlinear sampled-data multivariable feedback control systems (Stabilité entrées bornées-sorties bornées de systèmes asservis multivariables discrets nonlinéaires). C. Melin 319
BIFORE transform, complex, optimum quadratic spectrum for. K. R. Rao and N. Ahmed 686
Binary-b.c.d. convertor for fractional numbers. G. Neri 719
Binary-coded modulo-seven negator. Z. L. Budrikis, A. Canoni and R. R. Perry 184
Binary orthogonal functions, sequential generation of. T. S. Durrani and J. M. Nightingale 377
Binary phase-modulated signals, synthesis of the optimal receiver structure for. V. A. Cherdyntser and A. C. Davies 739
Binary sequences having multipliers, property of cosets and its application to the calculation of moments of. G. F. A. Hoffmann de Visme 328
Binary transversal filters with quantised coefficients. G. B. Lockhart 305
Bipolar transistor packages, microwave, equivalent networks for three different, in the 2-10 GHz range. K. Hartmann, W. Kotyczka and M. J. O. Strutt 510
Bipolar transistors, boundary condition for evaluating minority base charge in. C. Albrecht and D. Dijkstra 613
Bipolar transistors in saturation, a.c. small-signal model for. H. C. De Graaff 73
Bipolar transistors, silicon, contribution of the surface effects on the white noise of. J. C. Martin, G. Blasquex and J. Caminade 342
Birand, T., and Marinçiç, A. Correction of errors in aerial far-field radiation-pattern determinations 86
Birand, T., and Marinçiç, A. Determination of aerial far-field radiation patterns from near-field measurements 296
Errata 444
Bird, J., Bolton, R. M. G., Edridge, A. L., de Sa, B. A. E., and Hobson, G. S. Gunn diodes with improved frequency-stability/temperature variations 299
Birtles, A. B., Radley, D. E., and Dirmikis, D. (See Radley)
Blachman, N. M. Signal/noise-ratio performance of optimum nonlinearities 393
Blake, C. C., Williams, H., and Wilson, A. S. (See Williams)
Blasquez, G., Caminade, J., and Martin, J. C. (See Martin)
Boccon-Gibod, D., and Teszner, J. L. Experimental evidence of bistable switching in a Gunn epitaxial coplanar diode by anode-surface loading 468
Boccon-Gibod, D., and Teszner, J. L. Lateral capacitive probing of an anode-loaded epitaxial coplanar gallium-arsenide diode 469
Boers, P. M., Acket, G. A., Paxman, D. H., and Tree, R. J. Observation of high-field domains in n type indium phosphide 1
Boers, P. M. Measurements on the velocity/field characteristic of indium phosphide 625
Bojsen, J. H., Schjaer-Jacobsen, H., Nilsson, E., and Bach Andersen, J. Maximum gain of Yagi-Uda arrays 531
Errata 652
Bolle, D. M., and Fye, D. M. Application of point-matching method to scattering from quadrilateral cylinders 577
Bolle, D. M., and Minor, J. C. (See Minor)
Bolton, R. M. G., Edridge, A. L., de Sa, B. A. E., Hobson, G. S., and Bird, J. (See Bird)
Bond, W. L., Reeder, T. M., and Shaw, H. J. Wrap-around surface-wave delay lines 79
Bonek, E., and Hillbrand, H. A. Deformation-potential constant for Γ-L transitions in GaSb 634
Boothroyd, A. R., and Cowpland, M. C. J. (See Cowpland)
Borghese, C., and Roveda, R. Relationship between spinwave linewidth H_k and the effective linewidth H_{eff} in ferrites 359
Boron, stabilising influence of, in silicon-gate technology. M. B. Bandali 735
Bose, N. K., and Strycula, E. C. (See Strycula)
Bose, N. K. Stability theorem for linear discrete systems 165
Boston, R. C. Evaluation of Gram-Charlier coefficients 492
Boston, R. C. Further note on fast generation of spherical Bessel functions with complex arguments 34
Boulter, J. F., and Haykin, S. (See Haykin)
Boundary condition for evaluating minority base charge in bipolar transistors. C. Albrecht and D. Dijkstra 613
Boundary conditions, mixed, relaxation method for. H. Niki, H. Kimura, M. Usui and Y. Akutu 525
Boustead, B. R. Special stability analysis for the Shichman formula 127
Bowes, R. C. Improved crosscoupled multivibrator controllable in frequency over a wide range 180
Boyd, R. T., and Monds, F. C. Equaliser for digital communication 58
Božičević, J., Everaerts, F. M., Pavelić, P. and Verhaggen, Th. P. E. M. High-frequency fluid-conductivity measurement in microanalytical systems 688
Bracher, J. E., von Rohden, H. J., and Bailey, A. G. (See Bailey)
Braddock, P. W. Experimental characterisation of avalanche-diode reflection amplifiers and locked oscillators 42
Bradley, C. C., Knight, D. J. E., and McGee, C. R. Frequency locking an HCN laser to a molecular absorption line 381
Breakdown, direct-current surface, of porcelain insulators in vacuum at elevated temperatures. H. Gibson 417

Broadband high-power TRAPPAT-diode amplifier at S band. A. Rosen, J. F. Reynolds and J. M. Assour 778
Broadband microwave transistor amplifiers, synthesis of. R. S. Tucker 455
Broadband (1.95 GHz) varactor-tuned X band Gunn oscillator. B. J. Downing and F. A. Myers 407
Broadband phase switches for radio-frequency and microwave interferometry. E. A. Parker and P. S. Nicholson 166
Brown, C. A., and Cornwell, G. F. High-speed low-cost read-only memory 644
Brown, R. F., and Campbell, I. L. (See Campbell)
Brown, R. F. Calculations of derivatives for parameter estimation 734
Brown, R. F., Campbell, I. L., and Mee D. H. Approximation of a sampled impulse-response function by a pulse transfer function 169
Brown, R. F. Model stability in use of moments to estimate pulse transfer functions 587
Brown, R. F. Moment estimation for multi-input linear systems by p.r.b.s. crosscorrelation 633
Buckingham, M. J., and Faulkner, E. A. Carrier-recombination statistics in a 2-level trapping system 333
Budrikis, Z. L., Canoni, A., and Perry, R. R. Binary-coded modulo-seven negator 184
Buffer length for Erlan arrivals and multiple synchronous regular removals. S. G. Tzafestas 176
Burridge, R., and Sabina, F. J. Theoretical computations on ridge acoustic surface waves using the finite-element method 720
Butler, M. B. N., and Sandbank, C. P. (See Sandbank)
Butterworth characteristic, 3rd-order lowpass, equal-valued-capacitor active-RC-network realisation of a. L. P. Huelsman 271

C

C band. 4-step digital p-i-n diode phase shifter in waveguide at, using two diodes. R. Genner 474
Cahit, I., and Cahit, R. Synthesis of RC networks containing operational amplifiers using flowgraph techniques 420
Cahit, I. Flowgraph determinant 782
Cahit, R., and Cahit, I. (See Cahit, I)
Calculation of attenuation of dielectric-rod waveguides. A. L. Cullen 707
Calculation of derivatives for parameter estimation. D. Q. Mayne 425
Calculation of Fourier coefficients of a function given at a set of arbitrary points (Computer-program description). R. Piessens 681
Calculation of generalised secondary-electron coefficients between coaxial cylinders (Computer program description). J. R. Travis and D. J. Mellor 594
Addendum 651
Calculation of intermodulation distortion levels in f.e.t. mixers and modulators. D. C. Surana and J. G. Gardiner 167
Calculation of piecewise-constant control strategies for linear systems with retarded control. O. Sebakhy 324
Errata 444
Calculation of steady-state response of linear system to periodic sampled signal. H. M. Power 101
Errata 164
Calculation of the average average reframing time for digital transmission systems employing 1-frame delay method of reframing. Q. S. Chow and P. E. K. Chow 705
Calculations of derivatives for parameter estimation. R. F. Brown 734
Calzolari, P. U., and Graffi, S. Evaluation of an approximated doping profile for diffused junctions from capacitance measurements 772
Cambrell, G. K., and Williams, C. G. (See Williams)
Caminade, J., Martin, J. C., and Blasquex, G. (See Martin)
Campbell, I. L., and Brown, R. F. Order determination in estimation of pulse transfer functions by method of moments 689
Campbell, I. L., Mee, D. H., and Brown, R. F. (See Brown)
Can a pulse excitation smaller than kT be detected? D. G. Maeder 767
Canoni, A., Perry, R. R., and Budrikis, Z. L. (See Budrikis)
Capacitance effects, negative, frequency dependence of, observed in amorphous semiconductor thin-film devices. J. Allison and V. R. Dawe 706
Capacitance measurements, evaluation of an approximated doping profile for diffused junctions from. P. U. Calzolari and S. Graffi 772
Capacitance problem, moment formulation for, of generalised N-strip transmission-line system. Y. Chang and R. F. Harrington 313
Capacitances, interelectrode, derivation of simple expressions for, of i.g.f.e.t.s as a function of bias condition. G. A. Armstrong and J. A. Magowan 281
Capacitor, equal-valued, active-RC-network realisation of a 3rd-order lowpass Butterworth characteristic. L. P. Huelsman 271
Capacitor, minimal, new, low-sensitivity RC-active synthesis procedure. W. B. Mikhael and B. B. Bhattacharyya 694
Capacitors, m.o.s., effects of proton radiation on capacitance/voltage characteristics of. H. C. Card and K. C. Kao 262
Carbon-dioxide laser, high-pressure pulsed, with uniform excitation. L. J. Denes and O. Farish 337
Card, H. C., and Kao, K. C. Effects of proton radiation on capacitance/voltage characteristics of m.o.s. capacitors 262
Carrier-burst method, sweep-frequency measurement of structural return loss by a. G. Rosman 216
Carrier multiplication in the pinchoff region of m.o.s. transistors (Multiplication de porteurs dans la zone de pincement des transistors m.o.s.). H. Martinot and P. Rossel 118
Carrier-recombination statistics in a 2-level trapping system. M. J. Buckingham and E. A. Faulkner 333
Carroll, J. E., and Slaymaker, N. A. (See Slaymaker)
Cascade decomposition of linear time-varying difference operators. D. Malah 340
Cascade synthesis of transmission lines and lossless lumped networks. J. D. Rhodes and P. C. Marston 621
Cavity-stabilised oscillators, comparison between transmission and reaction. K. Schunemann and B. Schiek 618
Cavity-stabilised oscillators, influence of a transmission line on the noise spectra of. K. Schünemann and B. Schiek 659
Cellular array, concise, for multiplication and division. I. Deegan 702
Cellular-array dividers, restoring and nonrestoring, comparison of. A. B. Gardiner and J. Hont 172
Cellular array for extracting square roots (floating-point number) [Réseau logique cellulaire pour l'extraction des racines carrées (virgule flottante)]. L. Frécon 361
Cellular array, multiplier-divider. A. Gex 442
Cellular arrays, comment on the speed of binary multiplication using. J. C. Majithia and K. H. Siemens 430
Cellular multiplier for signed binary numbers. I. D. Deegan 436
Cellular multiplier subarrays: a critical-path approach to propagation times. K. J. Dean 75
Ceyhun, Y. Hybrid form of Tellegen's theorem 84
Ceyhun, Y. Sensitivity calculations of ladder networks by using continuants 157
Ceyhun, Y. Sensitivity invariants of certain class of networks 85
Chamberlain, S. G., Sehgal, J., and Roulston, D. J. (See Roulston)
Chambers, J., and Davis, L. E. (See Davis)
Chambers, J., Turner, C. W., and Mason, I. M. (See Turner)
Chang, S., DeClaris, N., and Newcomb, R. Passive N-path-filter realisation 349
Chang, Y., and Harrington, R. F. Moment formulation for capacitance problem of generalised N-strip transmission-line system 313
Chang-Yu Wu and Yu Chang (See Yu Chang)
Characteristic impedance measurements of a coplanar waveguide. H. Matino 678
Characteristics of bulk indium-phosphide microwave oscillators. D. H. Paxman and R. J. Tree 240
Charlton, R., Freeman, K. R., and Hobson, G. S. Stabilisation mechanism for 'supercritical' transferred-electron amplifiers 575
Chauvin, D., Coussot, G., and Dieulesaint, E. Acoustic-surface-wave television filters 491
Chebyshev arrays, optimum spacing for. A. Kumar and P. K. Murthy 292
Chebyshev linear phase approximation using iterative technique. B. D. Rakovich and B. M. Djurich 646
Chen, K. M., Hsieh, T. Z., and Nyquist, D. P. (See Hsieh)
Cheng, D. K., and Raymond, P. D. Optimisation of array directivity by phase adjustments 552
Cherdyntser, C. A., and Davies, A. C. Synthesis of the optimal receiver structure for binary phase-modulated signals 739
Chevallier, G., and Goyet, R. Simulation direct d'une bobine à noyau de fer adaptée a un calculateur analogique (Direct simulation of an iron-core coil for an analogue computer) 317
Childs, I. Adaptive 2nd-order delta-modulation system with 1-bit memory 295
Chirarattananon, S., and Anderson, B. D. O. (See Anderson)
Chow, P. E. K., and Chow, Q. S. (See Chow, Q. S.)
Chow parameters, sensitivity performance of threshold-logic gates using. S. L. Hurst 371
Chow, Q. S., and Chow, P. E. K. Calculation of the average average reframing time for digital transmission systems employing 1-frame delay method of reframing 705
Christmas, T. M., and Ley, J. M. Laser-induced damage in XDP materials 544
Chu, R. S., and Tamir, T. Group velocity in space-time periodic media 410
Chudobiak, W. J., Jain, O. P., and Makios, V. (See Jain)
Cianciolo, T., and Attanasio d'Atri, M. L. (See Attanasio d'Atri)
Circuit characterisation of waveguide-mounted Gunn-effect oscillators. C. P. Jethwa and R. L. Gunshor 433
Circular rod of arbitrary relative permittivity, approximate eigenvalues for a. A. W. Snyder 105
Circular TE_{01} periodic waveguide delay line for pulse compression. H. S. Gökgör and B. Minakovic 607
Circulators, coplanar-guide and slot-guide junction. N. Ogasawara and M Kaji 220
Circulators, 3-port electronic, scattering-matrix measurements on. R. S. Andrews 351
Clarricoats, P. J. B., and Salema, C. E. R. C. Propagation and radiation characteristics of low-permittivity dielectric cones 483
Clarricoats, P. J. B., Olver, A. D., and Saha, P. K. Near-field radiation characteristics of corrugated horns 446
Clarricoats, P. J. B., Seng, L. M., Travers, B., and Williams, M. Scattering from a turbulent rocket-exhaust jet illuminated by a focused microwave beam 597
Clements, R. M., Morris, R. N., and Smy, P. R. Langmuir-probe measurement of ionisation density on a plasma jet 390
Clunie, D. M., Tearle, C. A., and Court, W. P. N. F.M. noise measurements on silicon IMPATT oscillators 39
Cobbold, R. S. C., and Hogeboom, J. G. (See Hogeboom)
Code, nonbinary negacyclic, which exceeds Berlekamp's (p-1)/2 bound. R. G. Kelsch and D. H. Green 664
Codes, b.c.h., decoding of. G. I. Davida 664
Coil, iron-core, direct simulation of an, for an analogue computer. G. Chevallier and R. Goyet 317
Cold hollow cathode, controlled gas-discharge device with. I. I. Aksenov, V. A. Belous and S. A. Smirnov 61
Coleman, R., and Zakian, V. (See Zakian)
Colliver, D. J., Morgan, J. R., and B. C. Taylor. Performance of InP 3-level oscillators in K and Q bands: 18-40 GHz 50
Colloid thruster measurements. A. G. Bailey, J. E. Bracher and H. J. von Rohden 738
Combination tones, frequency of. F. W. Fairman 108
Comer, A. F., and Keen, A. W. (See Keen)
Comment on practical technique for the successive overrelaxation method. D. E. Radley, D. Dirmikis and A. B. Birtles 369
Errata 651
Comment on pulse-rate exponential function generator. D. Taylor, S. J. Bhatt and D. N. Rao 247
Comment on rational approximants to the matrix exponential. R. E. Scraton 260
Comment on the speed of binary multiplication using cellular arrays. J. C. Majithia and K. H. Siemens 430
Common-mode rejection of differential amplifiers at high frequencies. K. B. Klaassen 251
Commutating channel separator, improved, for millimetric-waveguide systems. I. A. Ravenscroft and G. P. Kidd 436
Comparators, static distance, filtering applications in. G. K. Laycock and P. G. McLaren 97
Comparison between transmission- and reaction-cavity-stabilised oscillators. K. Schunemann and B. Schiek 618

Comparison of attenuation statistics at 19 and 37 GHz for Sun-Earth paths. P. G. Davies 51
Comparison of deadband effects in constant-input digital-filter systems. H. A. Ojongbede 309
Comparison of restoring and nonrestoring cellular-array dividers. A. B. Gardiner and J. Hont 172
Comparison of the microwave velocity/field characteristics of n type InB and n type GaAs. H.'t Lam and G. A. Acket 722
Compensator to maintain observability while decoupling. M. Cremer 201
Complex propagation coefficients and the step discontinuity in corrugated cylindrical waveguide. D. N. Cooper 135
Computation of dissipation-induced loss distortion in lumped/distributed networks. R. N. Gadenz and G. C. Temes 258
Computation of equivalent wave source using the adjoint network. J. W. Bandler and R. E. Seviora 235
Computation of surface-waveguide modes by use of reactance boundary conditions. C. G. Williams and G. K. Cambrell 323
Computationally complete operations on magnetic bubbles. W. Kluge 749
Computer-aided design of suboptimal feedback controllers using optimal low-order models. G. T. Bereznai and N. K. Sinha 440
Computer analysis for the various-order sensitivity coefficients in frequency domain. A. K. Seth and P. H. Roe 477
Errata 600
Computer analysis of the fundamental and higher-order modes in single and coupled microstrip. J. B. Davies and D. G. Corr (Errata) 284
Computer comparison of n^+-p-p^+ and p^+-n-n^+ junction silicon diodes for IMPATT oscillators. B. J. Udelson and A. L. Ward 723
Computer modelling of bipolar logic gates (Computer-program description). N. B. Rabbat, W. D. Ryan and S.Q.A.M.A. Hossain 8
Computer-program descriptions
Calculation of Fourier coefficients of a function given at a set of arbitrary points. R. Piessens 681
Calculation of generalised secondary-electron coefficients between coaxial cylinders. J. R. Travis and D. J. Mellor 594
Addendum 651
Computer modelling of bipolar logic gates. N. B. Rabbat, W. D. Ryan and S. Q. A. M. A. Hossain 8
Digital simulation of nonlinear dynamic systems using standard FORTRAN. D. E. Hirst 102
Enumeration of independent meshes of an oriented graph. J. Kollár and K. Lager 431
Evaluation of open-circuit impedance matrix of 2-port RLC networks. V. V. Bapeswara Rao and M. M. Godbole 487
Gain of standard horns. P. Magoulas 325
Generation of Bessel functions of complex order and argument. J. E Lewis, T. K. Sarkar and P. D. O'Kelly 615
Program for numerical inversion of the Laplace transform. K. Singhal and J. Vlach 413
Computer programs, transistor-analysis, numerical-integration procedures in. F. Berz and E. Pyrah 84
Computer simulation of dependence of TRAPATT oscillations on minority saturation currents. R. L. Wierich 189
Computing transfer functions from state-space matrices. F. Ghani and M. H. Ackroyd 487
Concept of scattering matrix applied to periodically repeated distributed systems. J. J. Hupert 241
Concerning the electric strength of solid argon. T. J. Gallagher 156
Errata 284
Concise cellular array for multiplication and division. I. Deegan 702
Conditions on the group delay of transmittances. J. Neirynck 7
Conducting triangular prisms, surface currents on. L. Shafai 32
Conductivity, current-induced resistor noise not attributable entirely to fluctuations of. H. Sutcliffe 160
Conductivity measurement, fluid, high-frequency, in microanalytical systems. J. Božičević, F. M. Everaerts, P. Pavelić and Th. P. E. M. Verhaggen 688
Constraint removal for Huelsman's equal-valued-capacitor active RC circuit. S. Tirtoprodjo 448
Construction of Guillemin's B matrix. C. Eswaran and V. G. K. Murti 774
Contact effects in Gunn diodes. W. S. C. Gurney 711
Contribution of the surface effects on the white noise of silicon bipolar transistors (Influence des phénomènes de génération recombinaison en surface sur le bruit blanc des transistors bipolaires). J. C. Martin, G. Blasquez and J. Caminade 342
Contribution to mixer intermodulation distortion of nonlinearity in the diode forward characteristics. R. V. Stewart and J. G. Gardiner 279
Control area, determination of self-excited and transient oscillations in nonlinear control system by the. J. A. Korobov 330
Control, dyadic modal, of multi-input time-invariant linear systems. B. Porter and T. R. Crossley 26
Control systems, computer, numerical method for the statistical design of. J. O. Gray and M. J. Jackson 716
Control, transmission-delay, of radio links in a mutually synchronised p.c.m. network. F. G. Johannesen 677
Controllability criterion, new proof of the, of linear systems with delay in control. O. Sebakhy 293
Controlled gas-discharge device with cold hollow cathode. I. I. Aksenov, V. A. Bellous and S. A. Smirnov 61
Controller, state-feedback, design of a, with maximum forcing-function specification. J. O. Gray and P. W. B. Hunt 726
Controllers, suboptimal feedback, computer-aided design of, using optimal low-order models. G. T. Bereznai and N. K. Sinha 440
Convertor, rapid pulse-frequency-number. T. H. Thomas 345
Cooper, D. N. Complex propagation coefficients and the step discontinuity in corrugated cylindrical waveguide 135
Cooper, D. N. Orthogonality relationship for class of waveguide with anisotropic walls 137
Coplanar-guide and slot-guide junction circulators. N. Ogasawara and M. Kaji 220
Corbey, C. D., and Davies, R. Amplitude stabilisation of a varactor frequency multiplier using self-bias resistance compensation 151
Cornu, J. Analytical model for p-n junctions under high-injection conditions 509
Cornwell, G. F., and Brown, C. A. (See Brown)
Corr, D. G., and Davies, J. B. (See Davies)
Correction of errors in aerial far-field radiation-pattern determinations, comment on. D. M. Kerns 706
Correction of errors in aerial far-field radiation-pattern determinations. T. Birand and A. Marinčić 86
Corrugated horns, near-field radiation characteristics of. P. J. B. Clarricoats, A. D. Olver and P. K. Saha 446
Counters, up/down Gray-code, simple design for. J. C. Majithia 658
Coupled, d.c., computing amplifier, drift cancellation in a. R. N. Barnes and B. L. Hart 25
Coupled distributed networks, transmission parameters of a class of. K. Singhal and J. Vlach 574
Errata 704
Coupled-mode model of dispersion in microstrip. O. P. Jain, V. Makios and W. J. Chudobiak 405
Coupler, acoustic-surface-wave multistrip, observed properties of an. F. G. Marshall and E. G. S. Paige 463
Court, W. P. N., Clunie, D. M., and Tearle, C. A. (See Clunie)
Coussot, G., Dieulesaint, E., and Chauvin, D. (See Chauvin)
Cowles, P. R., and Parker, E. A. Helical feeds at millimetre wavelengths 513
Cowley, A. M., and Patterson, R. C. High-power parallel-array IMPATT diodes 301
Cowpland, M. C. J., and Boothroyd, A. R. Integrated-circuit Schottky-barrier guard 753
Cox, A. D., and Spooner, E. D. Pedestal control in diac-triac circuit 756
Cozens, J. R., and Holmes, A. J. T. High-frequency glow-arc oscillations 629
Crabb, J. C., Maines, J. D., and Ogg, N. R. Surface-wave diffraction on $LiNbO_3$ 253
Cremer, M. Compensator to maintain observability while decoupling 201
Crocker, A., and Lamberton, H. M. Output pulse characteristics and self mode locking of atmospheric-pressure CO_2 lasers 272
Cross, M., and Adams, M. J. (See Adams)
Crosscorrelation, p.r.b.s., moment estimation for multi-input linear systems by. R. F. Brown 633
Crossley, T. R., and Porter, B. (See Porter)
Cullen, A. L., and Al-Ani, A. H. Digital phase control by harmonic locking 609
Cullen, A. L. Calculation of attenuation of dielectric-rod waveguides 707
Cullen, A. L., Ozkan, O., and Jackson, L. A. Point-matching technique for rectangular-cross-section dielectric rod 497
Culshaw, B. Time-domain model of the device/circuit characteristics of a trapped-plasma mode avalanche-diode oscillator 339
Current-induced resistor noise not attributable entirely to fluctuations of conductivity. H. Sutcliffe 160
Current transformer, electronic error compensation of a. P. Sankaran and V. G. K. Murti 327
Curtis, T., and Kemhadjian, H. High-speed molybdenum-gate m.o.s.t. shift register 729
Cutset and node-pair transformation matrices, relationship between. K. Thulasiraman and M. N. S. Swamy 276
Cutteridge, O. P. D., and di Mambro, P. H. Simultaneous generation of the partial derivatives of network polynomial coefficients: further details and results 3
Cyclotron resonance frequency, millimetre-wave generator working at half the. A. H. W. Beck and W. P. C. Mills 533

D

Dalman, G. C., and Lee, C. A. (See Dalman)
Darlington section, reciprocal, suitable for an integrated circuit. M. S. Piekarski 475
Data transmission, binary, frame synchronisation for. K. Bayer 392
Data transmission, synchronous high-speed. J. Kuhlwetter 562
Data transmission, wideband, dual single-sideband modulation for. R. J. Sluyter and P. J. Van Gerwen 640
Davida, G. I. Decoding of b.c.h. codes 664
Davies, A. C., and Cherdyntser, V. A. (See Cherdyntser)
Davies, J. B., and Corr, D. G. Computer analysis of the fundamental and higher-order modes in single and coupled microstrip (Errata) 284
Davies, J. B., and Nagenthiram, P. Irregular fields, nonconvex shapes and the point-matching method for hollow waveguides 401
Errata 480
Davies, P. G. Comparison of attenuation statistics at 19 and 37 GHz for Sun-Earth paths 51
Davies, P. R., and Deeley, E. M. Inductance changes in annular discs near an infinite conducting plane 120
Davies, R., and Corbey, C. D. (See Corbey)
Davis, L. E., and Chambers, J. Optical scattering in a nematic liquid crystal induced by acoustic surface waves 287
Dawe, V. R., and Allison, J. (See Allison)
Dawsey, J. R., Deadman, H. A., and Vokes, J. C. (See Vokes)
de Barros, M. A. R. P., and Wilson, M. G. F. Nanosecond baseband optical-diffraction modulator 267
DeClaris, N., Newcomb, R., and Chang, S. (See Chang)
De Graaff, H. C. A. C. small-signal model for bipolar transistors in saturation 73
de la Rue, R. D., Schmidt, R. V., Ash, E. A., Lagasse, P. E., and Mason, I. M. (See Mason)
de Sa, B. A. E., Hobson, G. S., Bird, J., Bolton, R. M. G., and Edridge, A. L. (See Bird)
Deadman, H. A., Vokes, J. C., and Dawsey, J. R. (See Vokes)
Dean, K. J. Cellular multiplier sub-arrays: a critical-path approach to propagation times 75
Decoders and encoders, p.c.m., method of testing, by a level-at-a-time process. A. G. Stoddart 36
Decoding of b.c.h. codes. G. I. Davida 664
Deegan, I. Concise cellular array for multiplication and division 702
Deegan, I. D. Cellular multiplier for signed binary numbers 436
Deeley, E. M., and Davies, P. R. (See Davies)
Deformation-potential constant for Γ-L transitions in GaSb. E. Bonek and H. A. Hillbrand 634
Delay, group, of transmittances, conditions on the. J. Neirynck 7
Delay in control, new proof for the controllability criterion of linear systems with. O. Sebakhy 293
Delay line, circular TE_{01} periodic waveguide, for pulse compression. H. S. Gökgör and B. Minakovic 607
Delay lines, surface-wave, with near-octave bandwidth. T. M. Reeder and P. L. Adams 570
Delay lines, wrap-around surface-wave. W. L. Bond, T. M. Reeder and H. J. Shaw 79
Delay, optimal rational approximations to a. B. Wise 312

Delay, pure time, of an analogue signal. H. R. Beastall and A. Scanlan 237
Delayed versions of linear binary sequences. C. A. Stapleton 39
Delta-modulation system, adaptive 2nd-order, with 1-bit memory. I. Childs 295
Delta-sigma wattmeter. I. A. Dempster and R. Steele 519
Dempster, I. A., and Steele, R. Delta-sigma wattmeter 519
Dence, D., and Spence, J. E. Dyson's equation for a medium possessing uniaxial anisotropic fluctuations 304
Denes, L. J., and Farish, O. High-pressure pulsed carbon-dioxide laser with uniform excitation 337
Dennis, L. P., and Nichols, S. T. (See Nichols)
Dependence of linewidth in hexagonal planar ferrites on angle between magnetostatic field and easy plane. S. J. Al-Bader and J. McStay 109
Derivation of simple expressions for inter-electrode capacitances of i.g.f.e.t.s as a function of bias condition. G. A. Armstrong and J. A. Magowan 281
Deschamps, G. A. Gaussian beam as a bundle of complex rays 684
Describing function of the diurnal variation of ionospheric nondeviative absorption. L. M. Muggleton (Erratum) 60
Design freedom in the method of Anderson and Luenberger for eigenvalue assignment. H. M. Power 71
Design of optimal multivariable systems by a frequency-domain technique. F. Fallside and H. Seraji 64
Désormière, B. and Pauchard, R. Magnetostatic resonance in a y.i.g. rod containing a turning point 62
Désormière, B., Guidevaux, J., and Pauchard, R. (See Pauchard)
Dessoulavy, R., and Nicoud, J. D. (See Nicoud)
Determination of aerial far-field radiation patterns from near-field measurements. T. Birand and A. Marinçiç 296
Determination of both polarisation and power gain of antennas by a generalised 3-antenna measurement method. A. C. Newell and D. M. Kerns 68
Determination of self-excited and transient oscillations in nonlinear control systems by the control area. J. A. Korobov 330
Deverell, J. Generation of sines and cosines using iterative arrays 616
Deverell, J. Multiplication of complex numbers using iterative arrays 205
Di Cenzo, C. D., Sinha, N. K., and Szabados, B. (See Sinha)
di Mambro, P. H., and Cutteridge, O. P. D. (See Cutteridge)
Diac-triac circuit, pedestal control in. A. D. Cox and E. D. Spooner 756
Dielectric cones, low-permittivity, propagation and radiation characteristics of. P. J. B. Clarricoats and C. E. R. C. Salema 483
Dielectric medium, artificial, narrow-beam antennas using an, with permittivity less than unity. K. C. Gupta 16
Errata 200
Dielectric rod, rectangular-cross-section, point-matching technique for. A. L. Cullen, O. Özkan and L. A. Jackson 497
Dieulesaint, E., Chauvin, D., and Coussot, G. (See Chauvin)
Difference methods for the solution of the time-dependent semiconductor flow equations. M. Reiser 353
Difference operators, linear time-varying, cascade decomposition of. D. Malah 340
Differential amplifiers at high frequencies, common-mode rejection of. K. B. Klaassen 251
Diffraction coefficients for a discontinuity in curvature. T. B. A. Senior 249
Diffusion, inclusion of, in the space-charge theory of Kino and Robson. W. Heinle 245
Errata 444
Diffusion noise in double-injection diodes in the ohmic relaxation régime. C. H. Huang, A. van der Ziel and K. M. van Vliet 291
Digital communication, equaliser for. R. T. Boyd and F. C. Monds 58
Digital-filter systems, constant-input, comparison of deadband effects in. H. A. Ojongbede 309
Digital filtering using logarithmic arithmetic. N. G. Kingsbury and P. J. W. Rayner 56
Digital filters, pole sensitivity to coefficient rounding in, with multiple shift sequences. M. L. Attanasio d'Atri and T. Cianciolo 29
Digital integrators, two methods for the construction of transfer functions of. R. Vich 422
Digital logarithmic conversion, fast algorithm for. G. A. Jullien 218
Digital phase control by harmonic locking. A. L. Cullen and A. H. Al-Ani 609
Digital simulation of nonlinear dynamic systems using standard FORTRAN (Computer-program description) D. E. Hirst 102
Errata 444
Digital transmission systems, calculation of the average average reframing time for, employing 1-frame delay method of reframing. Q. S. Chow and P. E. K. Chow 705
Dijkstra, D., and Albrecht, C. (See Albrecht)
Diode, anode-loaded epitaxial coplanar gallium-arsenide, lateral capacitive probing of an. D. Boccon-Gibod and J. L. Teszner 469
Diode forward characteristics, contribution to mixer intermodulation distortion of nonlinearity in the. R. V. Stewart and J. G. Gardiner 279
Diode, Gunn epitaxial coplanar, experimental evidence of bistable switching in a, by anode-surface loading. D. Boccon-Gibod and J. L. Teszner 468
Diode source, silicon Pt-n-p^+ microwave, local oscillator noise in a. C. A. Lee and G. C. Dalman 565
Diode structures, TRAPATT-amplifier and TRAPATT-oscillator. H. Kroger 608
Diodes, double-injection, diffusion noise in, in the ohmic relaxation régime. C. H. Huang, A. van der Ziel and K. M. van Vliet 291
Diodes, 4-step digital p-i-n diode phase shifter in waveguide at C band using two. R. Genner 474
Diodes, high-power parallel-array IMPATT. A. M. Cowley and R. C. Patterson 301
Dipole feed, log-periodic, radiation patterns of paraboloid with. P. A. McInnes, E. W. Munro and A. J. T. Whitaker 669
Direct-current surface breakdown of porcelain insulators in vacuum at elevated temperatures. H. Gibson 417
Direct frequency demodulation with frequency-locked Gunn oscillators. G. S. Hobson and M. Thomas 67
Direct simulation of an iron-core coil for an analogue computer (Simulation direct d'une bobine à noyau de fer adaptée a un calculateur analogique). G. Chevallier and R. Goyet 317
Directional coupler, novel acoustic-surface-wave, with diverse applications. F. G. Marshall and E. G. S. Paige 460
Directional coupler using acoustic surface waves. D. P. Morgan 412
Dirmikis, D., Birtles, A. B., and Radley, D. E. (See Radley)
Discharges, gas, at low temperatures: deductions from breakdown characteristics of hydrogen at subatmospheric pressure. D. A. Swift 620
Discrete linear systems, stability theorem for. N. K. Bose 165
Discrete-time systems, transmission matrix of a class of. D. Malah 682
Discrete Wiener-Lee transforms. M. K. Sundareshan 485
Dispersion measurement and microstrip ring resonator on microstrip lines. I. Wolff and N. Knoppik 779
Dispersion characteristics of slot lines. T. Itoh and R. Mittra 364
Distance measure, improved, for pattern recognition. B. G. Batchelor 521
Distortion, dissipation-induced loss, computation of, in lumped/distributed networks. R. N. Gadenz and G. C. Temes 258
Distortion levels, intermodulation, calculation of, in f.e.t. mixers and modulators. D. C. Surana and J. G. Gardiner 167
Distortion, mixer intermodulation, contribution to, of nonlinearity in the diode forward characteristics. R. V. Stewart and J. G. Gardiner 279
Distributed active lowpass network, use of taper to reduce sensitivity in a. L. P. Huelsman and R. M. Tong 520
Distributed networks, coupled, transmission parameters of a class of. K. Singhal and J. Vlach 574
Errata 704
Distributed-parameter systems, reduction of the Riccati equation for. M. J. E. Mayhew and A. J. Pritchard 628
Distributed-parameter systems, simplified Lyapunov matrix equation with applications to the control of. A. J. Pritchard and K. T. Parker 398
Diversity system, single-receiver, for reducing the effect of fast fading in mobile radio. M. J. Withers 727
Divider array, asynchronous binary restoring. A. B. Gardiner 542
Divider circuit, voltage, precision. B. L. Hart 679
Divider, fast economical binary. A. B. Gardiner 691
Divider-multiplier cellular array. A. Gex 442
Dividers, restoring and nonrestoring cellular-array, comparison of. A. B. Gardiner and J. Hont 172
Division and multiplication, concise cellular array for. I. Deegan 702
Djurich, B. M., and Rakovich, B. D. (See Rakovich)
Domains, high-field, observation of, in n type indium phosphide. P. M. Boers, G. A. Acket, D. H. Paxman and R. J. Tree 1
Doped semiconductors, heavily, graphical method for estimating phonon- and impurity-scattering contributions in. D. M. Rowe 315
Doping-dependent mobility analysis of junction field-effect transistors. K. V. Ramanan and R. K. Gupta 221
Doping profile, net impurity of double-diffused transistors, improved method for calculation of. F. Durbin 243
Double-injection diodes, diffusion noise in, in the ohmic relaxation régime. C. H. Huang, A. van der Ziel and K. M. van Vliet 291
Downing, B. J., and Myers, F. A. Broadband (1.95 GHz) varactor-tuned X band Gunn oscillator 407
Downs, T. Separation technique for repetitive analysis of electrical networks 361
Drift cancencellation in a d.c.-coupled computing amplifier. R. N. Barnes and B. L. Hart 25
Dry-reed networks, logical. W. Gruszczynski, M. Ligmanowski and H. J. Wierzba 397
Dual-gate gallium-arsenide microwave field-effect transistor. J. A. Turner, A. J. Waller, E. Kelly and D. Parker 661
Dual single-sideband modulation for wideband data transmission. R. J. Sluyter and P. J. Van Gerwen 640
Dufty, P. O., and Vranesic, Z. G. Microcomputer interfacing module 589
Dunlop, A. J., and Stachera, H. S. Polarisation of e.m. waves scattered by water drops 87
Dunsmore, M. R. B., and Baynham, A. C. (See Baynham)
Durbin, F. Improved method for calculation of net impurity-doping profile of double-diffused transistors 243
Durrani, T. S., and Nightingale, J. M. Sequential generation of binary orthogonal functions 377
Dyadic modal control of multi-input time-invariant linear systems. B. Porter and T. R. Crossley 26
Dyadic modal control of multi-input time-invariant linear systems incorporating integral feedback. B. Porter and H. M. Power 18
Dynamic performance of a tunnel-diode monostable trigger with nonlinear load. A. B. Bhattacharyya and S. L. Sarnot 465
Dynamical study of the transferred-electron effect by a Monte Carlo technique. H. A. Hillbrand 495
Dyott, R. B., and Stern, J. R. Effects of multiple scattering in optical-fibre transmission line 624
Dyott, R. B., and Stern, J. R. Group delay in glass-fibre waveguide 82
Dyott, R. B., and Stern, J. R. (See Stern)
Dyson's equation for a medium possessing uniaxial anisotropic fluctuations. D. Dence and J. E. Spence 304

E

E. M. Waves scattered by water drops, polarisation of. A. J. Dunlop and H. S. Stachera 87
Earth curvature, influence of, on the subsurface electromagnetic fields of a line source. J. R. Wait 697
Easter, B., and Horton, R. (See Horton)
Easter, B., and Roberts, R. J. (See Roberts)
Easter, B., and Stephenson, I. M. (See Stephenson)
Easter, B., Gopinath, A., and Horton, R. (See Horton)
Economakos, E. Identification of a group of internal signals of zero-memory nonlinear systems 99
Eddolls, D. V., Ward, F. S., and Whitehead, A. J. High-power high-efficiency c.w. Gunn oscillators in X band 472
Edge-coding operators for pattern recognition. P. Saraga and P. R. Wavish 736
Edridge, A. L., de Sa, B. A. E., Hobson, G. S., Bird, J., and Bolton, R. M. G. (See Bird)
Edwards, C. R. Floating-point cellular-logic multiplier with variable dynamic range 747
Effect of excitation on radiation resistance of a satellite square-loop aerial in a warm plasma. R. K. Gupta and I. L. Freeston 199

Effect of oxide-layer thickness on the speed of m.n.o.s. transistors. R. E. Oakley 89
Effect of tolerances on the performance of microstrip parallel-coupled band-pass filters. R. J. Roberts 255
Effects of multiple scattering in optical-fibre transmission line. R. B. Dyott and J. R. Stern 624
Effects of proton radiation on capacitance/voltage characteristics of m.o.s. capacitors. H. C. Card and K. C. Kao 262
Efficiency of a stepped reflector when fed from an off-axis source. G. Poulton 666
Eigenvalue assignment, design freedom in the method of Anderson and Luenberger for. H. M. Power 71
Eigenvalue assignment, extension of the method of Anderson and Luenberger for. H. M. Power 158
Eigenvalue assignment in linear multivariable systems. K. K. Sundareswaren and M. M. Bayoumi 573
Eigenvalues, approximate, for a circular rod of arbitrary relative permittivity. A. W. Snyder 105
890 and 110 GHz, rainfall attenuation at. D. T. Llewellyn-Jones and A. M. Zadovy 321
Einschnüreffekt bei Transistoren mit Streifengeometrie (Pinch-in effect in transistors with emitter-stripe geometry). H.-M. Rein, T. Schad and R. Zühlke 757
Eisenberg, L. Rational delay-function approximations to e^x 248
Electrical-network problem, matrix Riccati equation in the. H. Nicholson 529
Electrically induced liquid motion, measurement of, with an optical probe. R. J. Taylor and H. House 404
Electromagnetic fields, subsurface, of a line source, influence of earth curvature on the. J. R. Wait 697
Electromagnetic pulse propagation in a simple dispersive medium. J. R. Wait 285
Electromagnetic surface waves in a metallised ferrite slab. R. Pauchard, B. Désormière and J. Guidevaux 428
Electronic error compensation of a current transformer. P. Sankaran and V. G. K. Murti 327
Electro-optical longitudinal quadratic effect in KTN. A. J. Fox and P. W. Whipps 139
11 GHz, investigation of the effects of precipitation on parabolic antennas employing linear orthogonal polarisation at. B. G. Evans, A. J. Fryatt, J. Read, P. T. Thompson and D. J. W. Turner 375
11 GHz, mutual interference between linear crosspolarised radio channels at. P. A. Watson, F. Goodall and S. Ghobrial 374
Elimination of nonlinear effects in impulse-response testing. G. C. Moss and K. C. Ng 227
Eller, D. H., and Rhoten, R. P. Prescribed stability optimal controller for time-delay systems 208
Elliptic resonator and its use in microcircuit systems. R. T. Irish 149
Elmetwally, M. M., and Rao, N. D. Sensitivity analysis using second method of Lyapunov 622
Emeleus, K. G., and Pak, T. S. Ion oscillations in a cold positive-ion electron-beam thermal electron plasma 358
Errata 480
Encapsulant for buried u.h.f. antennas. L. L. Haidle, J. E. Partch and R. G. Fitzgerrell 121
Encoder, p.c.m., nonlinear counting. F. G. Johannesen 593
Enumeration of independent meshes of an oriented graph (Computer-program description). J. Kollár and K. Lager 431
Equal-valued-capacitor active-RC-network realisation of a 3rd-order lowpass Butterworth characteristic. L. P. Huelsman 271
Equaliser, adaptive, variable-gradient method for. J. W. Mark 636
Equaliser for digital communication. R. T. Boyd and F. C. Monds 58
Equaliser, new automatic, employing modulo arithmetic. M. Tomlinson 138
Equaliser, nonlinear feedback, employing a soft limiter. D. P. Taylor 265
Equivalent circuit, an improved: interdigital piezoelectric Rayleigh-wave transducer. R. F. Milsom and M. Redwood 217
Equivalent circuit, mount-independent, of the S4 diode package. R. P. Owens 580
Equivalent circuits, resonant techniques for establishing the, of small discontinuities in microstrip. I. M. Stephenson and B. Easter 582
Equivalent networks for three different microwave bipolar transistor packages in the 2-10 GHz range. K. Hartmann, W. Kotyczka and M. J. O. Strutt 510
Equivalent π networks, small-signal, for carrier generation-recombination-trapping at imperfection centres in semiconductors. C. T. Sah 713
Equivalent wave source, computation of, using the adjoint network. J. W. Bandler and R. E. Seviora 235
Equivalents, active RC, of RCL networks by similarity transformation. A. W. Keen and J. L. Glover 288
Error compensation, electronic, of a current transformer. P. Sankaran and V. G. K. Murti 327
Error in time-domain network sensitivity using adjoint-network approach. A. K. Seth 548
Estimates, parameter, simplified variance calculation for, in the presence of coloured noise. R. D. Bell 369
Estimation, continuous, fast algorithms for, of mean value of a random variable. J. C. Majithia 626
Estimation, moment, for multi-input linear systems by p.r.b.s. cross-correlation. R. F. Brown 633
Estimation, parameter, calculation of derivatives for. D. Q. Mayne 425
Eswaran, C., and Murti, V. G. K. Construction of Guillemin's B matrix 774
Etched Schottky-barrier m.o.s.f.e.t.s using a single mask. J. G. Hogeboom and R. S. C. Cobbold 133
Etched silicon, sputter, aluminium Schottky barriers on. P. Gutknecht and M. J. O. Strutt 298
Evaluation of a quadratic performance criterion for 3-term control loops. N. E. Gough 493
Evaluation of an approximated doping profile for diffused junctions from capacitance measurements. P. U. Calzolari and S. Graffi 772
Evaluation of Gram-Charlier coefficients. R. C. Boston 492
Evaluation of open-circuit impedance matrix of 2-port RLC networks (Computer-program description). V. V. Bapeswara Rao and M. M. Godbole 487
Evaluation of time-weighted total-square integrals. M. H. Hamza and M. E. Rasmy 303
Evaluation of transient response using state variables. W. E. Thomson 357
Evaluation of 2-trees of a graph. K. Sankara Rao, V. V. Bapeswara Rao and V. G. K. Murti 332
Evans, B. G., Fryatt, A. J., Read, J., Thompson, P. T., and Turner, D. J. W. Investigation of the effects of precipitation on parabolic antennas employing linear orthogonal polarisation at 11 GHz 375
Evans, D. R., Lewis, M. F., and Patterson, E. Sputtered ZnO surface-wave transducers 557
Excitation techniques, improved, for atmospheric-pressure CO_2 lasers. H. M. Lamberton and P. R. Pearson 141
Excitation, uniform, high-pressure pulsed carbon-dioxide laser with. L. J. Denes and O. Farish 337
Everaerts, F. M., Pavelić, P., Verhaggen, Th. P. E. M., and Božičević, J. (See Božičević)
Experimental characterisation of avalanche-diode reflection amplifiers and locked oscillators. P. W. Braddock 42
Experimental comparison of silicon p^+-n-p^+ and Cr-n-p^+ transit-time oscillators. P. Weissglas and C. P. Snapp 743
Experimental evidence of bistable switching in a Gunn epitaxial coplanar diode by anode-surface loading. D. Boccon-Gibod and J. L. Teszner 468
Experimental hearing-aid circuit with an input-variable transfer function for the correction of cochlear deafness. E. Trinder 2
Experimental study of surface channel in insulated-gate field-effect transistor. M. B. Bandali and G. T. Wright 142
Experimental verification of bistable switching with Gunn diodes. H. Thim 246
Experiments on heat sinking of semiconductor devices. W. Fallmann, H. L. Hartnagel and P. C. Mathur 512
Extension of Chang-Chang's method to analysis of generalised multilayer and multiconductor transmission-line system. Yu Chang and Chang-Yu Wu 45
Extension to the method of Anderson and Luenberger for eigenvalue assignment. H. M. Power 158

F

F.E.T., gradual-junction-gate, thermal noise in. D. Rigaud, G. Ginter and G. Lecoy 389
F.E.T. mixers and modulators, calculation of intermodulation distortion levels in. D. C. Surana and J. G. Gardiner 167
F.E.T. structures, junction, 2-dimensional analysis of, containing a low-conductivity substrate. D. P. Kennedy and R. R. O'Brien 714
F.M. communication links, self-phasing aerial array for. J. D. Parsons and P. A. Ratliff 380
F.M. noise in an injection-locked oscillatory when reverse locking exists. I. Bäck 346
F. M. noise measurements on silicon IMPATT oscillators. D. M. Clunie, C. A. Tearle and W. P. N. Court 39
F.M. noise of low-level-operating IMPATT-diode oscillators. J. J. Goedbloed 445
F.M. signals, hyperbolic, acoustic-surface-wave processor for. C. Atzeni and L. Masotti 693
F.S.K. transmission, adjacent-channel interference in. S. W. Tan, Y. F. Teng and T. T. Tjhung 730
Fairhurst, M. C., and Aleksander, I. Natural pattern clustering in digital learning nets 724
Fairman, F. W. Frequency of combination tones 108
Fallmann, W., Hartnagel, H. L. and Mathur, P. C. Experiments on heat sinking of semiconductor devices 512
Fallman, W. F., and Hartnagel, H. L. Metallic channels formed by high surface fields on GaAs planar devices 692
Fallside, F., and Seraji, H. Design of optimal multivariable systems by a frequency-domain technique 64
Fallside, F., and Seraji, H. Steady-state values in single-input feedback systems 197
Far-field sector scanning using a sampled multielement ultrasonic receiving array. S. O. Harrold and R. C. West 100
Farish, O., and Denes, L. J. (See Denes)
Fast algorithm for digital logarithmic conversion. G. A. Jullien 218
Fast algorithms for continuous estimation of mean value of a random variable. J. C. Majithia 626
Fast economical binary divider. A. B. Gardiner 691
Fast frequency-switching system for frequency-shift keying pulse-code modulation. M. Kawashima and H. Hartnagel 761
Fast versatile binary comparator array. H. H. Guild 225
Faulkner, E. A., and Buckingham, M. J. (See Buckingham)
Feedback controller, state, with linear predictor for systems with dead time. J. O. Gray and P. W. B. Hunt 335
Feedback, integral, dyadic modal control of multi-input time-invariant linear systems incorporating. B. Porter and H. M. Power 18
Feedback, integral, optimal control of multivariable linear systems incorporating. B. Porter 170
Feedback nonlinear sampled-data multivariable control systems, Bibo stability of. C. Melin 319
Feedback systems, linear multivariable, synthesis of, with prescribed stochastic-response characteristics. B. Porter 207
Feedback systems, single-input, steady-state values in. F. Fallside and H. Seraji 197
Feeds, helical, at millimetre wavelengths. P. R. Cowles and E. A. Parker 513
Ferrite slab, metallised, electromagnetic surface waves in a. R. Pauchard, B. Désormière and J. Guidevaux 428
Ferrite substrate, propagation in shielded microslot on. J. C. Minor and D. M. Bolle 502
Ferrites, hexagonal planar, dependence of linewidth in, on angle between magnetostatic field and easy plane. S. J. Al-Bader and J. McStay 109
Ferrites, relationship between spinwave linewidth H_k and the effective linewidth H_{eff} in ferrites. C. Borghese and R. Roveda 359
Fibre-optical waveguide, off-axis launching into a. J. R. Stern and R. B. Dyott 52
Fibre transmission line, optical, effects of multiple scattering in. R. B. Dyott and J. R. Stern 624
Field-effect insulated-gate transistor, experimental study of surface channel in. M. B. Bandali and G. T. Wright 142
Field-effect transistor, dual-gate gallium-arsenide microwave. J. A. Turner, A. J. Waller, E. Kelly and D. Parker 661
Field-effect transistors, junction, doping-dependent mobility analysis of. K. V. Ramanan and R. K. Gupta 221

Fields, image-region, for a stepped reflector. G. Poulton 650
Fields, scattered, polarisation characteristics of. E. F. Knott and T. B. A. Senior 183
Filter, ideal, maximally flat approximations to the, as hypergeometric functions. J. Neirynck 591
Filter, N-path, realisation, passive. S. Chang, N. DeClaris and R. Newcomb 349
Filter, recursive m.t.i., response of a, to inputs with staggered p.r.f. S. Haykin and J. F. Boulter 415
Filtering applications in static distance comparators. G. K. Laycock and P. G. McLaren 97
Filtering, digital, using logarithmic arithmetic. N. G. Kingsbury and P. J. W. Rayner 56
Filtering in white noise, multidimensional optimal linear, formulas for. B. D. O. Anderson and J. B. Moore 515
Filtering, smoothing as an improvement on: a universal bound. B. D. O. Anderson and S. Chirarattananon 524
Filters, acoustic-surface-wave television. D. Chauvin, G. Coussot and E. Dieulesaint 491
Filters, bandpass, two network-frequency transformations for. P. R. Geffe 198
Filters, binary transversal, with quantised coefficients. G. B. Lockhart 305
Filters, digital, pole sensitivity to coefficient rounding in, with multiple shift sequences. M. L. Attanasio d'Atri and T. Cianciolo 29
Filters, lowpass and highpass, quadrature-modulation-type. W. Saraga 516
Errata 632
Filters, microstrip parallel-coupled bandpass, effect of tolerances on the performance of. R. J. Roberts 255
Filters, narrow-bandwidth Rayleigh-wave. P. Hartemann 674
Filters, 2-path, orthogonal properties of a set of. A. W. Keen and A. F. Comer 194
Finite-state machines, heuristic procedure for the reduction of. F. W. M. Stentiford and D. W. Lewin 700
Fitzgerrell, R. G., Haidle, L. L., and Partch, J. E. (See Haidle)
Floating-point cellular-logic multiplier with variable dynamic range. C. R. Edwards 747
Flowgraph determinant. I. Cahit 782
Formulas for linear optimal control over a finite or infinite interval. O. H. D. Walter (Erratum) 88
FORTRAN, standard, digital simulation of nonlinear dynamic systems using (Computer-program description). D. E. Hirst 102
Errata 444
Fourier transform, time-varying. N. Ahmed, K. R. Rao and S. K. Tjoe 535
Formulas for multidimensional optimal linear filtering in white noise. B. D. O. Anderson and J. B. Moore 515
Four-step digital p-i-n diode phase shifter in waveguide at C band using two diodes. R. Genner 474
Fourier coefficients, calculation of, of a function given at a set of arbitrary points (Computer-program description). R. Piessens 681
Fox, A. J., and Whipps, P. W. Longitudinal quadratic electro-optical effect in KTN 139
Frame synchronisation for binary data transmission. K. Bayer 392
Frécon, L. Réseau logique cellulaire pour l'extraction des racines carrées (virgule flottante) [Cellular array for extracting square roots (floating-point number)] 361
Freeman, K. R., Hobson, G. S., and Charlton, R. (See Charlton)
Freeston, I. L., and Gupta, R. K. (See Gupta)
Frequencies, submillimetre laser, phase-locking millimetre-wave klystrons for the measurement of. D. J. E. Knight 383
Frequency dependence of negative-capacitance effects observed in amorphous semiconductor thin-film devices. J. Allison and V. R. Dawe 706
Frequency-domain case, method for the computation of higher-order sensitivity coefficients for a linear network. A. K. Seth and P. H. Roe 478
Errata 600
Errata 652
Frequency domain, computer analysis for the various-order sensitivity coefficients in. A. K. Seth and P. H. Roe 477
Errata 600
Frequency locking an HCN laser to a molecular absorption line. C. C. Bradley, D. J. E. Knight and C. R. McGee 381
Frequency multiplier, varactor, amplitude stabilisation of a, using self-bias resistance compensation. C. D. Corbey and R. Davies 151
Frequency of combination tones. F. W. Fairman 108
Frequency-response function, estimating, using periodic signals and the f.f.t. S. T. Nichols and L. P. Dennis 662
Frequency-shift-keying pulse-code modulation, fast frequency-switching system for. M. Kawashima and H. Hartnagel 761
Frequency stabilisation of a reflex-klystron oscillator by a superconducting cavity. J. J. Jiminez, P. Sudraud and A. Septier 153
Frequency-stability/temperature variations, improved, Gunn diodes with. J. Bird, R. M. G. Bolton, A. L. Edridge, B. A. E. de Sa and G. S. Hobson 299
Fryatt, A. J., Read, J., Thompson, P. T., Turner, D. J. W., and Evans, B. G. (See Evans)
Function generator, pulse-rate exponential. J. D. Martin and A. J. Shiner 55
Function generator, Walsh, new. C. K. Yuen 605
Functions, Bessel, generation of, of complex order and argument (Computer-program description). J. E. Lewis, T. K. Sarkar and P. D. O'Kelly 615
Functions, spherical Bessel, further note on fast generation of, with complex arguments. R. C. Boston 34
Further note on fast generation of spherical Bessel functions with complex arguments. R. C. Boston 34
Fye, D. M., and Bolle, D. M. (See Bolle)

G

GaAs devices, high-resistivity nonohmic, low-frequency current oscillations observed with. R. Kaman, R. Grant and S. V. Jaskolski 373
GaAs f.e.t. Q band amplifier and oscillator. W. Baechtold 275
GaAs, n type, and n type InP, comparison of the microwave velocity/field characteristics of. H.'t Lam and G. A. Acket 722
GaAs, n type, new logic functional device using transverse spreading of a high-field domain in. K. Tomizawa, M. Kawashima and S. Kataoka 239
GaAs planar devices, metallic channels formed by high surface fields on. W. F. Fallman and H. L. Hartnagel 692
GaAs Q band Schottky-barrier IMPATT. J. M. Rodgers and R. C. Pomeroy 21
GaAs sample, measurement of the velocity/field characteristic of, in dipole-mode operation. J. Pokorny and F. Jelínek 528
Gadenz, R. N., and Temes, G. C. Computation of dissipation-induced loss distortion in lumped/distributed networks 258
Gain of narrow-flare-angle scalar feed with arbitrary length. H. K. Au 671
Gain of standard horns (Computer-program description). P. Magoulas 325
Gain, power, determination of both polarisation and, of antennas by a generalised 3-antenna measurement method. A. C. Newell and D. M. Kerns 68
Gaines, B. R. Memory minimisation in control with stochastic automata 710
Gallagher, T. J. Concerning the electric strength of solid argon 156
Errata 284
Gallium-arsenide diode, anode-loaded epitaxial coplanar, lateral capacitive probing of an. D. Boccon-Gibod and J. L. Teszner 469
Gambling, W. A., Payne, D. N., and Sunak, H. Pulse dispersion in glass fibres 549
Errata 651
Gannon, D. R., and Zakian V. (See Zakian)
GaP surface-barrier diodes, ideal. Yu. A. Goldberg, E. A. Posse and B. V. Tsarenkov 601
Gardiner, A. B., and Hont, J. Comparison of restoring and nonrestoring cellular-array dividers 172
Gardiner, A. B. Asynchronous binary restoring divider array 542
Gardiner, A. B. Fast economical binary divider 691
Gardiner, J. G., and Stewart, R. V. (See Stewart)
Gardiner, J. G., and Surana, D. C. (See Surana)
Gartner, N. Improved algorithm for road-traffic control 212
Gas discharges at low temperatures: deductions from breakdown characteristics of hydrogen at subatmospheric pressure. D. A. Swift 620
GaSb, deformation-potential constant for Γ-L transitions in. E. Bonek and H. A. Hillbrand 634
Gate, modified t.t.l., transient analysis of. N. B. Rabbat, W. D. Ryan and S.Q.A.M.A. Hossain 22
Gaussian beam as a bundle of complex rays. G. A. Deschamps 684
Gaussian inputs, narrowband, multimodal behaviour of nonlinear systems with. R. Balasubramanian and D. P. Atherton 733
Geffe, P. R. Two network-frequency transformations for bandpass filters 198
Generalisation of a theorem by Mitra and Hurtig on positive real functions. S. Tirtoprodjo 211
Generalised star graphs. S. D. Bedrosian 579
Generalised least-squares estimation without iteration. J. P. Norton and A. P. Roberts 125
Generation of acoustic waves by single pair of electrodes on surface of piezoelectric ceramic. R. F. Milsom and M. Redwood 541
Generation of Bessel functions of complex order and argument (Computer-program description). J. E. Lewis, T. K. Sarkar and P. D. O'Kelly 615
Generation of sines and cosines using iterative arrays. J. Deverell 616
Generator, pulse-rate exponential function, comment on. D. Taylor, S. J. Bhatt and D. N. Rao 247
Genner, R. Four-step digital p-i-n diode phase shifter in waveguide at C band using two diodes 474
Germano, F., and Premoli, A. (See Premoli)
Gerrand, P. H., and Kerr, A. R. Stability of parametric networks 40
Gex, A. Multiplier-divider cellular array 442
Ghani, F., and Ackroyd, M. H. Computing transfer functions from state-space matrices 487
Ghobrial, S., Watson, P. A., and Goodall, F. (See Watson)
Giannini, F., Ottavi, C. M., and Salsano, A. Wave propagation in negative-conductivity media 65
Gibbons, G., and White, P. M. InP pulsed and c.w. millimetre-wave oscillators 150
Gibson, H. Direct-current surface breakdown of porcelain insulators in vacuum at elevated temperatures 417
Giguere, J. C. Approximation of a non-uniform transmission line by a cascade of uniform lines 511
Gimlin, D. R. Transformation of 'bandpass' linear time-variant system into equivalent 'lowpass' systems 645
Ginter, G., Lecoy, G., and Rigaud, D. (See Rigaud)
Glass-fibre waveguide, group delay in. R. B. Dyott and J. R. Stern 82
Glass fibres, pulse dispersion in. W. A. Gambling, D. N. Payne and H. Sunak 549
Errata 651
Glass, isopaustic, acoustic surface waves on. C. P. Sandbank and M. B. N. Butler 499
Glover, G. H., and Yu, S. P. (See Yu)
Glover, J. L., and Keen, A. W. (See Keen)
Glow-arc oscillations, high-frequency. A. J. T. Holmes and J. R. Cozens 629
Gobat, A. R., Narayan, S. Y., and Huang, H. C. (See Narayan)
Godbole, M. M., and Rao, V. V. Bapeswara (See Rao)
Goddard, P. J., Villalaz, P. A. and Spence, R. Method for the efficient computation of the large-change sensitivity of linear nonreciprocal networks 112
Goedbloed, J. J. F.M. noise of low-level-operating IMPATT-diode oscillators 445
Gökgör, H. S., and Minakovic, B. Circular TE_{01} periodic waveguide delay line for pulse compression 607
Goldberg, Yu. A., Posse, E. A., and Tsarenkov, B. V. Ideal GaP surface-barrier diodes 601
Goodall, F., Ghobrial, S., and Watson, P. A. (See Watson)
Goodman, D. K., and Hiller, J. (See Hiller)
Gopinath, A., Horton, R., and Easter, B. (See Horton)
Gough, N. E. Evaluation of a quadratic performance criterion for 3-term control loops 493
Goyet, R., and Chevallier, G. (See Goyet)
Graffi, S., and Calzolari, P. U. (See Calzolari)
Gram-Charlier coefficients, evaluation of. R. C. Boston 492
Grant, R., Jaskolski, S. V., and Kaman, R. (See Kaman)
Graph, evaluation of 2-trees of a. K. Sankara Rao, V. V. Bapeswara Rao and V. G. K. Murti 332

Graph, oriented, enumeration of independent meshes of an (Computer-program description). J. Kollár and K. Lager 431
Graphical method for estimating phonon- and impurity-scattering contributions in heavily doped semiconductors. D. M. Rowe 315
Graphs, generalised star. S. D. Bedrosian 579
Graphs, signal-flow, new transformations in. C. Acar 27
Gray, J. O., and Hunt, P. W. B. Design of a state-feedback controller with maximum forcing-function specification 726
Gray, J. O. and Hunt, P. W. B. State-feedback controller for systems with dead time 131
Gray, J. O., and Hunt, P. W. B. State-feedback controller with linear predictor for systems with dead time 335
Gray, J. O., and Jackson, M. J. Numerical method for the statistical design of computer control systems 716
Green, D. H., and Kelsch, R. G. (See Kelsch)
Groundwave propagation, short-distance. G. Millington 80
Group delay in glass-fibre waveguide. R. B. Dyott and J. R. Stern 82
Group velocity in space-time periodic media. R. S. Chu and T. Tamir 410
Grubb, R. N., and Wait, J. R. In situ measurements of the complex propagation constant in rocks for frequencies from 1 MHz to 10 MHz 506
Gruszczynski, W., Ligmanowski, M., and Wierzba, H. J. Logical dry-reed networks 397
Guides, ridge, for acoustic surface waves. I. M. Mason, R. D. de la Rue, R.V.Schmidt, E. A. Ash and P. E. Lagasse 395
Guidevaux, J., Pauchard, R., and Désormière, B. (See Pauchard)
Guild, H. H. Fast versatile binary comparator array 225
Guillemin's B matrix, construction of. C. Eswaran and V. G. K. Murti 774
Gunn devices, planar Schottky-gate. K. Heime 610
Gunn diodes, contact effects in. W. S. C. Gurney 711
Gunn diodes, experimental verification of bistable switching with. H. Thim 246
Gunn diodes with improved frequency-stability/temperature variations. J. Bird, R. M. G. Bolton, A. L. Edridge, B. A. E. de Sa and G. S. Hobson 299
Gunn-effect devices, planar, observation of recombination radiation in. D. Ullrich 193
Gunn-effect waveguide-mounted oscillators, circuit characterisation of. C. P. Jethwa and R. L. Gunshor 433
Gunn epitaxial coplanar diode, experimental evidence of bistable switching in a, by anode-surface loading. D. Boccon-Gibod and J. L. Teszner 468
Gunn oscillator, broadband (1.95 GHz) varactor-tuned X band. B. J. Downing and F. A. Myers 407
Gunn oscillator, tunable, by semiconductor surface loading. J. L. Teszner 146
Gunn oscillator, varactor-tuned X band, using lumped thin-film circuits. C. S. Aitchison and B. H. Newton 93
Gunn oscillators, frequency-locked, angle modulation of. B. Martin and G. S. Hobson 399
Gunn oscillators, frequency-locked, direct frequency demodulation with. G. S. Hobson and M. Thomas 67
Gunn oscillators in X band, high-power high-efficiency c.w. D. V. Eddolls, F. S. Ward and A. J. Whitehead 472
Gunn oscillators, X band, relationship of the starting delay time and frequency/temperature characteristics of. Z. U. Kocabiyikoglu, G. S. Hobson and B. E. A. de Sa 550
Gunshor, R. L., and Jethwa, C. P. (See Gunshor)
Gupta, K. C. Narrow-beam antennas using an artificial dielectric medium with permittivity less than unity 16
Errata 200
Gupta, R. K., and Freeston, I. L. Effect of excitation on radiation resistance of a satellite square-loop aerial in a warm plasma 199
Gupta, R. K., and Ramanan, K. V. (See Ramanan)
Gurney, W. S. C. Contact effects in Gunn diodes 711
Gutknecht, P., and Strutt, M. J. O. Aluminium Schottky barriers on sputter-etched silicon 298
Gyrator circuit, wideband, stability of a. J. G. Wade and D. W. Parker 224

H

HCN laser, frequency locking an, to a molecular absorption line. C. C. Bradley, D. J. E. Knight and C. R. McGee 381
Haidle, L. L., Partch, J. E., and Fitzgerrell, R. G. Encapsulant for buried u.h.f. antennas 121
Hamza, M. H., and Rasmy, M. E. Evaluation of time-weighted total-square integrals 303
Hansen-Woodyard condition, Yagi aerials and the. P. Miller 11
Hareng, M., Leiba, E., and Assouline, G. (See Assouline)
Harrington, R. F., and Chang, Y. (See Chang)
Harris, I. A. Zero-point fluctuations and thermal-noise standards 148
Harrold, S. O., and West, R. C. Far-field sector scanning using a sampled multielement ultrasonic receiving array 100
Harrowell, R. V. Possible advance in thermionic conversion 486
Hart, B. L., and Barker, R. W. J. (See Barker)
Hart, B. L., and Barnes, R. N. (See Barnes)
Hart, B. L. Precision voltage-divider circuit 679
Hartemann, P. Narrow-bandwidth Rayleigh-wave filters 674
Hartmann, K., Kotyczka, W., and Strutt, M. J. O. Equivalent networks for three different microwave bipolar transistor packages in the 2-10 GHz range 510
Hartnagel, H., and Kawashima, M. (See Kawashima)
Hartnagel, H. L., and Fallman, W. F. (See Fallman)
Hartnagel, H. L., Mathur, P. C., and Fallmann, W. (See Fallmann)
Hashizume, N., Kawashima, M., and Kataoka, S. Nucleation and control of departure of a high-field domain by a gate electrode 195
Haus, H. A., Statz, H., and Pucel, R. A. Noise measure of metal-semiconductor-metal Schottky-barrier microwave diodes 667
Hawkins, D. C., and Sangster, A. J. (See Sangster)
Haykin, S., and Boulter, J. F. Response of a recursive m.t.i. filter to inputs with staggered p.r.f. 415
Hearing-aid circuit, experimental, with an input-variable transfer function for the correction of cochlear deafness. E. Trinder 2
Heat-sink temperature distribution of the annular solid-state microwave diode. S. P. Yu and G. H. Glover 182
Heat sinking of semiconductor devices, experiments on. W. Fallmann, H. L. Hartnagel and P. C. Mathur 512
Heime, K. Planar Schottky-gate Gunn devices 610
Heinle, W. Inclusion of diffusion in the space-charge theory of Kino and Robson 245
Errata 444
Helical feeds at millimetre wavelengths. P. R. Cowles and E. A. Parker 513
Heuristic procedure for the reduction of finite-state machines. F. W. M. Stentiford and D. W. Lewin 700
High-field-current instabilities in InP. B. A. Prew 584
High-frequency fluid-conductivity measurement in microanalytical systems. J. Božičević, F. M. Everaerts, P. Pavelić and Th. P. E. M. Verhaggen 688
High-frequency glow-arc oscillations. A. J. T. Holmes and J. R. Cozens 629
High-harmonic content in trapped-plasma-mode oscillators. C. P. Snapp and J. P. Baukus 426
High-level asymptotic variation of transistor base resistance and current gain. D. J. Roulston, S. G. Chamberlain and J. Sehgal 438
High-power high-efficiency c.w. Gunn oscillators in X band. D. V. Eddolls, F. S. Ward and A. J. Whitehead 472
High-power parallel-array IMPATT diodes. A. M. Cowley and R. C. Patterson 301
High-pressure pulsed carbon-dioxide laser with uniform excitation. L. J. Denes and O. Farish 337
High-resolution laser homodyne interferometer. J. A. Midgley and K. F. Sander 117
High-speed binary multiplier. N. G. Kingsbury 277
High-speed low-cost read-only memory. C. A. Brown and G. F. Cornwell 644
High-speed molybdenum-gate m.o.s.t. shift register. T. Curtis and H. Kemhadjian 729
Hill, D. A. Reflection of an impulsive plane wave by a magnetoionic half space 35
Hillbrand, H. A., and Bonek, E. (See Bonek)
Hillbrand, H. A. Dynamical study of the transferred-electron effect by a Monte Carlo technique 495
Hiller, J., and Goodman, D. K. Realisation from partial sequences 188
Hilsum, C., and Rees, H. D. (See Rees)
Hirst, D. E. Digital simulation of non-linear dynamic systems using standard FORTRAN (Computer-program description) 102
Errata 444
Hobson, G. S., and Martin, B. (See Martin)
Hobson, G. S., and Thomas, M. Direct frequency demodulation with frequency-locked Gunn oscillators 67
Hobson, G. S., Bird, J., Bolton, R. M. G., Edridge, A. L., and de Sa, B. A. E. (See Bird)
Hobson, G. S., Charlton, R., and Freeman, K. R. (See Charlton)
Hobson, G. S., de Sa, B. E. A., and Kocabiyikoglu, Z. U. (See Kocabiyikoglu)
Hoffmann de Visme, G. F. A. Property of cosets and its application to the calculation of moments of binary sequences having multipliers 328
Hogeboom, J. G., and Cobbold, R. S. C. Etched Schottky-barrier m.o.s.f.e.t.s using a single mask 133
Holmes, A. J. T., and Cozens, J. R. High-frequency glow-arc oscillations 629
Holt, A. G. J. Realisation of impedances $K p^n$ 672
Hont, J., and Gardiner, A. B. (See Gardiner)
Horns, standard, gain of (Computer-program description). P. Magoulas 325
Horton, R., and Easter, B. Impedance and guide wavelength on an arbitrary ferromagnetic substrate 642
Horton, R., Easter, B., and Gopinath, A. Variation of microstrip losses with thickness of strip 490
Hossain, S. Q. A. M. A., Rabbat, N. B. and Ryan, W. D. (See Rabbat)
House, H., and Taylor, R. J. (See Taylor)
Howard, A. Q. Truncation error in the analysis of aperture radiation 129
Hsieh, T. Z., Nyquist, D. P., and Chen, K. M. Loaded short-slot antenna with enhanced radiation or improved directivity 5
Hsu-Chen theorem, simple proof of the. B. Porter 163
Huang, C. H., van der Ziel, A., and van Vliet, K. M. Diffusion noise in double-injection diodes in the ohmic relaxation régime 291
Huang, H. C., Gobat, A. R., and Narayan, S. Y. (See Narayan)
Huelsman, L. P., and Tong, R. M. Use of taper to reduce sensitivity in a distributed active lowpass network 520
Huelsman, L. P. Equal-valued-capacitor active-RC-network realisation of a 3rd-order lowpass Butterworth characteristic 271
Huelsman's equal-valued-capacitor active RC circuit, constraint removal for. S. Tirtoprodjo 448
Hunt, P. W. B., and Gray, J. O. (See Gray)
Hupert, J. J. Concept of scattering matrix applied to periodically repeated distributed systems 241
Hurst, S. L. Sensitivity performance of threshold-logic gates using Chow parameters 371
Hybrid form of Tellegen's theorem. Y. Ceyhun 84

I

I.G.F.E.T.s, derivation of simple expressions for interelectrode capacitances of, as a function of bias condition. G. A. Armstrong and J. A. Magowan 281
Ideal GaP surface-barrier diodes. Yu. A. Goldberg, E. A. Posse and B. V. Tsarenkov 601
Identification of a group of internal signals of zero-memory nonlinear systems. E. Economakos 99
Identification, online, of a drifting system using generalised Kalman filtering. R. G. Witcomb 10
Image-region fields for a stepped reflector. G. Poulton 650
IMPATT-diode oscillators, low-level-operating, f.m. noise of. J. J. Goedbloed 445
IMPATT diodes, high-power parallel-array. A. M. Cowley and R. C. Patterson 301
IMPATT diodes, large-signal theory for rectangular-voltage operation of a uniform avalanche zone in. F. Sellberg 154
IMPATT oscillator, noise in, at large r.f. amplitudes. A. Sjölund 161
IMPATT oscillators, computer comparison of n^+-p-p^+ and p^+-n-n^+ junction silicon diodes for. B. J. Udelson and A. L. Ward 723
IMPATT oscillators, silicon, f.m. noise measurements on. D. M. Clunie, C. A. Tearle and W. P. N. Court 39

IMPATT, Q band GaAs Schottky-barrier. J. M. Rodgers and R. C. Pomeroy 21
Impedance and guide wavelength on an arbitrary ferromagnetic substrate. R. Horton and B. Easter 642
Impedance measurements, characteristic, of a coplanar waveguide. H. Matino 678
Impedance, 2-port common-electrode, corrections for, and the corresponding 2-port to 3-port transforms: transistor S parameter measurement. D. Woods 162
Impedances Kp^n, realisation of. A. G. J. Holt 672
Improved algorithm for road-traffic control. N. Gartner 212
Improved commutating channel separator for millimetric-waveguide systems. I. A. Ravenscroft and G. P. Kidd 466
Improved crosscoupled multivibrator controllable in frequency over a wide range. R. C. Bowes 180
Improved distance measure for pattern recognition. B. G. Batchelor 521
Improved excitation techniques for atmospheric-pressure CO_2 lasers. H. M. Lamberton and P. R. Pearson 141
Improved method for calculation of net impurity-doping profile of double-diffused transistors. F. Durbin 243
Improved sampling technique for the observation of high harmonics in TRAPATT waveforms. N. A. Slaymaker and J. E. Carroll 554
Improvement of a resonant-transfer circuit by means of a compensating reactance. L. Verasfeld 270
Impulse-response testing, elimination of nonlinear effects in. G. C. Moss and K. C. Ng 227
In situ measurements of the complex propagation constant in rocks for frequencies from 1 MHz to 10 MHz. R. N. Grubb and J. R. Wait 506
Inclusion of diffusion in the space-charge theory of Kino and Robson. W. Heinle 245
Errata 444
Indium phosphide, measurements on the velocity/field characteristic of. P. M. Boers 625
Indium-phosphide microwave oscillators, bulk, characteristics of. D. H. Paxman and R. J. Tree 240
Indium phosphide, n type, observation of high-field domains in. P. M. Boers, G. A. Acket, D. H. Paxman and R. J. Tree 1
Inductance changes in annular discs near an infinite conducting plane. P. R. Davies and E. M. Deeley 120
Influence des phénomènes de génération recombinaison en surface sur le bruit blanc des transistors bipolaires (Contribution of the surface effects on the white noise of silicon bipolar transistors). J. C. Martin, G. Blasquex and J. Caminade 342
Influence of a transmission line on the noise spectra of cavity-stabilised oscillators. K. Schünemann and B. Schiek 659
Influence of earth curvature on the subsurface electromagnetic fields of a line source. J. R. Wait 697
InP, high-field-current instabilities in. B. A. Prew 584
InP, n type and n type GaAs, comparison of the microwave velocity/field characteristics of. H. 't Lam and G. A. Acket 722
InP pulsed and c.w. millimetre-wave oscillators. G. Gibbons and P. M. White 150
InP, 3-level transferred-electron effects in. H. D. Rees and C. Hilsum 437
Insulators, porcelain, direct-current surface breakdown of, in vacuum at elevated temperatures. H. Gibson 417
Integrated circuit, reciprocal Darlington section suitable for an. M. S. Piekarski 475
Integrated-circuit Schottky-barrier guard. M. C. J. Cowpland and A. R. Boothroyd 753
Integrated circuits, insulated-gate, nondestructive optical technique for electrically testing. J. M. Keen 432
Integrated circuits, silicon-gate m.o.s., suppression of parasitic thick-field conduction mechanisms in. P. Richman 12
Integrators, digital, two methods for the construction of transfer functions of. R. Vich 422
Interdigital piezoelectric Rayleigh-wave transducer: an improved equivalent circuit. R. F. Milsom and M. Redwood 217
Interference, adjacent-channel, in f.s.k. transmission. S. W. Tan, Y. F. Teng and T. T. Tjhung 730
Interference of low-frequency waves in a positive column. R. M. Perkin and E. R. Wooding 781
Interferometer, high-resolution laser homodyne. J. A. Midgley and K. F. Sander 117
Interpretation of slimguide operation in terms of propagating (nonevanescent) waves. L. Lewin 555
Inversion of modal matrices. S. Raman 29
Investigation of the effects of precipitation on parabolic antennas employing linear orthogonal polarisation at 11 GHz. B. G. Evans, A. J. Fryatt, J. Read, P. T. Thompson and D. J. W. Turner 375
Ion oscillations in a cold positive-ion electron-beam thermal electron plasma. K. G. Emeleus and T. S. Pak 358
Errata 480
Ionospheric nondeviative absorption, describing function of the diurnal variation of. L. M. Muggleton (Erratum) 60
Irish, R. T. Elliptic resonator and its use in microcircuit systems 149
Irregular fields, nonconvex shapes and the point-matching method for hollow waveguides. J. B. Davies and P. Nagenthiram 401
Errata 480
Iteration, generalised least-squares estimation without. J. P. Norton and A. P. Roberts 125
Iterative arrays, multiplication of complex numbers using. J. Deverell 205
Iterative technique, Chebyshev linear phase approximation using. B. D. Rakovich and B. M. Djurich 646
Itoh, T., and Mittra, R. Dispersion characteristics of slot lines 364
Iuculano, G., Monaco, V. A., and Tiberio, P. Network sensitivities in terms of scattering parameters 53

J

J.F.E.T. structures, 2-dimensional analysis of, containing a low-conductivity substrate. D. P. Kennedy and R. R. O'Brien 714
Jackson, L. A., Cullen, A. L. and Özkan, O. (See Cullen)
Jackson, M. J., and Gray, J. O. (See Gray)
Jagan, N. C., and Reddy, D. C. (See Reddy)
Jain, O. P., Makios, V., and Chudobiak, W. J. Coupled-mode model of dispersion in microstrip 405
Jaskolski, S. V., Kaman, R., and Grant, R. (See Kaman)
Jayadevaiah, T. S., and Laur, J. Simple model for charge-coupled devices 751
Jelínek, F., and Pokorny, J. (See Pokorny)
Jethwa, C. P., and Gunshor, R. L. Circuit characterisation of waveguide-mounted Gunn-effect oscillators 433
Jiminez, J. J., Sudraud, P., and Septier, A. Frequency stabilisation of a reflex-klystron oscillator by a superconducting cavity 153
Johannesen, F. G. P.C.M. nonlinear counting encoder 593
Johannesen, F. G. Transmission-delay control of radio links in a mutually synchronised p.c.m. network 677
Jullien, G. A. Fast algorithm for digital logarithmic conversion 218
Junctions, diffused, evaluation of an approximated doping profile for, from capacitance measurements. P. U. Calzolari and S. Graffi 772

K

Kaji, M., and Ogasawara, N. (See Ogasawara)
Kalman filtering, generalised, online identification of a drifting system using. R. G. Witcomb 10
Kaman, R., Grant, R., and Jaskolski, S. V. Low-frequency current oscillations observed with high-resistivity nonohmic GaAs devices 373
Kao, K. C., and Card, H. C. (See Card)
Kataoka, S., Hashizume, N., and Kawashima, M. (See Hashizume)
Kataoka, S., Tomizawa, K., and Kawashima, M. (See Tomizawa)
Kawamoto, H., and Allen, E. L. Wideband microwave amplifier with two antiparallel high-efficiency-diode pairs 602
Kawashima, M., and Hartnagel, H. Fast frequency-switching system for frequency-shift keying pulse-code modulation 761
Kawashima, M., Kataoka, S., and Hashizume, N. (See Hashizume)
Kawashima, M., Kataoka, S., and Tomizawa, K. (See Tomizawa)
Keen, A. W., and Comer, A. F. Orthogonal properties of a set of 2-path filters 194
Keen, A. W., and Glover, J. L. Active RC equivalents of RCL networks by similarity transformation 288
Keen, J. M. Nondestructive optical technique for electrically testing insulated-gate integrated circuits 432
Kelly, E., Parker, D., Turner, J. A., and Waller, A. J. (See Turner)
Kelsch, R. G., and Green, D. H. Nonbinary negacyclic-code which exceeds Berlekamp's (p-1)/2 bound 664
Kemhadjian, H., and Curtis, T. (See Curtis)
Kennedy, D. P., and O'Brien, R. R. Two-dimensional analysis of j.f.e.t. structures containing a low-conductivity substrate 714
Kerns, D. M., and Newell, A. C. (See Newell)
Kerns, D. M. Comment on correction of errors in aerial far-field radiation-pattern determinations 706
Kerr, A. R., and Gerrand, P. H. (See Gerrand)
Kidd, G. P., and Ravenscroft, I. A. (See Ravenscroft)
Kilpatrick, J. A., and Ryan, W. D. Two-dimensional analysis of lateral-base transistors 226
Kimura, H., Usui, M., Akutu, Y., and Niki, H. (See Niki)
Kingsbury, N. G., and Rayner, P. J. W. Digital filtering using logarithmic arithmetic 56
Kingsbury, N. G. High-speed binary multiplier 277
Kino and Robson, inclusion of diffusion in the space-charge theory of. W. Heinle 245
Errata 444
Kino, G. S., Luukkala, M. V., and Shreve, W. R. (See Shreve)
Klaassen, K. B. Common-mode rejection of differential amplifiers at high frequencies 251
Kluge, W. Computationally complete operations on magnetic bubbles 749
Klystron oscillator, reflex, frequency stabilisation of a, by a superconducting cavity. J. J. Jiminez, P. Sudraud and A. Septier 153
Klystrons, phase-locking millimetre-wave, for the measurement of submillimetre laser frequencies. D. J. E. Knight 383
Knight, D. J. E., McGee, C. R., and Bradley, C. C. (See Bradley)
Knight, D. J. E. Phase-locking millimetre-wave klystrons for the measurement of submillimetre laser frequencies 383
Knoppik, N., and Wolff, I. (See Wolff)
Knott, E. F., and Senior, T. B. A. Polarisation characteristics of scattered fields 183
Kocabiyikoglu, Z. U., Hobson, G. S., and de Sa, B. E. A. Relationship of the starting delay time and frequency/temperature characteristics of X band Gunn oscillators 550
Kollár, J., and Lager, K. Enumeration of independent meshes of an oriented graph (Computer-program description) 431
Korobov, J. A. Determination of self-excited and transient oscillations in nonlinear control systems by the control area 330
Kotyczka, W., Strutt, M. J. O., and Hartmann, K. (See Hartmann)
Krimholtz, R., and Matthaei, T. L. Amplification of acoustic surface waves by means of a broadband hybrid-junction transducer and negative-resistance circuits 233
Kristiansson, L. Method for measuring the relative bandwidth of a narrow-band Gaussian process 534
Kroger, H. TRAPATT-amplifier and TRAPATT-oscillator diode structures 608
Kuhlwetter, J. Schnelle taktsynchrone datenübertragung (Synchronous high-speed data transmission) 562
Kukk, V. State variables and Laguerre series 269
Kumar, A., and Murthy, P. K. Optimum spacing for Chebyshev arrays 292

L

Lagasse, P. R., Mason, I. M., de la Rue, R. D., Schmidt, R. V., and Ash, E. A. (See Mason)
Lager, K., and Kollár, J. (See Kollár)
Lam, H. 't, and Acket, G. A. Comparison of the microwave velocity/field characteristics of n type InP and n type GaAs 722
Lamberton, H. M., and Crocker, A. (See Crocker)
Lamberton, H. M., and Pearson, P. R. Improved excitation techniques for atmospheric-pressure CO_2 lasers 141
Langholz, G. Behaviour of automata in a nonstationary random environment 348
Langmuir-probe measurement of ionisation density on a plasma jet. R. M. Clements, R. N. Morris and P. R. Smy 390
Laplace transform, program for numerical inversion of the (Computer-program description). K. Singhal and J. Vlach 413
Laplace transforms, least-squares optimisation of numerical inversion of. V. Zakian and D. R. Gannon 70

Laplace transforms, rational, numerical inversion of. V. Zakian and R. Coleman 777
Laplace transforms, solution of homogeneous ordinary linear differential systems by numerical inversion of. V. Zakian 546
Large, D. B. Wave impedance from atmospheric noise near 2 kHz 214
Large-signal theory for rectangular-voltage operation of a uniform avalanche zone in IMPATT diodes F. Sellberg 154
Laser frequencies, submillimetre, phase-locking millimetre-wave klystrons for the measurement of. D. J. E. Knight 383
Laser, HCN, frequency locking an, to a molecular absorption line. C. C. Bradley, D. J. E. Knight and C. R. McGee 381
Laser, high-pressure pulsed carbon-dioxide, with uniform excitation. L. J. Denes and O. Farish 337
Laser homodyne interferometer, high-resolution. J. A. Midgley and K. F. Sander 117
Laser-induced damage in XDP materials. T. M. Christmas and J. M. Ley 544
Laser radiation, new method of absolute measurements of, in the mean power range. R. Nowicki 647
Lasers, atmospheric-pressure CO_2, improved excitation techniques for. H. M. Lamberton and P. R. Pearson 141
Lasers, atmospheric-pressure CO_2, output pulse characteristics and self mode locking of. A. Crocker and H. M. Lamberton 272
Lasers, double-heterostructure injection, on the polarisation of radiation from. M. J. Adams and M. Cross 569
Lateral-base transistors, 2-dimensional analysis of. J. A. Kilpatrick and W. D. Ryan 226
Lateral capacitive probing of an anode-loaded epitaxial coplanar gallium-arsenide diode. D. Boccon-Gibod and J. L. Teszner 469
Lattice structures, unsymmetrical, realisation of voltage transfer functions by. N. P. Singh and V. Ramachandran 558
Laur, J., and Jayadevaiah, T. S. (See Jayadevaiah)
Laycock, G. K., and McLaren, P. G. Filtering applications in static distance comparators 97
Learning nets, digital, natural pattern clustering in. M. C. Fairhurst and I. Aleksander 724
Least-squares optimisation of numerical inversion of Laplace transforms. V. Zakian and D. R. Gannon 70
Lecoy, G., Rigaud, D., and Ginter, G. (See Rigaud)
Lee, C. A., and Dalman, G. C. Local oscillator noise in a silicon Pt-n-p^+ microwave diode source 565
Leiba, E., Assouline, G., and Hareng, M. (See Assouline)
Leuenberger, F. Absence of 1/f noise in m.o.s. transistors operated in saturation 561
Lewin, L. Interpretation of slimguide operation in terms of propagating (nonevanescent) waves 555
Lewin, L. Rayleigh distance in relation to curved surfaces 744
Lewis, J. E., Sarkar, T. K., and O'Kelly, P. D. Generation of Bessel functions of complex order and argument (Computer-program description) 615
Lewis, M. F., Patterson, E., and Evans, D. R. (See Evans)
Ley, J. M., and Christmas, T. M. (See Christmas)
Liberatore, A. Additional considerations about Williams's circuit for allpass networks 77
Lightning and the long spark. T. E. Allibone 215
Ligmanowski, M., Wierzba, H. J., and Gruszczynski, W. (See Gruszczynski)
Limiter, soft, nonlinear feedback equaliser employing a. D. P. Taylor 265
Lin, P. M. Topological restrictions on sources for solvability of lumped networks 363
$LiNbO_3$, new high-coupling low-diffraction cut for acoustic surface waves on. A. J. Slobodnik and T. L. Szabo 257
$LiNbO_3$, surface-wave diffraction on. J. C. Crabb, J. D. Maines and N. R. Ogg 253
Linear active networks, general, algorithm for analysis of. C. Vidallon and J. C. Matheau 19
Linear amplification using envelope feedback. T. Arthanayake and H. B. Wood 145
Errata 284
Linear differential systems, homogeneous ordinary, solution of, by numerical inversion of Laplace transforms. V. Zakian 546
Linear discrete systems, stability theorem for. N. K. Bose 165
Linear discrete-time-varying systems, synthesis of. D. Malah and B. A. Shenoi 745
Linear multivariable systems, eigenvalue assignment in. K. K. Sundareswaren and M. M. Bayoumi 573
Linear nonreciprocal networks, method for the efficient computation of the large-change sensitivity of. P. J. Goddard, P. A. Villalaz and R. Spence 112
Linear optimal-control problem, reciprocal relationships in the. H. Nicholson 536
Linear system, calculation of steady-state response of, to periodic sampled signal. H. M. Power 101
Errata 164
Errata 444
Linear systems, multi-input, moment estimation for, by p.r.b.s. crosscorrelation. R. F. Brown 633
Linear systems, multi-input time-invariant, incorporating integral feedback, dyadic modal control of. B. Porter and H. M. Power 18
Linear systems, multivariable, optimal control of, incorporating integral feedback. B. Porter 170
Linear systems, new proof for the controllability criterion of, with delay in control. O. Sebakhy 293
Linear systems, time-invariant multivariable: modal structure and system similarity. B. Porter 250
Linear systems with retarded control, calculation of piecewise-constant control strategies for. O. Sebakhy 324
Linear time-variant system, 'bandpass', transformation of, into equivalent 'low-pass' system. D. R. Gimlin 645
Liquid-crystal display, two-colour. G. Assouline, M. Hareng and E. Leiba 699
Liquid crystal, nematic, optical scattering in a, induced by acoustic surface waves. L. E. Davis and J. Chambers 287
Lithium metagermanate: a new material for acoustic-surface-wave application. F. W. Ainger, G. J. Rich, D. S. Robertson, A. F. Saunders and A. S. Young 13
Llewellyn-Jones, D. T., and Zavody, A. M. Rainfall attenuation at 110 and 890 GHz 321
Loaded short-slot antenna with enhanced radiation or improved directivity. T. Z. Hsieh, D. P. Nyquist and K. M. Chen 5
Local oscillator noise in a silicon Pt-n-p^+ microwave diode source. C. A. Lee and G. C. Dalman 565
Locked oscillators and avalanche-diode reflection amplifiers, experimental characterisation of. P. W. Braddock 42
Lockhart, G. B. Binary transversal filters with quantised coefficients 305
Logarithmic convertor. J. D. Nicoud and R. Dessoulavy 230
Logic functional device, new, using transverse spreading of a high-field domain in n type GaAs. K. Tomizawa, M. Kawashima and S. Kataoka 239
Logic gates, bipolar, computer modelling of (Computer-program description). N. B. Rabbat, W. D. Ryan and S. Q. A. M. A. Hossain 8
Logical dry-reed networks. W. Gruszczynski, M. Ligmanowski and H. J. Wierzba 397
Longitudinal quadratic electro-optical effect in KTN. A. J. Fox and P. W. Whipps 139
Loss distortion, dissipation-induced, computation of, in lumped/distributed networks. R. N. Gadenz and G. C. Temes 258
Loss, reduced radiation, microstrip resonators having. R. J. Roberts and B. Easter 191
Losses, wall, in a waveguide, mode coupling through. J. Van Bladel 178
Low-frequency current oscillations observed with high-resistivity nonohmic GaAs devices. R. Kaman, R. Grant and S. V. Jaskolski 373
Low-frequency waves in a positive column, interference of. R. M. Perkin and E. R. Wooding 781
Low-noise room-temperature wideband parametric amplifiers. J. C. Vokes, J. R. Dawsey and H. A. Deadman 657
Lu, C. S. Solution of the matrix equation $AX + XB = C$ 185
Lumped networks, lossless, cascade synthesis of transmission lines and. J. D. Rhodes and P. C. Marston 621
Lumped networks, topological restrictions on sources for solvability of. P. M. Lin 363
Lundström, I., and Wierich, R. L. Negative resistance from velocity-saturated nonuniform semiconductor samples 209
Luukkala, M. V., Shreve, W. R., and Kino, G. S. (See Shreve)
Lyapunov matrix equation for 2nd-order n-dimensional nonlinear equations. N. Murphy 525
Lyapunov matrix equation, simplified, with applications to the control of distributed-parameter systems. A. J. Pritchard and K. T. Parker 398
Lyapunov, optimal selection of controller parameters using second method of. M. Arumugam and M. Ramamoorty 365
Lyapunov, sensitivity analysis using second method of. M. M. Elmetwally and N. D. Rao 622

M

M.N.O.S. transistors, effect of oxide-thickness on the speed of. R. E. Oakley 89
M.O.S. capacitors, effects of proton radiation on capacitance/voltage characteristics of. H. C. Card and K. C. Kao 262
M.O.S. silicon-gate integrated circuits, suppression of parasitic thick-field conduction mechanisms in. P. Richman 12
M.O.S. transistors, carrier multiplication in the pinchoff region of. H. Martinot and P. Rossel 118
M.O.S. transistors operated in saturation, absence of 1/f noise in. F. Leuenberger 561
M.O.S.F.E.T. source followers, dual, offset-voltage temperature coefficient in. R. W. J. Barker and B. L. Hart 123
M.O.S.F.E.T.s, etched Shottky-barrier, using a single mask. J. G. Hogeboom and R. S. C. Cobbold 133
M.O.S.T. shift register, high-speed molybdenum-gate. T. Curtis and H. Kemhadjian 729
McGee, C. R., Bradley, C. C., and Knight, D. J. E. (See Bradley)
McInnes, P. A., and Baldwin, R. (See Baldwin)
McInnes, P. A., Munro, E. W., and Whitaker, A. J. T. Radiation patterns of paraboloid with log-periodic dipole feed 669
Machining, electrodischarge, at low frequencies, simplified power supply for. T. W. Shaw 264
McKillican, R., Thomas, R. E., Makios, V., and Ogletree, S. (See Thomas)
McLaren, P. G., and Laycock, G. K. (See Laycock)
McStay, J., and Al-Bader, S. J. (See Al-Bader)
Maeder, D. G. Can a pulse excitation smaller than kT be detected? 787
Magnetic bubbles, computationally complete operations for. W. Kluge 749
Magnetostatic field and easy plane, dependence of linewidth in hexagonal planar ferrites on angle between. S. J. Al-Bader and J. McStay 109
Magnetostatic resonances in a y.i.g. rod containing a turning point. B. Désormière and R. Pauchard 62
Magoulas, P. Gain of standard horns (Computer-program description) 325
Magowan, J. A., and Armstrong, G. A. (See Armstrong)
Maines, J. D., Ogg, N. R., and Crabb, J. C. (See Crabb)
Majithia, J. C., and Siemens, K. H. Comment on the speed of binary multiplication using cellular arrays 430
Majithia, J. C. Fast algorithms for continuous estimation of mean value of a random variable 626
Majithia, J. C. Simple design for up/down Gray-code counters 658
Makios, V., and Thomas, R. E. Measurement of minority-carrier lifetime in silicon at microwave frequencies using microstrip techniques 496
Makios, V., Chudobiak, W. J., and Jain, O. P. (See Jain)
Makios, V., Ogletree, S., McKillican, R., and Thomas, R. E. (See Thomas)
Malah, D., and Shenoi, B. A. Synthesis of linear discrete-time-varying systems 745
Malah, D. Cascade decomposition of linear time-varying difference operators 340
Malah, D. Transmission matrix of a class of discrete-time systems 682
Marinçiç, A., and Birand, T. (See Birand)
Mark, J. W. Variable-gradient method for adaptive equaliser 636
Marshall, F. G., and Paige, E. G. S. Novel acoustic-surface-wave directional coupler with diverse applications 460
Marshall, F. G., and Paige, E. G. S. Observed properties of an acoustic-surface-wave multistrip coupler 463
Marshall, F. G., Paige, E. G. S., and Young, A. S. New unidirectional transducer and broadband reflector of acoustic surface waves 638
Marshall, F. G. Vibration-mode patterns of acoustoelectric oscillators 203
Marston, P. C., and Rhodes, J. D. (See Rhodes)

Martin, B., and Hobson, G. S. Angle modulation of frequency-locked Gunn oscillators 399

Martin, J. C., Blasquex, G., and Caminade, J. Influence des phénomènes de génération recombinaison en surface sur le bruit blanc des transistors bipolaires (Contribution of the surface effects on the white noise of silicon bipolar transistors) 342

Martin, J. D., and Shiner, A. J. Pulse-rate exponential function generator 55

Martinot, H., and Rossel, P. Multiplication de porteurs dans la zone de pincement des transistors m.o.s. (Carrier multiplication in the pinchoff region of m.o.s. transistors) 118

Mask, single, etched Schottky-barrier m.o.s.f.e.t.s using a. J. G. Hogeboom and R. S. C. Cobbold 133

Mason, I. M., Chambers, J., and Turner, C. W. (See Turner)

Mason, I. M., de la Rue, R. D., Schmidt, R. V., Ash, E. A., and Lagasse, P. E. Ridge guides for acoustic surface waves 395

Mason, I. M. Two-dimensional surface-wave diffraction from an arbitrary source in an anisotropic medium 344

Masotti, L., and Atzeni, C. (See Atzeni)

Massarotti, A., and Arcelli, C. (See Arcelli)

Material, new, for acoustic-surface-wave application: lithium metagermanate. F. W. Ainger, G. J. Rich, D. S. Robertson, A. F. Saunders and A. S. Young 13

Matheau, J. C., and Vidallon, C. (See Vidallon)

Mathematical 2-dimensional model of semiconductor devices. D. Vandorpe and Nguyen Huy Xuong 47

Mathur, P. C., Fallmann, W., and Hartnagel, H. L. (See Fallmann)

Matino, H. Characteristic impedance measurements of a coplanar waveguide 678

Matrices, modal, inversion of. S. Raman 29

Matrices, node-pair transformation. V. V. Bapeswara Rao 677

Matrices, node-pair transformation and cutset, relationship between. K. Thulasiraman and M. N. S. Swamy 276

Matrix equation $AX + XB = C$, solution of the. C. S. Lu 185

Matrix exponential, comment on rational approximants to the. R. E. Scraton 260

Matrix Riccati equation in the electrical-network problem. H. Nicholson 529

Matrix, scattering, concept of, applied to periodically repeated distributed systems. J. J. Hupert 241

Matthaei, T. L., and Krimholtz, R. (See Krimholtz)

Matthews, P. A., and Vilar, E. (See Vilar)

Maximally flat approximations to the ideal filter as hypergeometric functions. J. Neirynck 591

Maximum gain of Yagi-Uda arrays. J. H. Bojsen, H. Schjaer-Jacobsen, E. Nilsson and J. Bach Andersen 531
Errata 652

Mayhew, M. J. E., and Pritchard, A. J. Reduction of the Riccati equation for distributed-parameter systems 628

Mayne, D. Q. Calculation of derivatives for parameter estimation 425

Measurement method, generalised 3-antenna, determination of both polarisation and power gain of antennas by a. A. C. Newell and D. M. Kerns 68

Measurement of electrically induced liquid motion with an optical probe. R. J. Taylor and H. House 404

Measurement of minority-carrier lifetime in silicon at microwave frequencies using microstrip techniques. V. Makios and R. E. Thomas 496

Measurement of phase fluctuations on millimetric radiowave propagation. E. Vilar and P. A. Matthews 566

Measurement of the velocity/field characteristic of GaAs sample in dipole-mode operation. J. Pokorny and F. Jelinek 528

Measurements on the velocity/field characteristic of indium phosphide. P. M. Boers 625

Mee, D. H., Brown, R. F., and Campbell, I. L. (See Brown)

Melin, C. Stabilité entrées bornées-sorties bornées de systèmes asservis multivariables discrets nonlinéaires (Bibo stability of nonlinear sampled-data multivariable feedback control systems) 319

Mellor, D. J., and Travis, J. R. (See Travis)

Memory minimisation in control with stochastic automata. B. R. Gaines 710

Metallic channels formed by high surface fields on GaAs planar devices. W. F. Fallman and H. L. Hartnagel 692

Metallic conductors, recession depth in, at low frequencies. P. I. Solmo 776

Method for measuring the relative bandwidth of a narrowband Gaussian process. L. Kristiansson 534

Method for phase-correction in active RC circuits using two integrators. P. W. Vogel 273

Method for the computation of higher-order sensitivity coefficients for a linear network: frequency-domain case. A. K. Seth and P. H. Roe 478
Errata 600
Errata 652

Method for the efficient computation of the large-change sensitivity of linear nonreciprocal networks. P. J. Goddard P. A. Villalaz and R. Spence 112

Method of testing p.c.m. encoders and decoders by a level-at-a-time process. A. G. Stoddart 36

Microanalytical systems, high-frequency fluid-conductivity measurement in. J. Božičević, F. M. Everaerts, P. Pavelić and Th. P. E. M. Verhaggen 688

Microcircuit systems, elliptic resonator and its use in. R. T. Irish 149

Microcomputer interfacing module. P. O. Dufty and Z. G. Vranesic 589

Microstrip, coupled-mode model of dispersion in. O. P. Jain, V. Makios and W. J. Chudobiak 405

Microstrip losses, variation of, with thickness of strip. R. Horton, B. Easter and A. Gopinath 490

Microstrip parallel-coupled bandpass filters, effect of tolerances on the performance of. R. J. Roberts 255

Microstrip, resonant techniques for establishing the equivalent circuits of small discontinuities in. I. M. Stephenson and B. Easter 582

Microstrip resonators having reduced radiation loss. R. J. Roberts and B. Easter 191

Microstrip ring resonator and dispersion measurement on microstrip lines. I. Wolff and N. Knoppik 779

Microstrip, single and coupled, computer analysis of the fundamental and higher-order modes in. J. B. Davies and D. G. Corr (Errata) 284

Microwave amplifier, wideband, with two antiparallel high-efficiency-diode pairs. H. Kawamoto and E. L. Allen 602

Microwave and radio-frequency interferometry, broadband phase switches for. E. A. Parker and P. S. Nicholson 166

Microwave beam, focused, scattering from a turbulent rocket-exhaust jet illuminated by a. P. J. B. Clarricoats, L. M. Seng, B. Travers and M. Williams 597

Microwave diode, annular solid-state, heat-sink temperature distribution of the. S. P. Yu and G. H. Glover 182

Microwave diode source, silicon $Pt\text{-}n\text{-}p^+$, local oscillator noise in a. C. A. Lee and G. C. Dalman 565

Microwave diodes, metal-semiconductor-metal Schottky-barrier, noise measure of. H. A. Haus, H. Statz and R. A. Pucel 667

Microwave field-effect transistor, dual-gate gallium-arsenide. J. A. Turner, A. J. Waller, E. Kelly and D. Parker 661

Microwave filter, new high-power magnetically tunable. A. C. Baynham and M. R. B. Dunsmore 90

Microwave frequencies, measurement of minority-carrier lifetime in silicon at, using microstrip techniques. V. Makios and R. E. Thomas 496

Microwave oscillators, bulk indium-phosphide, characteristics of. D. H. Paxman and R. J. Tree 240

Microwave transistor amplifiers, broadband, synthesis of. R. S. Tucker 455

Microwave transmission method for measuring minority-carrier lifetime in silicon slices. R. E. Thomas, V. Makios, S. Ogletree and R. McKillican 754

Microwave velocity/field characteristics of n type InP and n type GaAs, comparison of the. H.'t Lam and G. A. Acket 722

Midgley, J. A., and Sander, K. F. High-resolution laser homodyne interferometer 117

Mikhael, W. B., and Bhattacharyya, B. B. New minimal-capacitor low-sensitivity RC-active synthesis procedure 694

Miller, A. K. H. Temperature-compensated analogue multiplier 539

Miller, P. Yagi aerials and the Hansen-Woodyard condition 11

Millimetre-wave InP oscillators, c.w. and pulsed. G. Gibbons and P. M. White 150

Millimetre-wave generator working at half the cyclotron resonance frequency. A. H. W. Beck and W. P. C. Mills 533

Millimetre wavelengths, helical feeds at. P. R. Cowles and E. A. Parker 513

Millimetric radiowave propagation, measurement of phase fluctuations on. E. Vilar and P. A. Matthews 566

Millington, G. Short-distance ground-wave propagation 80

Mills, W. P. C., and Beck, A. H. W. (See Beck)

Milsom, R. F., and Redwood, M. Generation of acoustic waves by single pair of electrodes on surface of piezoelectric ceramic 541

Milsom, R. F., and Redwood, M. Interdigital piezoelectric Rayleigh-wave transducer: an improved equivalent circuit 217

Minakovic, B., and Gökgör, H. S. (See Gökgör)

Minimisation, memory, in control with stochastic automata. B. R. Gaines 710

Mink, J. W. Assessment of optical iris-beam waveguides 527

Minor, J. C., and Bolle, D. M. Propagation in shielded microslot on ferrite substrate 502

Minority-carrier lifetime in silicon slices, microwave transmission method for measuring. R. E. Thomas, V. Makios, S. Ogletree and R. McKillican 754

Mitchinson, J. C., and Pringle, R. D. Nonlinear metal resistors 38

Mitra and Hurtig, generalisation of a theorem by, on positive real functions. S. Tirtoprodjo 211

Mittra, R., and Itoh, T. (See Itoh)

Mixed double: a new balanced input stage. R. H. S. Riordan 454

Mixer intermodulation distortion of nonlinearity, contribution to, in the diode forward characteristics. R. V. Stewart and J. G. Gardiner 279

Mixers, f.e.t., and modulators, calculation of intermodulation distortion levels in. D. C. Surana and J. G. Gardiner 167

Mobile radio, single-receiver diversity system for reducing the effect of fast fading in. M. J. Withers 727

Mobile radio, v.h.f., space-diversity reception for. P. A. Ratliff, J. D. Parsons and E. D. R. Shearman 655

Mobility analysis, doping-dependent, of junction field-effect transistors. K. V. Ramanan and R. K. Gupta 221

Mode coupling through wall losses in a waveguide. J. Van Bladel 178

Model stability in use of moments to estimate pulse transfer functions. R. F. Brown 587

Modelling, computer, of bipolar logic gates (Computer-program description). N. B. Rabbat, W. D. Ryan and S.Q.A.M.A. Hossain 8

Models, optimal low-order, computer-aided design of suboptimal feedback controllers using. G. T. Bereznai and N. K. Sinha 440

Modulation, dual single-sideband, for wideband data transmission. R. J. Sluyter and P. J. Van Gerwen 640

Modulator, nanosecond baseband optical-diffraction. M. A. R. P. de Barros and M. G. F. Wilson 267

Modulators and f.e.t. mixers, calculation of intermodulation distortion levels in. D. C. Surana and J. G. Gardiner 167

Modulators, 0° Z cut ADP, pulse response of. E. Rashidi 114
Errata 236

Moment estimation for multi-input linear systems by p.r.b.s. cross-correlation. R. F. Brown 633

Moment formulation for capacitance problem of generalised N-strip transmission-line system. Y. Chang and R. F. Harrington 313

Monaco, V. A., Tiberio, P., and Iuculano, G. (See Iuculano)

Monds, F. C., and Boyd, R. T. (See Boyd)

Monte Carlo technique, dynamical study of the transferred-electron effect by a. H. A. Hillbrand 495

Moore, J. B., and Anderson, B. D. O. (See Anderson)

Morgan, D. P. Directional coupler using acoustic surface waves 412

Morgan, J. R., Taylor, B. C., and Colliver, D. J. (See Colliver)

Morris, R. N., Smy, P. R., and Clements, R. M. (See Clements)

Moss, G. C., and Ng, K. C. Elimination of nonlinear effects in impulse-response testing 227

Mount-independent equivalent circuit of the S4 diode package. R. P. Owens 580

Muggleton, L. M. Describing function of the diurnal variation of ionospheric nondeviative absorption (Erratum) 60

Multidimensional transforms: new technique for the association of variables. D. C. Reddy and Jagan, N. C. 278

Multifunction active RC circuit with grounded capacitors. S. Venkateswaran and K. Radhakrishna Rao 708

Multimodal behaviour of nonlinear systems with narrowband Gaussian inputs. R. Balasubramanian and D. P. Atherton 733
Multiplication and division, concise cellular array for. I. Deegan 702
Multiplication, binary, comment on the speed of, using cellular arrays. J. C. Majithia and K. H. Siemens 430
Multiplication de porteurs dans la zone de pincement des transistors m.o.s. (Carrier multiplication in the pinch-off region of m.o.s. transistors). H. Martinot and P. Rossel 118
Multiplication of complex numbers using iterative arrays. J. Deverell 205
Multiplier, cellular, for signed binary numbers. I. D. Deegan 436
Multiplier-divider cellular array. A. Gex 442
Multiplier, floating-point cellular-logic, with variable dynamic range. C. R. Edwards 747
Multiplier, high-speed binary. N. G. Kingsbury 277
Multivariable feedback nonlinear sampled-data control systems, Bibo stability of. C. Melin 319
Multivariable feedback systems, linear, synthesis of, with prescribed stochastic-response characteristics. B. Porter 207
Multivariable linear systems, optimal control of, incorporating integral feedback. B. Porter 170
Multivariable linear systems, time-invariant: modal structure and system similarity. B. Porter 250
Multivariable systems, linear, eigenvalue assignment in. K. K. Sundareswaren and M. M. Bayoumi 573
Multivariable systems, optimal, design of, by a frequency-domain technique. F. Fallside and H. Seraji 64
Multivibrator, improved cross-coupled, controllable in frequency over a wide range. R. C. Bowes 180
Munro, E. W., Whitaker, A. J. T., and McInnes, P. A. (See McInnes)
Munro, N. Partial-fraction expansion of the transfer-function matrix 367
Murphy, N. Lyapunov matrix equation for 2nd-order n-dimensional nonlinear equations 525
Murthy, P. K., and Kumar, A. (See Kumar)
Murti, V. G. K., and Eswaran, C. (See Eswaran)
Murti, V. G. K., and Sankaran, P. (See Sankaran)
Murti, V. G. K., Rao, K. Sankara, and Rao, V. V. Bapeswara (See Rao, K. Sankara)
Mutual interference between linear cross-polarised radio channels at 11 GHz. P. A. Watson, F. Goodall and S. Ghobrial 374
Myers, F. A., and Downing, B. J. (See Downing)
Myoelectric-control system for arm-hand prosthesis. A. Stein 238

N

Nagenthiram, P., and Davies, J. B. (See Davies)
Nanosecond baseband optical-diffraction modulator. M. A. R. P. de Barros and M. G. F. Wilson 267
Narayan, S. Y., Huang, H. C., and Gobat, A. R. Operation of transferred-electron oscillators in the ridge-waveguide circuit 31
Narrow-bandwidth Rayleigh-wave filters. P. Hartemann 674
Narrow-beam antennas using an artificial dielectric medium with permittivity less than unity. K. C. Gupta 16
Errata 200
Natural pattern clustering in digital learning nets. M. C. Fairhurst and I. Aleksander 724
Near-field radiation characteristics of corrugated horns. P. J. B. Clarricoats, A. D. Olver and P. K. Saha 446
Necessary and sufficient conditions for system similarity. B. Porter and T. R. Crossley 322
Negative-conductivity media, wave propagation in. F. Giannini, C. M. Ottavi and A. Salsano 65
Negative-impedance convertor, simple. T. R. Viswanathan 501
Errata 600
Negative resistance from velocity-saturated nonuniform semiconductor samples. I. Lundström and R. L. Wierich 209
Negative resistance, 2-terminal, analysis of a. L. Shafai 572
Neirynck, J. Conditions on the group delay of transmittances 7
Neirynck, J. Maximally flat approximations to the ideal filter as hypergeometric functions 591
Neri, G. Binary-b.c.d. convertor for fractional numbers 719
Network, adjoint, computation of equivalent wave source using the. J. W. Bandler and R. E. Seviora 235
Network polynomial coefficients, simultaneous generation of the partial derivatives of: further details and results. O. P. D. Cutteridge and P. H. di Mambro 3
Network sensitivities in terms of scattering parameters. G. Iuculano, V. A. Monaco and P. Tiberio 53
Network-synthesis procedure, RC-active, transformations in an. A. Antoniou 504
Network synthesis, RLC-ladder: signal-flow-graph approach. C. Acar 586
Networks, electrical, separation technique for repetitive analysis of. T. Downs 361
Networks, ladder, sensitivity calculations of, by using continuants. Y. Ceyhun 157
Networks, lumped/distributed, computation of dissipation-induced loss distortion in. R. N. Gadenz and G. C. Temes 258
Networks, lumped, topological restrictions on sources for solvability of. P. M. Lin 363
Networks, nonsymmetrical lattice, synthesis of transfer functions by, using lossy coils. P. K. Verma and V. Ramachandran 409
Networks, parametric, stability of. P. H. Gerrand and A. R. Kerr 40
Networks, RC, synthesis of, containing operational amplifiers using flowgraph techniques. I. Cahit and R. Cahit 420
Networks, sensitivity invariants of certain class of. Y. Ceyhun 85
Networks, 2-port RLC, evaluation of open-circuit impedance matrix of (Computer-program description). V. V. Bapeswara Rao and M. M. Godbole 487
New approach to the approximation of RC-active-filter transmission functions with low Q factor. A. Premoli and F. Germano 456
New automatic equaliser employing modulo arithmetic. M. Tomlinson 138
New expansion for signal flowgraph determinant. C. Acar 766
New high-coupling low-diffraction cut for acoustic surface waves on $LiNbO_3$. A. J. Slobodnik and T. L. Szabo 257
New high-power magnetically tunable microwave filter. A. C. Baynham and M. R. B. Dunsmore 90
New high-precision digital tachometer. N. K. Sinha, B. Szabados and C. D. Di Cenzo 174
New logic functional device using transverse spreading of a high-field domain in n type GaAs. K. Tomizawa, M. Kawashima and S. Kataoka 239
New method of absolute measurements of laser radiation in the mean power range. R. Nowicki 647
New proof for the controllability criterion of linear systems with delay in control. O. Sebakhy 293
New transformation in signal-flow graphs. C. Acar 27
New unidirectional transducer and broad-band reflector of acoustic surface waves. F. G. Marshall, E. G. S. Paige and A. S. Young 638
New Walsh-function generator. C. K. Yuen 605
Newcomb, R., Chang, S., and DeClaris, N. (See Chang)
Newcomb, R. W., and Seriki, O. A. Non-linear-capacitor simulation 452
Newell, A. C., and Kerns, D. M. Determination of both polarisation and power gain of antennas by a generalised 3-antenna measurement method 68
Newhouse, V. L. Parametric beam-steering technique for acoustic waves with applications to signal processing 14
Newton, B. H., and Aitchison, C. S. (See Aitchison)
Ng, K. C., and Moss, G. C. (See Moss)
Nguyen Huy Xuong and Vandorpe, D. (See Vandorpe)
Nichols, S. T., and Dennis, L. P. Estimating frequency-response function using periodic signals and the f.f.t. 662
Nicholson, H. Matrix Riccati equation in the electrical-network problem 529
Nicholson, H. Optimality with input derivatives 387
Nicholson, H. Reciprocal relationships in the linear optimal-control problem 536
Nicholson, P. S., and Parker, E. A. (See Parker)
Nicoud, J. D., and Dessoulavy, R. Logarithmic convertor 230
Nightingale, J. M., and Durrani, T. S. (See Durrani)
Nigrin, J. Pulse measurements of transient thermal response and temperature of avalanching p-n junction 481
Niki, H., Kimura, H., Usui, M., and Akutu, Y. Relaxation method for mixed boundary conditions 525
Niki, H. Practical technique for the successive overrelexation method 173
Niki, H. Practical technique for the successive overrelaxation method 369
Nilsson, E., Bach Andersen, J., Bojsen, J. H., and Schjaer-Jacobsen, H. (See Bojsen)
Node-pair transformation matrices. V. V. Bapeswara Rao 677
Noise, atmospheric, near 2 kHz, wave impedance from. D. B. Large 214
Noise, coloured, simplified variance calculation for parameter estimates in the presence of. R. D. Bell 369
Noise, current-induced resistor, not attributable entirely to fluctuations of conductivity. H. Sutcliffe 160
Noise, diffusion, in double-injection diodes in the ohmic relaxation régime. C. H. Huang, A. van der Ziel and K. M. van Vliet 291
Noise, f.m., in an injection-locked oscillatory when reverse locking exists. I. Bäck 346
Noise, f.m., of low-level-operating IMPATT-diode oscillators. J. J. Goedbloed 445
Offset-voltage temperature coefficient in dual m.o.s.f.e.t. source followers. R. W. J. Barker and B. L. Hart 123
Ogasawara, N., and Kaji, M. Coplanar-guide and slot-guide junction circulators 220
Ogg, N. R., Crabb, J. C., and Maines, J. D. (See Crabb)
Ogletree, S., McKillican, R., Thomas, R. E., and Makios, V. (See Thomas)
Ojongbede, H. A. Comparison of deadband effects in constant-input digital-filter systems 309
O'Kelly, P. D., Lewis, J. E., and Sarkar, T. K. (See Lewis)
Olver, A. D., Saha, P. K., and Clarricoats, P. J. B. (See Clarricoats)
On the polarisation of radiation from double-heterostructure injection lasers. M. J. Adams and M. Cross 569
1 MHz to 10 MHz, in situ measurements of the complex propagation constant in rocks for frequencies from. R. N. Grubb and J. R. Wait 506
110 and 890 GHz, rainfall attenuation at. D. T. Llewellyn-Jones and A. M. Zavody 321
Online identification of a drifting system using generalised Kalman filtering. R. G. Witcomb 10
Operation of transferred-electron oscillators in the ridge-waveguide circuit. S. Y. Narayan, H. C. Huang and A. R. Gobat 31
Operational amplifiers, synthesis of RC networks containing, using flowgraph techniques. I. Cahit and R. Cahit 420
Optical-diffraction nanosecond baseband modulator. M. A. R. P. de Barros and M. G. F. Wilson 267
Optical-fibre transmission line, effects of multiple scattering in. R. B. Dyott and J. R. Stern 624
Optical iris-beam waveguides, assessment of. J. W. Mink 527
Optical scattering in a nematic liquid crystal induced by acoustic surface waves. L. E. Davis and J. Chambers 287
Optical signal, nonlinear transmission of an. A. C. Selden 287
Optimal control, linear, formulas for, over a finite or infinite interval. O. H. D. Water (Erratum) 88
Optimal control of multivariable linear systems incorporating integral feedback. B. Porter 170
Optimal-control problem, linear, reciprocal relationships in the. H. Nicholson 536
Optimal low-order models, computer-aided design of suboptimal feedback controllers using. G. T. Bereznai and N. K. Sinha 440
Optimal multivariable systems, design of, by a frequency-domain technique. F. Fallside and H. Seraji 64
Optimal rational approximations to a delay. B. Wise 312
Optimal receiver structure, synthesis of the, for binary phase-modulated signals. V. A. Cherdyntser and A. C. Davies 739
Optimal selection of controller parameters using second method of Lyapunov. M. Arumugam and M. Ramamoorty 365
Optimal stability controller, prescribed, for time-delay systems. D. H. Eller and R. P. Rhoten 208
Optimality with input derivatives. H. Nicholson 387
Optimisation, least-squares, of numerical inversion of Laplace transforms. V. Zakian and D. R. Gannon 70
Optimisation of array directivity by phase adjustments. D. K. Cheng and P. D. Raymond 552
Optimum quadratic spectrum for complex BIFORE transform. K. R. Rao and N. Ahmed 686

Optimum spacing for Chebyshev arrays. A. Kumar and P. K. Murthy 292
Order determination in estimation of pulse transfer functions by method of moments. I. L. Campbell and R. F. Brown 689
Orthogonal properties of a set of 2-path filters. A. W. Keen and A. F. Comer 194
Orthogonality relationship for class of waveguide with anisotropic walls. D. N. Cooper 137
Oscillations, ion, in a cold positive-ion electron-beam thermal electron plasma. K. G. Emeleus and T. S. Pak 358
Errata 480
Oscillations, low-frequency current, observed with high-resistivity nonohmic GaAs devices. R. Kaman, R. Grant and S. V. Jaskolski 373
Oscillator and amplifier, Q band GaAs f.e.t. W. Baechtold 275
Oscillator, injection-locked, f.m. noise in an, when reverse locking exists. I. Bäck 346
Noise-factor dependence on mismatch of low-level r.f. signal. Y. Anand 111
Noise in IMPATT oscillator at large r.f. amplitudes. A. Sjölund 161
Noise, local oscillator, in a silicon Pt-n-p$^+$ microwave diode source. C. A. Lee and G. C. Dalman 565
Noise measure of metal-semiconductor-metal Schottky-barrier microwave diodes. H. A. Haus, H. Statz and R. A. Pucel 667
Noise measurements, f.m., on silicon IMPATT oscillators. D. M. Clunie, C. A. Tearle and W. P. N. Court 39
Noise, 1/f, absence of, in m.o.s. transistors operated in saturation. F. Leuenberger 561
Noise, oscillator, theory of. M. T. Vlaardingerbroek 648
Noise reduction in bulk negative-resistance amplifiers. H. W. Thim 106
Noise spectra, influence of a transmission line on the, of cavity-stabilised oscillators. K. Schünemann and B. Schiek 659
Noise standards, thermal, and zero-point fluctuations. I. A. Harris 148
Nonbinary negacyclic code which exceeds Berlekamp's (p-1)/2 bound. R. G. Kelsch and D. H. Green 664
Nondestructive optical technique for electrically testing insulated-gate integrated circuits. J. M. Keen 432
Nonlinear-capacitor simulation. R. W. Newcomb and O. A. Seriki 452
Nonlinear control systems, determination of self-excited and transient oscillations in, by the control area. J. A. Korobov 330
Nonlinear dynamic systems, digital simulation of, using standard FORTRAN (Computer-program description). D. E. Hirst 102
Errata 444
Nonlinear effects, elimination of, in impulse-response testing. G. C. Moss and K. C. Ng 227
Nonlinear equations, 2nd-order n-dimensional, Lyapunov matrix equation for. N. Murphy 525
Nonlinear feedback equaliser employing a soft limiter. D. P. Taylor 265
Nonlinear metal resistors. J. C. Mitchinson and R. D. Pringle 38
Nonlinear sampled-data control systems, transient response of a class of. L. Povy 307
Nonlinear sampled-data multivariable feedback control systems, Bibo stability of. C. Melin 319
Nonlinear systems, multimodal behaviour of, with narrowband Gaussian inputs. R. Balasubramanian and D. P. Atherton 733
Nonlinear systems, zero-memory, identification of a group of internal signals of. E. Economakos 99
Nonlinear transmission of an optical signal. A. C. Selden 287
Norton, J. P., and Roberts, A. P. Generalised least-squares estimation without iteration 125
Novel acoustic-surface-wave directional coupler with diverse applications. F. G. Marshall and E. G. S. Paige 460
Nowicki, R. New method of absolute measurements of laser radiation in the mean power range 647
Nucleation and control of departure of a high-field domain by a gate electrode. N. Hashizume, M. Kawashima and S. Kataoka 195
Numerical-integration procedures in transistor-analysis computer programs. F. Berz and E. Pyrah 94
Numerical inversion of Laplace transforms, least-squares optimisation of. V. Zakian and D. R. Gannon 70
Numerical method for the statistical design of computer control systems. J. O. Gray and M. J. Jackson 716
Numerical inversion of rational Laplace transforms. V. Zakian and R. Coleman 777
Nyquist, D. P., Chen, K. M., and Hsieh, T. Z. (See Hsieh)

O

Oakley, R. E. Effect of oxide-layer thickness on the speed of m.n.o.s. transistors 89
Observable and unobservable systems, output canonical form for. K. Ramar and B. Ramaswami 603
Observation of high-field domains in n type indium phosphide. P. M. Boers, G. A. Acket, D. H. Paxman and R. J. Tree 1
Observation of recombination radiation in planar Gunn-effect devices. D. Ullrich 193
Observed properties of an acoustic-surface-wave multistrip coupler. F. G. Marshall and E. G. S. Paige 463
Off-axis launching into a fibre-optical waveguide. J. R. Stern and R. B. Dyott 52
Oscillator noise, theory of. M. T. Vlaardingerbroek 648
Oscillator, reflex-klystron, frequency stabilisation of a, by a superconducting cavity. J. J. Jiminez, P. Sudraud and A. Septier 153
Oscillator, trapped-plasma mode avalanche-diode, time-domain model of the device/circuit characteristics of a. B. Culshaw 339
Oscillators, acoustoelectric, vibration-mode patterns of. F. G. Marshall 203
Oscillators, IMPATT, computer comparison of n$^+$-p-p$^+$ and p$^+$-n-n$^+$ junction silicon diodes for. B. J. Udelson and A. L. Ward 723
Oscillators, InP 3-level, performance of, in K and Q bands: 18-40 GHz. D. J. Colliver, J. R. Morgan and B. C. Taylor 50
Oscillators, low-level-operating IMPATT-diode, f.m. noise of. J. J. Goedbloed 445
Oscillators, transferred-electron, operation of, in the ridge-waveguide circuit. S. Y. Narayan, H. C. Huang and A. R. Gobat 31
Oscillators, transmission- and reaction-cavity-stabilised, comparison between. K. Schunemann and B. Schiek 618
Oscillators, trapped-plasma-mode, high-harmonic content in. C. P. Snapp and J. P. Baukus 426
Ottavi, C. M., Salsano, A., and Giannini, F. (See Giannini)
Output canonical form for observable and unobservable systems. K. Ramar and B. Ramaswami 603
Output pulse characteristics and self mode locking of atmospheric-pressure CO_2 lasers. A. Crocker and H. M. Lamberton 272
Owens, R. P. Mount-independent equivalent circuit of the S4 diode package 580
Ozkan, O., Jackson, L. A., and Cullen, A. L. (See Cullen)

P

P.C.M. encoders and decoders, method of testing, by a level-at-a-time process. A. G. Stoddart 36
P.C.M. network, mutually synchronised, transmission-delay control of radio links in a. F. G. Johannesen 677
P.C.M. nonlinear counting encoder. F. G. Johannesen 593
P.R.F., staggered, response of a recursive m.t.i. filter to inputs with. S. Haykin and J. F. Boulter 415
Packages, microwave bipolar transistor, in the 2-10 GHz range, equivalent networks for three different. K. Hartmann, W. Kotyczka and M. J. O. Strutt 510
Paige, E. G. S., and Marshall, F. G. (See Marshall)
Paige, E. G. S., Young, A. S., and Marshall, F. G. (See Marshall)
Pak, T. S., and Emeleus, K. G. (See Emeleus)
Paraboloid, radiation patterns of, with log-periodic dipole feed. P. A. McInnes, E. W. Munro and A. J. T. Whitaker 669
Parallel-processing computer for pattern recognition. D. G. Wadbrook and D. J. Woollons 385
Errata 480
Parameter estimation, calculations of derivatives for. R. F. Brown 734
Parametric amplifiers, low-noise room-temperature wideband. J. C. Vokes, J. R. Dawsey and H. A. Deadman 657
Parametric beam-steering technique for acoustic waves with applications to signal processing. V. L. Newhouse 14
Parker, D., Turner, J. A., Waller, A. J., and Kelly, E. (See Turner)
Parker, D. W., and Wade, J. G. (See Wade)
Parker, E. A., and Cowles, P. R. (See Cowles)
Parker, E. A., and Nicholson, P. S. Broadband phase switches for radio-frequency and microwave interferometry 166
Parker, K. T., and Pritchard, A. J. (See Pritchard)
Parsons, J. D., and Ratliff, P. A. Self-phasing aerial array for f.m. communication links 380
Parsons, J. D., Shearman, E. D. R., and Ratliff, P. A. (See Ratliff)
Partch, J. E., Fitzgerrell, R. G., and Haidle, L. L. (See Haidle)
Partial-fraction expansion of the transfer-function matrix. N. Munro 367
Passive N-path-filter realisation. S. Chang, N. DeClaris and R. Newcomb 349
Pattern clustering, natural, in digital learning nets. M. C. Fairhurst and I. Aleksander 724
Pattern recognition, edge-coding operators for. P. Saraga and P. R. Wavish 736
Pattern recognition, improved distance measure for. B. G. Batchelor 521
Pattern recognition, parallel-processing computer for. D. G. Wadbrook and D. J. Woollons 385
Errata 480
Pattern recognition, shift-invariant transformation for. I. White 458
Patterson, E., Evans, D. R., and Lewis, M. F. (See Evans)
Patterson, R. C., and Cowley, A. M. (See Cowley)
Pauchard, R., and Désormière, B. (See Désormière)
Pauchard, R., Désormière, B., and Guidevaux, J. Electromagnetic surface waves in a metalised ferrite slab 428
Pavelić, P., Verhaggen, Th. P. E. M., Božičević, J., and Everaerts, F. M. (See Božičević)
Paxman, D. H., and Tree, R. J. Characteristics of bulk indium-phosphide microwave oscillators 240
Paxman, D. H., Tree, R. J., Boers, P. M. and Acket, G. A. (See Boers)
Payne, D. N., Sunak, H., and Gambling, W. A. (See Gambling)
Pearson, P. R., and Lamberton, H. M. (See Lamberton)
Pedestal control in diac-triac circuit. A. D. Cox and E. D. Spooner 756
Performance criterion, quadratic, evaluation of a, for 3-term control loops. N. E. Gough 493
Performance of InP 3-level oscillators in K and Q bands: 18-40 GHz. D. J. Colliver, J. R. Morgan and B. C. Taylor 50
Perkin, R. M., and Wooding, E. R. Interference of low-frequency waves in a positive column 781
Perry, R. R., Budrikis, Z. L., and Canoni, A. (See Budrikis)
Phase control, digital, by harmonic locking. A. L. Cullen and A. H. Al-Ani 609
Phase correction, method for, in active RC circuits using two integrators. P. W. Vogel 273
Phase-locking millimetre-wave klystrons for the measurement of submillimetre laser frequencies. D. J. E. Knight 383
Photodiode characteristics, silicon p-n, with variable drift field in the diffused region. A. B. Bhattacharyya, A. K. Tagore and T. N. Basavaraj 231
Piekarski, M. A. Reciprocal Darlington section suitable for an integrated circuit 475
Piessens, R. Calculation of Fourier coefficients of a function given at a set of arbitrary points (Computer-program description) 681
Piezoelectric ceramic, generation of acoustic waves by single pair of electrodes on surface of. R. F. Milsom and M. Redwood 541
Piezoelectric Rayleigh-wave transducer, interdigital: an improved equivalent circuit. R. F. Milsom and M. Redwood 217
Piezoelectric semiconductor, acoustic convolution using nonlinear surface-wave interactions in a. C. W. Turner, I. M. Mason and J. Chambers 696
Pinch-in effect in transistors with emitter-stripe geometry (Einschnüreffekt bei Transistoren mit Streifengeometrie). H.-M. Rein, T. Schad and R. Zühlke 757
Planar Schottky-gate Gunn devices. K. Heime 610
Plasma, cold positive-ion electron-beam thermal electron, ion oscillations in a. K. G. Emeleus and T. S. Pak 358
Errata 480
Plasma jet, Langmuir-probe measurement of ionisation density on a. R. M. Clements, R. N. Morris and P. R. Smy 390

Plasma, warm, effect of excitation on radiation resistance of a satellite square-loop aerial in a. R. K. Gupta and I. L. Freeston 199
p-n junction silicon photodiode characteristics with variable drift field in the diffused region. A. B. Bhattacharyya, A. K. Tagore and T. N. Basavaraj 231
p-n junctions, analytical model for, under high-injection conditions. J. Cornu 509
Point-matching technique for rectangular-cross-section dielectric rod. A. L. Cullen, O. Özkan and L. A. Jackson 497
Pokorny, J., and Jelínek, F. Measurement of the velocity/field characteristic of GaAs sample in dipole-mode operation 528
Polarisation characteristics of scattered fields. E. F. Knott and T. B. A. Senior 183
Polarisation of e.m. waves scattered by water drops. A. J. Dunlop and H. S. Stachera 87
Pole sensitivity to coefficient rounding in digital filters with multiple shift sequences. M. L. Attanasio d'Atri and T. Cianciolo 29
Pomeroy, R. C., and Rodgers, J. M. (See Rodgers)
Porter, B., and Crossley, T. R. Dyadic modal control of multi-input time-invariant linear systems 26
Porter, B., and Crossley, T. R. Necessary and sufficient conditions for system similarity 322
Porter, B., and Power, H. M. Dyadic modal control of multi-input time-invariant linear systems incorporating integral feedback 18
Porter, B. Optimal control of multivariable linear systems incorporating integral feedback 170
Porter, B. Simple proof of the Hsu-Chen theorem 163
Porter, B. Synthesis of linear multivariable feedback systems with prescribed stochastic-response characteristics 207
Porter, B. Time-invariant multivariable linear systems: modal structure and system similarity 250
Positive real functions, generalisation of a theorem by Mitra and Hurtig on. S. Tirtoprodjo 211
Posse, E. A., Tsarenkov, B. V., and Goldberg, Yu. A. (See Goldberg)
Possible advance in thermionic conversion. R. V. Harrowell 486
Poulton, G. Efficiency of a stepped reflector when fed from an off-axis source 666
Poulton, G. Image-region fields for a stepped reflector 650
Povy, L. Sur le régime transitoire de classe de systèmes échantillonnes nonlinéaires (Transient response of a class of nonlinear sampled-data control systems) 307
Power-delay product of digital transferred-electron devices. F. Stertzer 761
Power, H. M., and Porter, B. (See Porter)
Power, H. M. Calculation of steady-state response of linear system to periodic sampled signal 101
Errata 164
Power, H. M. Design freedom in the method of Anderson and Luenberger for eigenvalue assignment 71
Power, H. M. Extension to the method of Anderson and Luenberger for eigenvalue assignment 158
Power range, mean, new method of absolute measurements of laser radiation in the. R. Nowicki 647
Power supply, simplified, for electro-discharge machining at low frequencies. T. W. Shaw 364
Practical technique for the successive overrelaxation method. H. Niki 173
Practical technique for the successive overrelaxation method. H. Niki and Y. Akutu 369
Precipitation, investigation of the effects of, on parabolic antennas employing linear orthogonal polarisation at 11 GHz. B. G. Evans, A. J. Fryatt, J. Read, P. T. Thompson and D. J. W. Turner 375
Precision voltage-divider circuit. B. L. Hart 679
Predictor, linear, state-feedback controller with, for systems with dead time. J. O. Gray and P. W. B. Hunt 335
Premoli, A., and Germano, F. New approach to the approximation of RC-active-filter transmission functions with low Q factor 456
Prescribed stability optimal controller for time-delay systems. D. H. Eller and R. P. Rhoten 208
Prew, B. A. High-field-current instabilities in InP 584
Pringle, R. D., and Mitchinson, J. C. (See Mitchinson)
Pritchard, A. J., and Mayhew, M. J. E. (See Mayhew)
Pritchard, A. J., and Parker, K. T. Simplified Lyapunov matrix equation with applications to the control of distributed-parameter systems 398
Probe, optical, measurement of electrically induced liquid motion with an. R. J. Taylor and H. House 404
Program for numerical inversion of the Laplace transform (Computer-program description). K. Singhal and J. Vlach 413
Propagating (nonevanescent) waves, interpretation of slimguide operation in terms of. L. Lewin 555
Propagation and radiation characteristics of low-permittivity dielectric cones. P. J. B. Clarricoats and C. E. R. C. Salema 483
Propagation coefficients, complex, and the step discontinuity in corrugated cylindrical waveguide. D. N. Cooper 135
Propagation constant, complex, in situ measurements of the, in rocks for frequencies from 1 MHz to 10 MHz. R. N. Grubb and J. R. Wait 506
Propagation, electromagnetic pulse, in a simple dispersive medium. J. R. Wait 285
Propagation in shielded microslot on ferrite substrate. J. C. Minor and D. M. Bolle 502
Propagation, skywave, over a multi-section plane ground. J. Arnbak and J. Bach Anderson 685
Property of cosets and its application to the calculation of moments of binary sequences having multipliers. G. F. A. Hoffmann de Visme 328
Property of dual points. C. Arcelli and A. Massarotti 643
Prosthesis, arm-hand, myoelectric-control system for. A. Stein 238
Pucel, R. A., Haus, H. A., and Statz, H. (See Haus)
Pulse-code modulation, frequency-shift-keying, fast frequency-switching system for. M. Kawashima and H. Hartnagel 761
Pulse dispersion in glass fibres. W. A. Gambling, D. N. Payne and H. Sunak 549
Errata 651
Pulse excitation smaller than kT, can a, be detected? D. G. Maeder 767
Pulse measurements of transient thermal response and temperature of avalanching p-n junction. J. Nigrin 481
Pulse-rate exponential function generator. J. D. Martin and A. J. Shiner 55
Pulse response of 0° Z cut ADP modulators. K. Rashidi 114
Errata 236
Pure time delay of an analogue signal. H. R. Beastall and A. Scanlan 237
Pyrah, E., and Berz, F. (See Berz)

Q

Q band GaAs f.e.t. amplifier and oscillator. W. Beachtold 275
Q band GaAs Schottky-barrier IMPATT. J. M. Rodgers and R. C. Pomeroy 21
Quadrature-modulation-type lowpass and highpass filters. W. Saraga 516
Errata 632

R

RLC-ladder-network synthesis: signal-flow-graph approach. C. Acar 586
Rabbat, N. B., Ryan, W. D., and Hossain, S. Q. A. M. A. Computer modelling of bipolar logic gates (Computer-program description) 8
Rabbat, N. B., Ryan, W. D., and Hossain, S. Q. A. M. A. Transient analysis of modified t.t.l. gate 22
Radiation-pattern determinations, aerial far-field, comment on correction of errors in. D. M. Kerns 706
Radiation-pattern determinations, aerial far-field, correction of errors in. T. Birand and A. Marinçiç 86
Radiation patterns, aerial far-field, determination of, from near-field measurements. T. Birand and A. Marinçiç 296
Errata 444
Radiation patterns of paraboloid with log-periodic dipole feed. P. A. McInnes, E. W. Munro and A. J. T. Whitaker 669
Radiation, proton, effects of, on capacitance/voltage characteristics of m.o.s. capacitors. H. C. Card and K. C. Kao 262
Radiation, recombination, observation of, in planar Gunn-effect devices. D. Ullrich 193
Radio links, transmission-delay control of, in a mutually synchronised p.c.m. network. F. G. Johannesen 677
Radiowave propagation, millimetric, measurement of phase fluctuations on. E. Vilar and P. A. Matthews 566
Radley, D. E., Dirmikis, D., and Birtles, A. B. Comment on practical technique for the successive overrelaxation method 369
Errata 651
Rainfall attenuation at 110 and 890 GHz. D. T. Llewellyn-Jones and A. M. Zavody 321
Rakovich, B. D., and Djurich, B. M. Chebyshev linear phase approximation using iterative technique 646
Ramachandran, V., and Verma, P. K. (See Verma)
Ramachandran, V., and Singh, N. P. (See Singh)
Ramamoorty, M., and Arumugam, M. (See Arumugam)
Raman, S. Inversion of modal matrices 29
Ramanan, K. V., and Gupta, R. K. Doping-dependent mobility analysis of junction field-effect transistors 221
Ramar, K., and Ramaswami, B. Output canonical form for observable and unobservable systems 603
Ramaswami, B., and Ramar, K. (See Ramar)
Rao, D. N., Taylor, D., and Bhatt, S. J. (See Taylor)
Rao, K. Radhakrishna, and Venkateswaran, S. (See Venkateswaran)
Rao, K. R., and Ahmed, N. Optimum quadratic spectrum for complex BIFORE transform 686
Rao, K. R., Tjoe, S. K., and Ahmed, N. (See Ahmed)
Rao, K. Sankara, Rao, V. V. Bapeswara, and Murti, V. G. K. Evaluation of 2-trees of a graph 332
Rao, N. D., and Elmetwally, M. M. (See Elmetwally)
Rao, V. V. Bapeswara, and Godbole, M. M. Evaluation of open-circuit impedance matrix of 2-port RLC networks (Computer-program description) 487
Rao, V. V. Bapeswara, Murti, V. G. K., and Rao, K. Sankara (See Rao, K. Sankara)
Rao, V. V. Bapeswara. Node-pair transformation matrices 677
Rapid pulse-frequency-number convertor. T. H. Thomas 345
Rashidi, K. Pulse response to 0° Z cut ADP modulators 114
Errata 236
Rasmy, M. E., and Hamza, M. H. (See Hamza)
Rational delay-function approximations to e^x. L. Eisenberg 248
Ratliff, P. A., and Parsons, J. D. (See Parsons)
Ratliff, P. A., Parsons, J. D., and Shearman, E. D. R. Space-diversity reception for v.h.f. mobile radio 655
Ravenscroft, I. A., and Kidd, G. P. Improved commutating channel separator for millimetric-waveguide systems 466
Rayleigh distance in relation to curved surfaces. L. Lewin 744
Raymond, P. D., and Cheng, D. K. (See Cheng)
Rayner, P. J. W., and Kingsbury, N. G. (See Kingsbury)
Rays, complex, Gaussian beam as a bundle of. G. A. Deschamps 684
Reactance, compensating, improvement of a resonant-transfer circuit by means of a. L. Versfeld 270
Read, J., Thompson, P. T., Turner, D. J. W., Evans, B. G., and Fryatt, A. J. (See Evans)
Read-only memory, high-speed low-cost. C. A. Brown and G. F. Cornwell 644
Real factorisation of noncyclic-convolution operators with application to fast convolution. J. C. Allwright 718
Realisation from partial sequences. J. Hiller and D. K. Goodman 188
Realisation of impedances Kp^n. A. G. J. Holt 672
Realisation of voltage transfer functions by unsymmetrical lattice structures. N. P. Singh and V. Ramachandran 558
Reception, space-diversity, for v.h.f. mobile radio. P. A. Ratliff, J. D. Parsons and E. D. R. Shearman 655
Recession depth in metallic conductors at low frequencies. P. I. Solmo 776
Reciprocal Darlington section suitable for an integrated circuit. M. S. Piekarski 475
Reciprocal relationships in the linear optimal-control problem. H. Nicholson 536
Reddy, D. C., and Jagan, N. C. Multi-dimensional transforms: new technique for the association of variables 278
Reduction of the Riccati equation for distributed-parameter systems. M. J. E. Mayhew and A. J. Pritchard 628
Redwood, M., and Milsom, R. F. (See Milsom)
Reeder, T. M., and Adams, P. L. Surface-wave delay lines with near-octave bandwidth 570

Reeder, T. M., Shaw, H. J., and Bond, W. L. (See Bond)
Rees, H. D., and Hilsum, C. Three-level transferred-electron effects in InP 437
Errata 568
Reflection of an impulsive plane wave by a magnetoionic half space. D. A. Hill 35
Reflector, stepped, efficiency of a, when fed from an off-axis source. G. Poulton 666
Reflector, stepped, image-region fields for a. G. Poulton 650
Reframing time, average average, calculation of the, for digital transmission systems employing 1-frame delay method of reframing. Q. S. Chow and P. E. K. Chow 705
Rein, H.-M., Schad, T., and Zühlke, R. Einschnüreffekt bei Transistoren mit Streifengeometrie (Pinch-in effect in transistors with emitter-stripe geometry) 757
Reiser, M. Difference methods for the solution of the time-dependent semiconductor flow equations 353
Relationship between cutset and node-pair transformation matrices. K. Thulasiraman and M. N. S. Swamy 276
Relationship between spinwave linewidth H_k and the effective linewidth H_{eff} in ferrites. C. Borghese and R. Roveda 359
Relationship of the starting delay time and frequency/temperature characteristics of X band Gunn oscillators. Z. U. Kocabiyikoglu, G. S. Hobson and B. E. A. de Sa 550
Relaxation method for mixed boundary conditions. H. Niki, H. Kimura, M. Usui and Y. Akutu 525
Remarks on solution of AX + XB = C. S. Barnet 385
Réseau logique cellulaire pour l'extraction des racines carrées (virgule flottante) [Cellular array for extracting square roots (floating-point number)]. L. Frécon 361
Resistor noise, current-induced, not attributable entirely to fluctuations of conductivity. H. Sutcliffe 160
Resistors, nonlinear metal. J. C. Mitchinson and R. D. Pringle 38
Resonant slots, arbitrarily located, in waveguide: exact condition for circular polarisation. A. J. Sangster and D. C. Hawkins 741
Resonant techniques for establishing the equivalent circuits of small discontinuities in microstrip. I. M. Stephenson and B. Easter 582
Resonant-transfer circuit, improvement of a, by means of a compensating reactance. L. Versfeld 270
Resonator, elliptic, and its use in microcircuit systems. R. T. Irish 149
Resonators, microstrip, having reduced radiation loss. R. J. Roberts and B. Easter 191
Response of a recursive m.t.i. filter to inputs with staggered p.r.f. S. Haykin and J. F. Boulter 415
Retarded control, calculation of piecewise-constant control strategies for linear systems with. O. Sebakhy 324
Errata 444
Reynolds, J. F., Assour, J. M., and Rosen, A. (See Rosen)
Rhodes, J. D., and Marston, P. C. Cascade synthesis of transmission lines and lossless lumped networks 621
Rhoten, P., and Eller, D. H. (See Eller)
Riccati equation, matrix, in the electrical-network problem. H. Nicholson 529
Riccati equation, reduction of the, for distributed-parameter systems. M. J. E. Mayhew and A. J. Pritchard 628
Rich, G. J. Robertson, D. S., Saunders, A. F., Young, A. S., and Ainger, F. W. (See Ainger)
Richman, P. Suppression of parasitic thick-field conduction mechanisms in silicon-gate m.o.s. integrated circuits 12
Ridge guides for acoustic surface waves. I. M. Mason, R. D. de la Rue, R. V. Schmidt, E. A. Ash and P. E. Lagasse 395
Rigaud, D., Ginter, G., and Lecoy, G. Thermal noise in gradual-junction-gate f.e.t. 389
Riordan, R. H. S. The mixed double: a new balanced input stage 454
Road, traffic control, improved algorithm for. N. Gartner 212
Roberts, A. P., and Norton, J. P. (See Norton)
Roberts, R. J., and Easter, B. Microstrip resonators having reduced radiation loss 191
Roberts, R. J. Effect of tolerances on the performance of microstrip parallel-coupled bandpass filters 255
Robertson, D. S., Saunders, A. F. Young, A. S., Ainger, F. W., and Rich, G. J. (See Ainger)
Rodgers, J. M., and Pomeroy, R. C. Q band GaAs Schottky-barrier IMPATT 21
Roe, P. H., and Seth, A. K. (See Seth)
Rosen, A., Reynolds, J. F., and Assour, J. M. Broadband high-power TRAPPAT-diode amplifier at S band 778
Rosman, G. Sweep-frequency measurement of structural return loss by a carrier-burst method 216
Rossel, P., and Martinot, H. (See Martinot)
Roulston, D. J., Chamberlain, S. G., and Sehgal, J. High-level asymptotic variation of transistor base resistance and current gain 438
Roveda, R., and Borghese, C. (See Borghese)
Rowe, D. M. Graphical method for estimating phonon- and impurity-scattering contributions in heavily doped semiconductors 315
Rowe, D. M. Screened impurity scattering in heavily doped covalent semiconductors 763
Ryan, W. D., and Kilpatrick, J. A. (See Kilpatrick)
Ryan, W. D., Hossain, S. Q. A. M. A., and Rabbat, N. B. (See Rabbat)

S

S band, broadband high-power TRAPPAT-diode amplifier at. A. Rosen, J. F. Reynolds and J. M. Assour 778
Sabina, F. J., and Burridge, R. (See Burridge)
Sabine, P. H. V. Surface-acoustic-wave reflectors 653
Sah, C. T. Small-signal equivalent π networks for carrier generation-recombination-trapping at imperfection centres in semiconductors 713
Saha, P. K., Clarricoats, P. J. B., and Oliver, A. D. (See Clarricoats)
Salema, C. E. R. C., and Clarricoats, P. J. B. (See Clarricoats)
Salsano, A., Giannini, F., and Ottavi, C. M. (See Giannini)
Sampled-data control systems, nonlinear, transient response of a class of. L. Povy 307
Sampled-data multivariable feedback control systems, nonlinear, Bibo stability of. C. Melin 319
Sampling technique, improved, for the observation of high harmonics in TRAPATT waveforms. N. A. Slaymaker and J. E. Carroll 554
Sandbank, C. P., and Butler, M. B. N. Acoustic surface waves on isopaustic glass 499
Sander, K. F., and Midgley, J. A. (See Midgley)
Sangster, A. J., and Hawkins, D. C. Arbitrarily located resonant slots in waveguide: exact condition for circular polarisation 741
Sankaran, P., and Murti, V. G. K. Electronic error compensation of a current transformer 327
Saraga, P., and Wavish, P. R. Edge-coding operators for pattern recognition 736
Saraga, W. Quadrature-modulation-type lowpass and highpass filters 516
Errata 632
Sarkar, T. K., O'Kelly, P. D., and Lewis, J. E. (See Lewis)
Sarnot, S. L., and Bhattacharyya, A. B. (See Bhattacharyya)
Saunders, A. F. Young, A. S, Ainger, F. W., Rich, G. J., and Robertson, D. S. (See Ainger)
Scalar feed, narrow-flare-angle, gain of, with arbitrary length. H. K. Au 671
Scanlan, A., and Beastall, H. R. (See Beastall)
Scattered fields, polarisation characteristics of. E. F. Knott and T. B. A. Senior 183
Scattering, application of point-matching method to, from quadrilateral cylinders. D. M. Bolle and D. M. Fye 577
Scattering from a turbulent rocket-exhaust jet illuminated by a focused microwave beam. P. J. B. Clarricoats, L. M. Seng, B. Travers and M. Williams 597
Scattering from a turbulent rocket-exhaust jet illuminated by a plane wave. H. Williams, A. S. Wilson and C. C. Blake 595
Scattering-matrix measurements on 3-port electronic circulators. R. S. Andrews 351
Scattering parameters, network sensitivities in terms of. G. Iuculano, V. A. Monaco and P. Tiberio 53
Schad, T., Zühlke, R., and Rein, H.-M. (See Rein)
Schiek, B., and Schünemann, K. (See Schünemann)
Schjaer-Jacobsen, H., Nilsson, E., Bach Andersen, J., and Bojsen, J. H. (See Bojsen)
Schmidt, R. V., Ash, E. A., Lagasse, P. R., Mason, I. M., and de la Rue, R. D. (See Mason)
Schnelle taktsynchrone datenübertragung (Synchronous high-speed data transmission). J. Kuhlwetter 562
Schottky-barrier guard, integrated-circuit. M. C. J. Cowpland and A. R. Boothroyd 753
Schottky-barrier m.o.s.f.e.t.s, etched, using a single mask. J. G. Hogeboom and R. S. C. Cobbold 133
Schottky-barrier microwave diodes, metal-semiconductor-metal, noise measure of. H. A. Haus, H. Statz and R. A. Pucel 667
Schottky-barrier Q band GaAs IMPATT. J. M. Rodgers and R. C. Pomeroy 21
Schottky barriers, aluminium, on sputter-etched silicon. P. Gütknecht and M. J. O. Strutt 298
Schottky-gate Gunn devices, planar. K. Heime 610
Schünemann, K., and Schiek, B. Comparison between transmission- and reaction-cavity-stabilised oscillators 618
Schünemann, K., and Schiek, B. Influence of a transmission line on the noise spectra of cavity-stabilised oscillators 659
Scraton, R. E. Comment on rational approximants to the matrix exponential 260
Screened impurity scattering in heavily doped covalent semiconductors. D. M. Rowe 763
Sebakhy, O. Calculation of piecewise-constant control strategies for linear systems with retarded control 324
Errata 444
Sebakhy, O. New proof for the controllability criterion of linear systems with delay in control 293
2nd-order plants, alternative switching criterion for. J. S. C. Tan 310
Secondary-electron coefficients, generalised, calculation of, between coaxial cylinders (Computer program description). J. R. Travis and D. J. Mellor 594
Addendum 651
Sehgal, J., Roulston, D. J., and Chamberlain, S. G. (See Roulston)
Selden, A. C. Nonlinear transmission of an optical signal 287
Self-phasing aerial array for f.m. communication links. J. D. Parsons and P. A. Ratliff 380
Sellberg, F. Large-signal theory for rectangular-voltage operation of a uniform avalanche zone in IMPATT diodes 154
Semiconductor devices, experiments on heat sinking of. W. Fallmann, H. L. Hartnagel and P. C. Mathur 512
Semiconductor devices, mathematical 2-dimensional model of. D. Vandorpe and Nguyen Huy Xuong 47
Semiconductor flow equations, time-dependent, difference methods for the solution of the. M. Reiser 353
Semiconductor, piezoelectric, acoustic convolution using nonlinear surface-wave interactions in a. C. W. Turner, I. M. Mason and J. Chambers 696
Semiconductor samples, velocity-saturated nonuniform, negative resistance from. I. Lundström and R. L. Wierich 209
Semiconductor thin-film devices, amorphous, frequency dependence of negative-capacitance effects observed in. J. Allison and V. R. Dawe 706
Semiconductors, heavily doped covalent, screened impurity scattering in. D. M. Rowe 763
Semiconductors, small-signal equivalent π networks for carrier generation-recombination-trapping at imperfection centres in. C. T. Sah 713
Seng, L. M., Travers, B., Williams, M., and Clarricoats, P. J. B. (See Clarricoats)
Sengupta, D. L. Theory of v.o.r. antenna radiation patterns 418
Senior, T. B. A., and Knott, E. F. (See Knott)
Senior, T. B. A. Diffraction coefficients for a discontinuity in curvature 249
Sensitivities, network, in terms of scattering parameters. G. Iuculano, V. A. Monaco and P. Tiberio 53
Sensitivity analysis using second method of Lyapunov. M. M. Elmetwally and N. D. Rao 622
Sensitivity and transfer functions, simultaneous realisation of. E. C. Strycula and N. K. Bose 769
Sensitivity calculations of ladder networks by using continuants. Y. Ceyhun 157
Sensitivity coefficients, higher-order, method for the computation of, for a linear network: frequency-domain case. A. K. Seth and P. H. Roe 478
Errata 600
Errata 652

Sensitivity coefficients, various-order, computer analysis for the, in frequency domain. A. K. Seth and H. Roe 477
Errata 600
Sensitivity invariants of certain class of networks. Y. Ceyhun 85
Sensitivity, large-change, of linear nonreciprocal networks, method for the efficient computation of the. P. J. Goddard, P. A. Villalaz and R. Spence 112
Sensitivity performance of threshold-logic gates using Chow parameters. S. L. Hurst 371
Sensitivity, pole, to coefficient rounding in digital filters with multiple shift sequences. M. L. Attanasio d'Atri and T. Cianciolo 29
Sensitivity, time-domain network, error in, using adjoint-network approach. A. K. Seth 548
Sensitivity, time-domain, using the adjoint network. A. K. Seth and K. Singhal 563
Sensitivity, use of taper to reduce, in a distributed active lowpass network. L. P. Huelsman and R. M. Tong 520
Separation technique for repetitive analysis of electrical networks. T. Downs 361
Septier, A., Jiminez, J. J., and Sudraud, P. (See Jiminez)
Sequences, linear binary, delayed versions of. C. A. Stapleton 39
Sequences, multiple shift, pole sensitivity to coefficient rounding in digital filters with. M. L. Attanasio d'Atri and T. Cianciolo 29
Seraji, H., and Fallside, F. (See Fallside)
Seth, A. K., and Roe, P. H. Computer analysis for the various-order sensitivity coefficients in frequency domain 477
Errata 600
Seth, A. K., and Roe, P. H. Method for the computation of higher-order sensitivity coefficients for a linear network: frequency-domain case 478
Errata 600
Errata 652
Seth, A. K., and Singhal, K. Time-domain sensitivity using the adjoint network 563
Seth, A. K. Error in time-domain network sensitivity using adjoint-network approach 548
Seviora, R. E., and Bandler, J. W. (See Bandler)
Shafai, L. Analysis of a 2-terminal negative resistance 572
Shafai, L. Surface currents on conducting triangular prisms 32
Shaw, H. J., Bond, W. L., and Reeder, T. M. (See Bond)
Shaw, T. W. Simplified power supply for electrodischarge machining at low frequencies 264
Shearman, E. D. R., Ratliff, P. A., and Parsons, J. D. (See Ratliff)
Shenoi, B. A., and Malah, D. (See Malah)
Shift-invariant transformation for pattern recognition. I. White 458
Shift register, high-speed molybdenum-gate m.o.s.t. T. Curtis and H. Kemhadjian 729
Shiner, A. J., and Martin, J. D. (See Martin)
Short-distance groundwave propagation. G. Millington 80
Shreve, W. R., Kino, G. S., and Luukkala, M. V. Surface-wave parametric-signal processing 764
Siemens, K. H., and Majithia, J. C. (See Majithia)
Signal-flow-graph approach: RLC-ladder-network synthesis. C. Acar 586
Signal flowgraph determinant, new expansion for. C. Acar 766
Signal/noise-ratio performance of optimum nonlinearities. N. M. Blachman 393
Signal processing, parametric beam-steering technique for acoustic waves with applications to. V. L. Newhouse 14
Silicon diodes, n^+-p-p^+ and p^+-n-n^+ junction, computer comparison of, for IMPATT oscillators. B. J. Udelson and A. L. Ward 723
Silicon-gate m.o.s. integrated circuits, suppression of parasitic thick-field conduction mechanisms in. P. Richman 12
Silicon-gate technology, stabilising influence of boron in. M. B. Bandali 735
Silicon, measurement of minority-carrier lifetime in, at microwave frequencies using microstrip techniques. V. Makios and R. E. Thomas 496
Silicon p-n junction photodiode characteristics with variable drift field in the diffused region. A. B. Bhattacharyya, A. K. Tagore and T. N. Basavaraj 231
Silicon p^+-n-p^+ and Cr-n-p^+ transit-time oscillators, experimental comparison of. P. Weissglas and C. P. Snapp 743
Silicon Pt-n-p^+ microwave diode source, local oscillator noise in a. C. A. Lee and G. C. Dalman 565
Silicon slices, microwave transmission method for measuring minority-carrier lifetime in. R. E. Thomas, V. Makios, S. Ogletree and R. McKillican 754
Simple design for up/down Gray-code counters. J. C. Majithia 658
Simple model for charge-coupled devices. T. S. Jayadevaiah and J. Laur 751
Simple negative-impedance convertor. T. R. Viswanathan 501
Errata 600
Simple proof of the Hsu-Chen theorem. B. Porter 163
Simplified Lyapunov matrix equation with applications to the control if distributed-parameter systems. A. J. Pritchard and K. T. Parker 398
Simplified power supply for electro-discharge machining at low frequencies. T. W. Shaw 264
Simplified variance calculation for parameter estimates in the presence of coloured noise. R. D. Bell 369
Simulation, computer, of dependence of TRAPATT oscillations on minority saturation currents. R. L. Wierich 189
Simulation, digital, of nonlinear dynamic systems using standard FORTRAN (Computer-program description). D. E. Hirst 102
Errata 444
Simulation, direct, of an iron-core coil for an analogue computer. G. Chevallier and R. Goyet 317
Simulation, nonlinear-capacitor. R. W. Newcomb and O. A. Seriki 452
Simultaneous generation of the partial derivatives of network polynomial coefficients: further details and results. O. P. D. Cutteridge and P. H. di Mambro 3
Simultaneous realisation of transfer and sensitivity functions. E. C. Strycula and N. K. Bose 769
Singh, N. P., and Ramachandran, V. Realisation of voltage transfer functions by unsymmetrical lattice structures 558
Singhal, K., and Seth, A. K. (See Seth)
Singhal, K., and Vlach, J. Program for numerical inversion of the Laplace transform (Computer-program description) 413
Singhal, K., and Vlach, J. Transmission parameters of a class of coupled distributed networks 574
Errata 704
Single-receiver diversity systems for reducing the effect of fast fading in mobile radio. M. J. Withers 727
Sinha, N. K., and Bereznai, G. T. (See Bereznai)
Sinha, N. K., Szabados, B., and Di Cenzo, C. D. New high-precision digital tachometer 174
Sjölund, A. Noise in IMPATT oscillator at large r.f. amplitudes 161
Skywave propagation over a multisection plane ground. J. Arnbak and J. Bach Anderson 685
Slaymaker, N. A., and Carroll, J. E. Improved sampling technique for the observation of high harmonics in TRAPATT waveforms 554
Slobodnik, A. J., and Szabo, T. L. New high-coupling low-diffraction cut for acoustic surface waves on $LiNbO_3$ 257
Slot lines, dispersion characteristics of. T. Itoh and R. Mittra 364
Sluyter, R. J., and Van Gerwen, P. J. Dual single-sideband modulation for wideband data transmission 640
Small-signal equivalent π networks for carrier generation-recombination-trapping at imperfection centres in semiconductors. C. T. Sah 713
Smirnov, S. A., Aksenov, I. E., and Belous, V. A. (See Aksenov)
Smoothing as an improvement on filtering: a universal bound. B. D. O. Anderson and S. Chirarattananon 524
Smy, P. R., Clements, R. M., and Morris, R. N. (See Clements)
Snapp, C. P., and Baukus, J. P. High-harmonic content in trapped-plasma-mode oscillators 426
Snapp, C. P., and Weissglas, P. (See Weissglas)
Snyder, A. W. Approximate eigenvalues for a circular rod of arbitrary relative permittivity 105
Solid-state microwave diode, annular, heat-sink temperature distribution of the. S. P. Yu and G. H. Glover 182
Solmo, P. I. Recession depth in metallic conductors at low frequencies 776
Solution of homogeneous ordinary linear differential systems by numerical inversion of Laplace transforms. V. Zakian 546
Solution of the matrix equation $AX + XB = C$. C. S. Lu 185
Source followers, dual m.o.s.f.e.t., offset-voltage temperature coefficient in. R. W. J. Barker and B. L. Hart 123
Space-charge theory of Kino and Robson, inclusion of diffusion in the. W. Heinle 245
Errata 444
Space-diversity reception for v.h.f. mobile radio. P. A. Ratliff, J. D. Parsons and E. D. R. Shearman 655
Special stability analysis for the Shichman formula. B. R. Boustead 127
Spence, J. E., and Dence, D. (See Dence)
Spence, R., Goddard, P. J., and Villalaz, P. A. (See Goddard)
Spooner, E. D., and Cox, A. D. (See Cox)
Sputter-etched silicon, aluminium Schottky barriers on. P. Gutknecht and M. J. O. Strutt 298
Sputtered ZnO surface-wave transducers. D. R. Evans, M. F. Lewis and E. Patterson 557
Stabilisation mechanism for 'super-critical' transferred-electron amplifiers. R. Charlton, K. R. Freeman and G. S. Hobson 575
Stabilising influence of boron in silicon-gate technology. M. B. Bandali 735
Stabilité entrées bornées-sorties bornées de systèmes asservis multivariables discrets nonlinéaires (Bibo stability of nonlinear sampled-data multivariable feedback control systems). C. Melin 319
Stability analysis, special, for the Shichman formula. B. R. Boustead 127
Stability, Bibo, of nonlinear sampled-data multivariable feedback control systems. C. Melin 310
Stability of a wideband gyrator circuit. J. G. Wade and S. W. Parker 224
Stability of parametric networks. P. H. Gerrand and A. R. Kerr 40
Stability optimal controller, prescribed, for time-delay systems. D. H. Eller and R. P. Rhoten 208
Stability theorem for linear discrete systems. N. K. Bose 165
Stachera, H. S., and Dunlop, A. J. (See Dunlop)
Standards, thermal-noise, and zero-point fluctuations. I. A. Harris 148
Stapleton, C. A. Delayed versions of linear binary sequences 39
State feedback controller, design of a, with maximum forcing-function specification. J. O. Gray and P. W. B. Hunt 726
State-feedback controller for systems with dead time. J. O. Gray and P. W. B. Hunt 131
State-feedback controller with linear predictor for systems with dead time. J. O. Gray and P. W. B. Hunt 335
State-space matrices, computing transfer functions from. F. Ghani and M. H. Ackroyd 487
State variables and Laguerre series. V. Kukk 269
State variables, evaluation of transient response using. W. E. Thomson 357
Statistics, carrier-recombination, in a 2-level trapping system. M. J. Buckingham and E. A. Faulkner 333
Statz, H., Pucel, R. A., and Haus, H. A. (See Haus)
Steady-state values in single-input feedback systems. F. Fallside and H. Seraji 197
Steele, R., and Dempster, I. A. (See Dempster)
Stein, A. Myoelectric-control system for arm-hand prosthesis 238
Stentiford, F. W. M., and Lewin, D. W. Heuristic procedure for the reduction of finite-state machines 700
Stephenson, I. M., and Easter, B. Resonant techniques for establishing the equivalent circuits of small discontinuities in microstrip 582
Stern, J. R., and Dyott, R. B. Off-axis launching into a fibre-optical waveguide 52
Stern, J. R., and Dyott, R. B. (See Dyott)
Stertzer, F. Power-delay product of digital transferred-electron devices 761
Stewart, R. V., and Gardiner, J. G. Contribution to mixer intermodulation distortion of nonlinearity in the diode forward characteristics 279
Stochastic automata, memory minimisation in control with. B. R. Gaines 710
Stoddart, A. G. Method of testing p.c.m. encoders and decoders by a level-at-a-time process 36
Strutt, M. J. O., and Gutknecht, P. (See Gutknecht)
Strutt, M. J. O., Hartmann, K., and Kotyczka, W. (See Hartmann)
Strycula, E. C., and Bose, N. K. Simultaneous realisation of transfer and sensitivity functions 769
Substrate, ferrite, propagation in shielded microslot on. J. C. Minor and D. M. Bolle 502
Substrate, low-conductivity, 2-dimensional analysis of j.f.e.t. structures containing a. D. P. Kennedy and R. R. O'Brien 714
Successive overrelaxation method, practical technique for the. H. Niki 173

Sudraud, P., Septier, A., and Jiminez, J. J. (See Jiminez)
Sunak, H., Gambling, W. A., and Payne, D. N. (See Gambling)
Sundareshan, M. K. Discrete Wiener-Lee transforms 485
Sundareswaren, K. K., and Bayoumi, M. M. Eigenvalue assignment in linear multivariable systems 573
Suppression of parasitic thick-field conduction mechanisms in silicon-gate m.o.s. integrated circuits. P. Richman 12
Sur le régime transitoire de classe de systèmes échantillonnes nonlinèaires (Transient response of a class of nonlinear sampled-data control systems). L. Povy 307
Surana, D. C. and Gardiner, J. G. Calculation of intermodulation distortion levels in f.e.t. mixers and modulators 167
Surface-acoustic-wave reflectors. P. H. V. Sabine 653
Surface-barrier diodes, GaP, ideal. Yu. A. Goldberg, E. A. Posse and B. V. Tsarenkov 601
Surface currents on conducting triangular prisms. L. Shafai 32
Surface effects, contribution of the, on the white noise of silicon bipolar transistors. J. C. Martin, G. Blasquex and J. Caminade 342
Surface-wave delay lines with near-octave bandwidth. T. M. Reeder and P. L. Adams 570
Surface-wave diffraction on $LiNbO_3$. J. C. Crabb, J. D. Maines and N. R. Ogg 253
Surface-wave diffraction, 2-dimensional from an arbitrary source in an anisotropic medium. I. M. Mason 344
Surface-wave parametric-signal processing. W. R. Shreve, G. S. Kino and M. V. Luukkala 764
Surface-wave transducers, ZnO, sputtered. D. R. Evans, M. F. Lewis and E. Patterson 557
Surface-waveguide modes, computation of, by use of reactance boundary conditions. C. G. Williams and G. K. Cambrell 323
Surface waves, acoustic, on isopaustic glass. C. P. Sandbank and M. B. N. Butler 499
Surface waves, acoustic, on $LiNbO_3$, new high-coupling low diffraction cut for. A. J. Slobodnik and T. L. Szabo 257
Surface waves, electromagnetic, in a metallised ferrite slab. R. Pauchard, B. Désormière and J. Guidevaux 428
Surface waves, ridge acoustic, theoretical computations on, using the finite-element method. R. Burridge and F. J. Sabina 720
Sutcliffe, H. Current-induced resistor noise not attributable entirely to fluctuations of conductivity 160
Swamy, M. N. S., and Thulasiraman, K. (See Thulasiraman)
Sweep-frequency measurement of structural return loss by a carrier-burst method. G. Rosman 216
Swift, D. A. Gas discharges at low temperatures: deductions from breakdown characteristics of hydrogen at sub-atmospheric pressure 620
Switches, broadband phase, for radio-frequency and microwave interferometry. E. A. Parker and P. S. Nicholson 166
Switching, bistable, experimental verification of, with Gunn diodes. H. Thim 246
Switching criterion, alternative, for 2nd-order plants. J. S. C. Tan 310
Synchronous high-speed data transmission (Schnelle taktsynchrone datenübertragung). J. Kuhlwetter 562
Synthesis by continued-fraction expansion. S. Tirtoprodjo 631
Synthesis of broadband microwave transistor amplifiers. R. S. Tucker 455
Synthesis of linear discrete-time-varying systems. D. Malah and B. A. Shenoi 745
Synthesis of linear multivariable feedback systems with prescribed stochastic-response characteristics. B. Porter 207
Synthesis of RC networks containing operational amplifiers using flowgraph techniques. I. Cahit and R. Cahit 420
Synthesis of the optimal receiver structure for binary phase-modulated signals. V. A. Cherdyntser and A. C. Davies 739
Synthesis of transfer functions by non-symmetrical lattice networks using lossy coils. P. K. Verma and V. Ramachandran 409
Synthesis procedure, new minimal, capacitor low-sensitivity RC-active. W. B. Mikhael and B. B. Bhattacharyya 694
System similarity, necessary and sufficient conditions for. B. Porter and T. R. Crossley 322
Szabados, B., Di Cenzo, C. D., and Sinha, N. K. (See Sinha)
Szabo, T. L., and Slobodnik, A. J. (See Slobodnik)

T

T. T. L. gate, modified, transient analysis of. N. B. Rabbat, W. D. Ryan and S. Q. A. M. A. Hossain 22
Tagore, A. K., Basavaraj, T. N., and Bhattacharyya, A. B. (See Bhattacharyya)
Tamir, T., and Chu, R. S. (See Chu)
Tan, J. S. C. Alternative switching criterion for 2nd-order plants 310
Tan, S. W., Teng, Y. F., and Tjhung, T. T. Adjacent-channel interference in f.s.k. transmission 730
Taylor, B. C., Colliver, D. J., and Morgan, J. R. (See Colliver)
Taylor, D., Bhatt, S. J., and Rao, D. N. Comment on pulse-rate exponential function generator 247
Taylor, D. P. Nonlinear feedback equaliser employing a soft limiter 265
Taylor, R. J., and House, H. Measurement of electrically induced liquid motion with an optical probe 404
Tearle, C. A., Court, W. P. N., and Clunie, D. M. (See Clunie)
Television filters, acoustic-surface-wave. D. Chauvin, G. Coussot and E. Dieulesaint 491
Tellegen's theorem, hybrid form of. Y. Ceyhun 84
Temes, G. C., and Gadenz, R. N. (See Gadenz)
Temperature coefficient, offset-voltage, in dual m.o.s.f.e.t. source followers. R. W. J. Barker and B. L. Hart 123
Temperature-compensated analogue multiplier. A. K. H. Miller 539
Temperature/frequency characteristics and starting delay time, relationship of the, of X band Gunn oscillators. Z. U. Kocabiyikoglu, G. S. Hobson and B. E. A. de Sa 550
Temperature/frequency-stability variations, improved, Gunn diodes with. J. Bird, R. M. G. Bolton, A. L. Edridge, B. A. E. de Sa and G. S. Hobson 299
Temperature of avalanching p-n junction, pulse measurements of transient thermal response and. J. Nigrin 481
Teng, Y. F., Tjhung, T. T., and Tan, S. W. (See Tan)
Testing p.c.m. encoders and decoders, method of, by a level-at-a-time process. A. G. Stoddart 36
Teszner, J. L., and Boccon-Gibod, D. (See Boccon-Gibod)
Teszner, J. L. Tunable Gunn oscillator by semiconductor surface loading 146
Theoretical computations on ridge acoustic surface waves using the finite-element method. R. Burridge and F. J. Sabina 720
Theory of oscillator noise. M. T. Vlaardingerbroek 648
Theory of v.o.r. antenna radiation patterns. D. L. Sengupta 418
Thermal noise in gradual-junction-gate f.e.t. D. Rigaud, G. Ginter and G. Lecoy 389
Thermal-noise standards and zero-point fluctuations. I. A. Harris 148
Thermal response, transient, pulse measurements of, and temperature of avalanching p-n junction. J. Nigrin 481
Thermionic conversion, possible advance in. R. V. Harrowell 486
Thim, H. Experimental verification of bistable switching with Gunn diodes 246
Thim, H. W. Noise reduction in bulk negative-resistance amplifiers 106
Thomas, M., and Hobson, G. S. (See Hobson)
Thomas, T. H. Rapid pulse-frequency-number convertor 345
Thomas, R. E., and Makios, V. (See Makios)
Thomas, R. E., Makios, V., Ogletree, S., and McKillican, R. Microwave transmission method for measuring minority-carrier lifetime in silicon slices 754
Thompson, P. T., Turner, D. J. W., Evans, B. G., Fryatt, A. J., and Read, J. (See Evans)
Thomson, W. E. Evaluation of transient response using state variables 357
Three-level transferred-electron effects in InP. H. D. Rees and C. Hilsum 437
Errata 568
Three-term control loops, evaluation of a quadratic performance criterion for. N. E. Gough 493
Threshold-logic gates, sensitivity performance of, using Chow parameters. S. L. Hurst 371
Thulasiraman, K., and Swamy, M. N. S. Relationship between cutset and node-pair transformation matrices 276
Tiberio, P., Iuculano, G., and Monaco, V. A. (See Iuculano)
Time-delay systems, prescribed stability optimal controller for. D. H. Eller and R. P. Rhoten 208
Time-domain model of the device/circuit characteristics of a trapped-plasma mode avalanche-diode oscillator. B. Culshaw 339
Time-domain network sensitivity, error in, using adjoint-network approach. A. K. Seth 548
Time-domain sensitivity using the adjoint network. A. K. Seth and K. Singhal 563
Time-invariant multivariable linear systems: modal structure and system similarity. B. Porter 250
Time-variant system, 'bandpass' linear, transformation of, into equivalent 'low-pass' system. D. R. Gimlin 645
Time-varying difference operators, linear, cascade decomposition of. D. Malah 340
Time-varying Fourier transform. N. Ahmed, K. R. Rao and S. K. Tjoe 535
Time-weighted total-square integrals, evaluation of. M. H. Hamza and M. E. Rasmy 303
Tirtoprodjo, S. Constraint removal for Huelsman's equal-valued-capacitor active RC circuit 448
Tirtoprodjo, S. Generalisation of a theorem by Mitra and Hurtig on positive real functions 211
Tirtoprodjo, S. Synthesis by continued-fraction expansion 631
Tjhung, T. T., Tan, S. W., and Teng, Y. F. (See Tan)
Tjoe, S. K., Ahmed, N., and Rao, K. R. (See Ahmed)
Tomizawa, K., Kawashima, M., and Kataoka, S. New logic functional device using transverse spreading of a high-field domain in n type GaAs 239
Tomlinson, M. New automatic equaliser employing modulo arithmetic 138
Tong, R. M., and Huelsman, L. P. (See Huelsman)
Topological restrictions on sources for solvability of lumped networks. P. M. Lin 363
Transducer, braodband hybrid-junction, and negative-resistance circuits, amplification of acoustic surface waves by means of a. R. Krimholtz and T. L. Matthaei 233
Transducers, sputtered ZnO surface-wave. D. R. Evans, M. F. Lewis and E. Patterson 557
Transfer and sensitivity functions, simultaneous realisation of. E. C. Strycula and N. K. Bose 769
Transfer function, input-variable, experimental hearing-aid circuit with an, for the correction of cochlear deafness. E. Trinder 2
Transfer-function matrix, partial-fraction expansion of the. N. Munro 367
Transfer function, pulse, approximation of a sampled impulse-response function by a. R. F. Brown, I. L. Campbell and D. H. Mee 169
Transfer function, two methods for the construction of, of digital integrators. R. Vich 422
Transfer functions, computing, from state-space matrices. F. Ghani and M. H. Ackroyd 487
Transfer functions, pulse, model stability in use of moments to estimate. R. F. Brown 587
Transfer functions, pulse, order determination in estimation of, by method of moments. I. L. Campbell and R. F. Brown 689
Transfer functions, synthesis of, by non-symmetrical lattice networks using lossy coils. P. K. Verma and V. Ramachandran 409
Transfer functions, voltage, realisation of, by unsymmetrical lattice structures. N. P. Singh and V. Ramachandran 558
Transferred-electron amplifiers, 'super-critical', stabilisation mechanism for. R. Charlton, K. R. Freeman and G. S. Hobson 575
Transferred-electron devices, digital, power-delay product of. F. Stertzer 761
Transferred-electron effect, dynamical study of the, by a Monte Carlo technique. H. A. Hillbrand 495
Transferred-electron effects, 3-level, in InP. H. D. Rees and C. Hilsum 437
Errata 568
Transformation of 'bandpass' linear time-variant system into equivalent 'lowpass' system. D. R. Gimlin 645
Transformation, shift-invariant, for pattern recognition. I. White 458
Transformations in an RC-active-network synthesis procedure. A. Antoniou 504
Transforms, discrete Wiener-Lee. M. K. Sundareshan 485
Transforms, multidimensional: new technique for the association of variables. D. C. Reddy and N. C. Jagan 278
Transforms, 2-port to 3-port: transistor S parameter measurement. D. Woods 451
Transient analysis of modified t.t.l. gate. N. B. Rabbat, W. D. Ryan and S. Q. A. M. A. Hossain 22

Transient response of a class of nonlinear sampled-data control systems (Sur le régime transitoire de classe de systèmes échantillonnes nonlinéaires). L. Povy 307
Transistor-analysis computer programs, numerical-integration procedures in. F. Berz and E. Pyrah 94
Transistor base resistance and current gain, high-level asymptotic variation of. D. J. Roulston, S. G. Chamberlain and J. Sehgal 438
Transistor packages, microwave bipolar, in the 2-10 GHz range, equivalent networks for three different. K. Hartmann, W. Kotyczka and M. J. O. Strutt 510
Transistor S parameter measurement: corrections for 2-port common-electrode impedance and the corresponding 2-port to 3-port transforms. D. Woods 162
Transistor S parameter measurement: 2-port to 3-port transforms. D. Woods 451
Transistors, double-diffused, improved method for calculation of net impurity-doping profile of. F. Durbin 243
Transistors, lateral-base, 2-dimensional analysis of. J. A. Kilpatrick and W. D. Ryan 226
Transistors, m.n.o.s., effect of oxide-layer thickness on the speed of. R. E. Oakley 89
Transistors, m.o.s., absence of 1/f noise in, operated in saturation. F. Leuenberger 561
Transistors, m.o.s., carrier multiplication in the pinchoff region of. H. Martinot and P. Rossel 118
Transistors, pinch-in effect in, with emitter-stripe geometry. H.-M. Rein, T. Schad and R. Zühlke 757
Transit-time oscillator with velocity-limited injection. G. T. Wright 449
Transit-time oscillators, silicon p^+-n-p^+ and Cr-n-p^+, experimental comparison of. P. Weissglas and C. P. Snapp 743
Transmission-delay control of radio links in a mutually synchronised p.c.m. network. F. G. Johannesen 877
Transmission line, approximation of a nonuniform, by a cascade of uniform lines. J. C. Giguere 511
Transmission line, influence of a, on the noise spectra of cavity-stabilised oscillators. K. Schünemann and B. Schiek 659
Transmission-line system, multiconductor and generalised multilayer, extension of Chang-Chang's method to analysis of. Yu Chang and Chang-Yu Wu 45
Transmission lines and lossless lumped networks, cascade synthesis of. J. D. Rhodes and P. C. Marston 621
Transmission matrix of a class of discrete-time systems. D. Malah 682
Transmission, nonlinear, of an optical signal. A. C. Selden 287
Transmission parameters of a class of coupled distributed networks. K. Singhal and J. Vlach 574
Errata 704
Transmittances, conditions on the group delay of. J. Neirynck 7
TRAPATT-amplifier and TRAPATT-oscillator diode structures. H. Kroger 608
TRAPATT-diode amplifier, broadband high-power, at S band. A. Rosen, J. F. Reynolds and J. M. Assour 778
TRAPATT oscillations, computer simulation of dependence of, on minority saturation currents. R. L. Wierich 189
Trapped-plasma-mode oscillators, high-harmonic content in. C. P. Snapp and J. P. Baukus 426
Trapping system, 2-level, carrier-recombination statistics in a. M. J. Buckingham and E. A. Faulkner 333
Travers, B., Williams, M., Clarricoats, P. J. B., and Seng, L. M. (See Clarricoats)
Travis, J. R., and Mellor, D. J. Calculation of generalised secondary-electron coefficients between coaxial cylinders (Computer program description) 594
Addendum 651
Tree, R. J., and Paxman, D. H. (See Paxman)
Tree, R. J., Boers, P. M., Acket, G. A., and Paxman, D. H. (See Boers)
Trees-2 of a graph, evaluation of. K. Sankara Rao, V. V. Bapeswara Rao and V. G. K. Murti 332
Trigger, tunnel-diode monostable, dynamic performance of a, with nonlinear load. A. B. Bhattacharyya and S. L. Sarnot 465
Trinder, E. Experimental hearing-aid circuit with an input-variable transfer function for the correction of cochlear deafness 2
Truncation error in the analysis of aperture radiation. A. Q. Howard 129
Tsarenkov, B. V., Goldberg, Yu. A., and Posse, E. A. (See Goldberg)
Tucker, R. S. Synthesis of broadband microwave transistor amplifiers 455
Tunable Gunn oscillator by semiconductor surface loading. J. L. Teszner 146
Tunable microwave filter, new high-power magnetically. A. C. Baynham and M. R. B. Dunsmore 90
Tuned X band Gunn oscillator, varactor, broadband (1.95 GHz). B. J. Downing and F. A. Myers 407
Tunnel-diode monostable trigger, dynamic performance of a, with nonlinear load. A. B. Bhattacharyya and S. L. Sarnot 465
Turner, C. W., Mason, I. M., and Chambers, J. Acoustic convolution using nonlinear surface-wave interactions in a piezoelectric semiconductor 696
Turner, D. J. W., Evans, B. G., Fryatt, A. J., Read, J., and Thompson, P. T. (See Evans)
Turner, J. A., Waller, A. J., Kelly, E., and Parker, D. Dual-gate gallium-arsenide microwave field-effect transistor 661
Two-colour liquid-crystal display (Affichage bicolore à cristal liquide). G. Assouline, M. Hareng and E. Leiba 699
Two-dimensional analysis of lateral-base transistors. J. A. Kilpatrick and W. D. Ryan 226
Two-dimensional surface-wave diffraction from an arbitrary source in an anisotropic medium. I. M. Mason 344
2-level trapping system, carrier-recombination statistics in an. M. J. Buckingham and E. A. Faulkner 333
Two methods for the construction of transfer functions of digital integrators. R. Vich 422
Two network-frequency transformations for bandpass filters. P. R. Geffe 198
2-10 GHz range, equivalent networks for three different microwave bipolar transistor packages in the. K. Hartmann, W. Kotyczka and M. J. O. Strutt 510
Tzafestas, S. G. Buffer length for Erlang arrivals and multiple synchronous regular removals 176

U

Udelson, B. J., and Ward, A. L. Computer comparison of n^+-p-p^+ and p^+-n-n^+ junction silicon diodes for IMPATT oscillators 723
Ullrich, D. Observation of recombination radiation in planar Gunn-effect devices 193
Ultrasonic sampled multielement receiving array, far-field sector scanning using a. S. O. Harrold and R. C. West 100
Uniaxial anisotropic fluctuations, medium possessing, Dyson's equation for a. D. Dence and J. E. Spence 304
Unobservable and observable systems, output canonical form for. K. Ramar and B. Ramaswami 603
Use of taper to reduce sensitivity in a distributed active lowpass network. L. P. Huelsman and R. M. Tong 520
Usui, M., Akutu, Y., Niki, H., and Kimura, H. (See Niki)

V

Van Bladel, J. Mode coupling through wall losses in a waveguide 178
van der Ziel, A., van Vliet, K. M., and Huang, C. H. (See Huang)
Van Gerwen, P. J., and Sluyter, R. J. (See Sluyter)
van Vliet, K. M., Huang, C. H., and van der Ziel, A. (See Huang)
Vandorpe, D., and Nguyen Huy Xuong. Mathematical 2-dimensional model of semiconductor devices 47
Varactor frequency multiplier, amplitude stabilisation of a, using self-bias resistance compensation. C. D. Corbey and R. Davies 151
Varactor-tuned X band Gunn oscillator, broadband (1.95 GHz). B. J. Downing and F. A. Myers 407
Varactor-tuned X band Gunn oscillator using lumped thin-film circuits. C. S. Aitchison and B. H. Newton 93
Variable-gradient method for adaptive equaliser. J. W. Mark 636
Variation of microstrip losses with thickness of strip. R. Horton, B. Easter and A. Gopinath 490
Venkateswaran, S., and Rao, K. Radhakrishna. Multifunction active RC circuit with grounded capacitors 708
Verhaggen, Th. P. E. M., Božičević, J., Everaerts, F. M., and Pavelić, P. (See Božičević)
Verma, P. K., and Ramachandran, V. Synthesis of transfer functions by non-symmetrical lattice networks using lossy coils 409
Versfeld, L. Improvement of a resonant-transfer circuit by means of a compensating reactance 270
Vibration-mode patterns of acousto-electric oscillators. F. G. Marshall 203
Vich, R. Two methods for the construction of transfer functions of digital integrators 422
Vidallon, C., and Matheau, J. C. Algorithm for analysis of general linear active networks 19
Vilar, E., and Matthews, P. A. Measurement of phase fluctuations on millimetric radiowave propagation 566
Villalaz, P. A., Spence, R., and Goddard, P. J. (See Goddard)
Viswanathan, T. R. Simple negative-impedance convertor 501
Errata 600
Vlaardingerbroek, M. T. Theory of oscillator noise 648
Vlach, J., and Singhal, K. (See Singhal)
Vogel, P. W. Method for phase correction in active RC circuits using two integrators 273
Vokes, J. C., Dawsey, J. R., and Deadman, H. A. Low-noise room-temperature wideband parametric amplifiers 657
Voltage-divider circuit, precision. B. L. Hart 679
von Rohden, H. J., Bailey, A. G., and Bracher, J. E. (See Bailey)
Vranesic, Z. G., and Dufty, P. O. (See Dufty)

W

Wadbrook, D. G., and Woollons, D. J. Parallel-processing computer for pattern recognition 385
Errata 480
Wade, J. G., and Parker, D. W. Stability of a wideband gyrator circuit 224
Wait, J. R., and Grubb, R. N. (See Grubb)
Wait, J. R. Array technique for electromagnetic positional determination of a buried receiving point 186
Wait, J. R. Electromagnetic pulse propagation in a simple dispersive medium 285
Wait, J. R. Influence of earth curvature on the subsurface electromagnetic fields of a line source 697
Waller, A. J., Kelly, E., Parker, D., and Turner, J. A. (See Turner)
Walsh-function generator, new. C. K. Yuen 605
Walter, O. H. D. Formulas for linear optimal control over a finite or infinite interval (Erratum) 88
Ward, A. L., and Udelson, B. J. (See Udelson)
Ward, F. S., Whitehead, A. J., and Eddolls, D. V. (See Eddolls)
Watson, P. A., Goodall, F., and Ghobrial, S. Mutual interference between linear crosspolarised radio channels at 11 GHz 374
Wattmeter, delta-sigma. I. A. Dempster and R. Steele 519
Wave impedance from atmospheric noise near 2 kHz. D. B. Large 214
Wave propagation in negative-conductivity media. F. Giannini, C. M. Ottavi and A. Salsano 65
Waveguide, arbitrarily located resonant slots in: exact condition for circular polarisation. A. J. Sangster and D. C. Hawkins 741
Waveguide circuit, ridge, operation of transferred-electron oscillators in the. S. Y. Narayan, H. C. Huang and A. R. Gobat 31
Waveguide, class of, orthogonality relationship for, with anisotropic walls. D. N. Cooper 137
Waveguide, coplanar, characteristic impedance measurements of a. H. Matino 678
Waveguide, corrugated cylindrical, complex propagation coefficients and the step discontinuity in. D. N. Cooper 135
Waveguide, corrugated rectangular, attenuation in. R. Baldwin and P. A. McInnes 770
Waveguide delay line, circular TE_{01} periodic, for pulse compression. H. S. Gökgör and B. Minakovic 607
Waveguide, fibre-optical, off-axis launching into a. J. R. Stern and R. B. Dyott 52
Waveguide, 4-step digital p-i-n diode phase shifter in, at C band using two diodes. R. Genner 474
Waveguide, glass-fibre, group delay in. R. B. Dyott and J. R. Stern 82
Waveguide, mode coupling through wall losses in a. J. Van Bladel 178
Waveguide-mounted Gunn-effect oscillators, circuit characterisation of. C. P. Jethwa and R. L. Gunshor 433

Waveguide systems, millimetric, improved commutating channel separator for. I. A. Ravenscroft and G. P. Kidd 466
Waveguides, dielectric-rod, calculation of attenuation of. A. L. Cullen 707
Waveguides, hollow, irregular fields, non-convex shapes and the point-matching method for. J. B. Davies and P. Nagenthiram 401
Errata 480
Waveguides, optical iris-beam, assessment of. J. W. Mink 527
Wavish, P. R., and Saraga, P. (See Saraga)
Weissglas, P., and Snapp, C. P. Experimental comparison of silicon p^+-n-p^+ and Cr-n-p^+ transit-time oscillators 743
West, R. C., and Harrold, S. O. (See Harrold)
Whipps, P. W., and Fox, A. J. (See Fox)
Whitaker, A. J. T., McInnes, P. A., and Munro, E. W. (See McInnes)
White noise, contribution of the surface effects on the, of silicon bipolar transistors. J. C. Martin, G. Blasquex and J. Caminade 342
White, I. Shift-invariant transformation for pattern recognition 458
White noise, formulas for multidimensional optimal linear filtering in. B. D. O. Anderson and J. B. Moore 515
White, P. M., and Gibbons, G. (See Gibbons)
Whitehead, A. J., Eddolls, D. V., and Ward, F. S. (See Eddolls)
Wideband microwave amplifier with two antiparallel high-efficiency-diode pairs. H. Kawamoto and E. L. Allen 602
Wideband parametric amplifiers, low-noise room-temperature. J. C. Vokes, J. R. Dawsey and H. A. Deadman 657
Wiener-Lee transforms, discrete. M. K. Sundareshan 485
Wierich, R. L., and Lundström, I. (See Lundström)
Wierich, R. L. Computer simulation of dependence of TRAPATT oscillations on minority saturation currents 189
Wierzba, H. J., Gruszczynski, W., and Ligmanowski, M. (See Gruszczynski)
Williams, C. G., and Cambrell, G. K. Computation of surface-waveguide modes by use of reactance boundary conditions 323
Williams, H., Wilson, A. S., and Blake, C. C. Scattering from a turbulent rocket-exhaust jet illuminated by a plane wave 595
Williams, M., Clarricoats, P. J. B., Seng, L. M., and Travers, B. (See Clarricoats)
Wilson, A. S., Blake, C. C., and Williams, H. (See Williams)
Wilson, M. G. F., and de Barros, M. A. R. P. (See de Barros)
Wise, B. Optimal rational approximations to a delay 312
Witcomb, R. G. Online identification of a drifting system using generalised Kalman filtering 10
Withers, M. J. Single-receiver diversity systems for reducing the effect of fast fading in mobile radio 727
Wolff, I., and Knoppik, N. Microstrip ring resonator and dispersion measurement on microstrip lines 779
Wood, H. B., and Arthanayake, T. (See Arthanayake)
Wooding, E. R., and Perkin, R. M. (See Perkin)
Woods, D. Transistor S parameter measurement: corrections for 2-port common-electrode impedance and the corresponding 2-port to 3-port transforms 162
Woods, D. Transistor S parameter measurement: 2-port to 3-port transforms 451
Woollons, D. J., and Wadbrook, D. G. (See Wadbrook)
Wrap-around surface-wave delay lines. W. L. Bond, T. M. Reeder and H. J. Shaw 79
Wright, G. T., and Bandali, M. B. (See Bandali)
Wright, G. T. Transit-time oscillator with velocity-limited injection 449

X

X band, high-power high-efficiency c.w. Gunn oscillators in. D. V. Eddolls, F. S. Ward and A. J. Whitehead 472
XDP materials, laser-induced damage in. T. M. Christmas and J. M. Ley 544

Y

Y.I.G. rod, magnetostatic resonance in a, containing a turning point. B. Désormière and R. Pauchard 62
Yagi aerials and the Hensen-Woodyard condition. P. Miller 11
Yagi-Uda arrays, maximum gain of. J. H. Bojsen, H. Schjaer-Jacobsen, E. Nilsson and J. Bach Andersen 531
Errata 652
Young, A. S., Ainger, F. W., Rich, G. T., Robertson, D. S., and Saunders, A. F. (See Ainger)
Young, A. S., Marshall, F. G., and Paige, F. G. S. (See Marshall)
Yu Chang and Chang-Yu Wu. Extension of Chang-Chang's method to analysis of generalised multilayer and multiconductor transmission-line system 45
Yu, S. P., and Glover, G. H. Heat-sink temperature distribution of the annular solid-state microwave diode 182
Yuen, C. K. New Walsh-function generator 605

Z

Zakian, V., and Coleman, R. Numerical inversion of rational Laplace transforms 777
Zakian, V., and Gannon, D. R. Least-squares optimisation of numerical inversion of Laplace transforms 70
Zakian, V. Rational approximants to the matrix exponential 260
Zakian, V. Solution of homogeneous ordinary linear differential systems by numerical inversion of Laplace transforms 546
Zavody, A. M., and Llewellyn-Jones, D. T. (See Llewellyn-Jones)
Zero-point fluctuations and thermal-noise standards. I. A. Harris 148
ZnO surface-wave transducers, sputtered. D. R. Evans, M. F. Lewis and E. Patterson 557
Zühlke, R., Rein, H.-M., and Schad, T. (See Rein)